


2016
*Kentucky
School Bus
Purchasing
Guide*



2016 Kentucky School Bus Purchasing Guide

Table of Contents

PA – 1	Type A, Type C and Type D Buses	2
PA-1	Type A and C Buses	3
PA-1	Type D Non-Conventional Buses	5
PA – 2	Handicapped Units	6
PA-2	Type A and C Handicapped Equipped Buses	7
PA-3	Propane Powered Buses	8
Blue Bird	Central States Bus Sales, Inc.	9
	Options	9
	Radios	9
	Seats	10
	Cameras	11
	Air Conditioning	13
	Boxes	15
	Engine Upgrade, Misc.	16
	Seating Plans / Floor Plans	17
International	Bluegrass International Trucks and Buses, Inc.	41
	Options	41
	Radios	42
	Luggage Compartments, Air Conditioning	43
	Cameras	44
	Seating Plans / Floor Plans (COLINS)	47
	Seating Plans / Floor Plans (IC)	49
Thomas Built	Whayne Supply	71
	Options	71
	Luggage Compartments	72
	Special Seating	73
	Cameras	75
	Misc.	76
	Seating Plans Floor Plans	78



PA-1



PA-1

**KENTUCKY DEPARTMENT OF EDUCATION
2016 SCHOOL BUS PURCHASE AUTHORIZATION
TYPE A, TYPE C, AND TYPE D SCHOOL BUSES**

The Board of Education _____, Kentucky, on _____, 20____, in a legally called and constituted meeting, did vote to purchase school buses through the Kentucky State Contract price procedure. This Board of Education took this official action in order to authorize the Chief State School Officer to procure 2016 school buses. This action, as spread upon the minutes of the meeting of this Board of Education on the above date, should be construed as evidence of obligation of this Board of Education to purchase the above school buses through State Price Contract agreements established in accordance with statutory authority.

Signed _____, Secretary
_____, Superintendent
Of _____, Board of Education
Date _____.

BODY SIDE NUMBERS: Indicate the body side number the Board of Education wants painted on the body side of each school bus. Match body side number to individual item numbers. Example: Item 1 - Side number - 5, 6, 7, 8

ATTACH ADDITIONAL INFORMATION IF NECESSARY



2016



PA-1 TYPE A AND TYPE C SCHOOL BUSES BOARD OF EDUCATION

Item #	No. To Be Purchased	Capacity	Engine & Chassis Manufacturer	HP	Trans.	Brakes	Fuel Tank Location	Wheel base	Body Manufacturer	Rear axle overhang	FOB KY Price
1		22	6.5 GM, GENERAL MOTORS CORP.	155	AUTO	H	Center rear	139"	COLLINS	82"	65,914
2		34	CUMMINS ISB, BLUEBIRD	220	2500PTS	AB	Center rear	169"	BLUEBIRD	96"	78,685
3		34	CUMMINS ISB, BLUEBIRD	220	2500PTS	AB	Center rear	189"	BLUEBIRD	125"	79,995
4		34	CUMMINS ISB, INTERNATIONAL	220	2500PTS	AB	Center rear	169"	IC CORP	93"	80,123
5		34	CUMMINS ISB, FREIGHTLINER	200	2500PTS	AB	Center rear	158"	THOMAS	99"	82,223
6		52	CUMMINS ISB, BLUEBIRD	220	2500PTS	AB	Center rear	217"	BLUEBIRD	132"	81,990
7		52	CUMMINS ISB, INTERNATIONAL	220	2500PTS	AB	Center rear	217"	IC CORP	128"	81,520
8		52	CUMMINS ISB, INTERNATIONAL	250	2500PTS	AB	Center rear	217"	IC CORP	128	82,209
9		52	CUMMINS ISB, FREIGHTLINER	200	2500PTS	AB	Center rear	219"	THOMAS	128"	82,545
10		66	CUMMINS ISB, BLUEBIRD	220	2500PTS	AB	Center rear	273"	BLUEBIRD	139 "	81,995
11		66	CUMMINS ISB, INTERNATIONAL	220	2500PTS	AB	Center rear	276"	IC CORP	141"	82,894
12		66	CUMMINS ISB, INTERNATIONAL	250	2500PTS	AB	Center rear	276"	IC CORP	141"	83,583
13		66	CUMMINS ISB, FREIGHTLINER	220	2500PTS	AB	Center rear	279"	THOMAS	148"	84,271
14		66	CUMMINS ISB, BLUEBIRD	250	3000PTS	AB	Center rear	273"	BLUEBIRD	139"	86,340
15		66	CUMMINS ISB, INTERNATIONAL	220	3000PTS	AB	Center rear	276"	IC CORP	141"	86,844
16		66	CUMMINS ISB, INTERNATIONAL	250	3000PTS	AB	Center rear	276"	IC CORP	141"	87,533
17		66	CUMMINS ISB, FREIGHTLINER	220	3000PTS	AB	Center rear	279"	THOMAS	148"	87,973



2016



PA-1 TYPE A AND TYPE C SCHOOL BUSES BOARD OF EDUCATION

18		72	CUMMINS ISB, BLUEBIRD	220	2500PTS	AB	Center rear	273"	BLUEBIRD	160"	82,995
19		72	CUMMINS ISB, BLUEBIRD	250	3000PTS	AB	Center rear	273"	BLUEBIRD	160"	87,840
20		72	CUMMINS ISB, INTERNATIONAL	220	2500PTS	AB	Center rear	276"	IC CORP	158"	83,442
21		72	CUMMINS ISB, INTERNATIONAL	250	2500PTS	AB	Center rear	276"	IC CORP	158"	84,131
22		72	CUMMINS ISB, INTERNATIONAL	220	3000PTS	AB	Center rear	276"	IC CORP	158"	87,192
23		72	CUMMINS ISB, INTERNATIONAL	250	3000PTS	AB	Center rear	276"	IC CORP	158"	87,881
24		72	CUMMINS ISB, FREIGHTLINER	220	2500PTS	AB	Center rear	279"	THOMAS	148'	85,919
25		72	CUMMINS ISB, FREIGHTLINER	220	3000PTS	AB	Center rear	279"	THOMAS	148"	90,213

KEY: Engines

Transmissions and Brakes

Fuel Tank Location

MAXFORCE DT	466CID TURBO ELECTRONIC I-6, DIESEL	AUTO	Type A automatic	Center Rear- Behind the rear axle between the frame rails
CUMMINS ISB	410CID TURBO ELECTRONIC I-6, DIESEL	2500PTS	Allison 5 speed automatic	Right side- Attached to the right frame rail between the axles
6.6 GM	400CID TURBO ELECTRONIC V8, DIESEL	3000PTS	Allison severe service automatic	Center -Between the frame rails, between the axles
		AB	Air brakes	



2016

PA - 1

TYPE D NON-CONVENTIONAL SCHOOL BUSES

BOARD OF EDUCATION

FORWARD CONTROL

Item #	No. To Be Purchased	Capacity	Engine & Manufacturer	HP	Trans.	Brakes	Fuel Tank Location	Wheel base	Body Manufacturer	Rear axle overhang	FOB KY Price
26		70	CUMMINS ISB, BLUEBIRD	250	3000PTS	AB	Center rear	232"	BLUEBIRD	153"	97,520
27		70	CUMMINS ISB, FREIGHTLINER	260	3000PTS	AB	Center rear	212"	THOMAS	155"	101,166
28		74	CUMMINS ISB, BLUEBIRD	250	3000PTS	AB	Center rear	232"	BLUEBIRD	153"	97,775
29		74	CUMMINS ISB, FREIGHTLINER	260	3000PTS	AB	Center rear	212"	THOMAS	155"	101,146
30		78	CUMMINS ISB, BLUEBIRD	250	3000PTS	AB	Center rear	232"	BLUEBIRD	160"	97,925
31		78	CUMMINS ISB, FREIGHTLINER	260	3000PTS	AB	Center rear	231"	THOMAS	155"	101,814

REAR ENGINE

Item #	No. To Be Purchased	Capacity	Engine & Manufacturer	HP	Trans.	Brakes	Fuel Tank Location	Wheel base	Body Manufacturer	Rear axle overhang	FOB KY Price
32		78	CUMMINS ISB, FREIGHTLINER	240	3000PTS	AB	Center	267"	THOMAS	115"	108,541
33		78	MAXFORCE DT, INTERNATIONAL	260	3000PTS	AB	Center	276"	IC CORP	120"	105,858
34		78	CUMMINS ISB, BLUEBIRD	250	3000PTS	AB	Center	273"	BLUEBIRD	122"	107,950
35		84	CUMMINS ISB, FREIGHTLINER	280	3000PTS	AB	Center	277"	THOMAS	115"	110,288

KEY: Engines

Transmissions and Brakes

Fuel Tank

MAXFORCE DT	466CID TURBO ELECTRONIC I-6, DIESEL	AUTO	Type A automatic	Center Rear- Behind the rear axle between the frame rails
CUMMINS ISB	410CID TURBO ELECTRONIC I-6, DIESEL	2500PTS	Allison 5 speed automatic	Right side- Attached to the right frame rail between the axles
6.6 GM	400CID TURBO ELECTRONIC V8, DIESEL	3000PTS	Allison severe service automatic	Center -Between the frame rails, between the axles
		AB	Air brakes	



PA-2

PA-2

**KENTUCKY DEPARTMENT OF EDUCATION
2016 SCHOOL BUS PURCHASE AUTHORIZATION
(HANDICAPPED UNITS)**

The Board of Education _____, Kentucky, on _____, 20____, in a legally called and constituted meeting, did vote to purchase school buses through the Kentucky State Contract price procedure.

This Board of Education took this official action in order to authorize the Chief State School Officer to procure 2016 school buses. This action, as spread upon the minutes of the meeting of this Board of Education on the above date, should be construed as evidence of obligation of this Board of Education to purchase the above school buses through State Price Contract agreements established in accordance with statutory authority.

Signed

_____, Secretary

_____, Superintendent

Of _____, Board of Education

Date _____.

BODY SIDE NUMBERS: Indicate the body side number the Board of Education wants painted on the body side of each school bus. Match body side number to individual item numbers. Example: Item 1 - Side number - 5, 6, 7, 8

ATTACH ADDITIONAL INFORMATION IF NECESSARY



2016

Buses listed by shell size (For actual capacity see enclosed floor plans)

PA-2 TYPE A AND TYPE C HANDICAP EQUIPPED SCHOOL BUSES _____ BOARD OF EDUCATION

Item #	No. To Be Purchased	Shell Capacity	Engine & Manufacturer	HP	Trans.	Brakes	Fuel Tank Location	Wheel base	Body Manufacturer	Rear axle overhang	FOB KY Price
36		22	6.5 GM Lift behind the rear axle	155	AUTO	H	Center rear	139"	COLLINS	80"	73,117
37		34	CUMMINS ISB, BLUEBIRD	220	2500PTS	AB	Center rear	189"	BLUEBIRD	125"	85,520
38		34	CUMMINS ISB, INTERNATIONAL	220	2500PTS	AB	Center rear	169"	IC CORP	93"	84,910
39		34	CUMMINS ISB, FREIGHTLINER	200	2500PTS	AB	Center rear	158"	THOMAS	99"	86,144
40		52	CUMMINS ISB, BLUEBIRD	220	2500PTS	AB	Center rear	217"	BLUEBIRD	132"	87,520
41		52	CUMMINS ISB, INTERNATIONAL	220	2500PTS	AB	Center rear	217"	IC CORP	128"	87,319
42		52	CUMMINS ISB, INTERNATIONAL	250	2500PTS	AB	Center rear	217"	IC CORP	128"	88,008
43		52	CUMMINS ISB, FREIGHTLINER	200	2500PTS	AB	Center rear	219"	THOMAS	128"	87,962
44		66	CUMMINS ISB, BLUEBIRD	220	2500PTS	AB	Center rear	273"	BLUEBIRD	153"	89,490
45		66	CUMMINS ISB, INTERNATIONAL	220	2500PTS	AB	Center rear	276"	IC CORP	149"	89,910
46		66	CUMMINS ISB, INTERNATIONAL	250	2500PTS	AB	Center rear	276"	IC CORP	149"	90,599
47		66	CUMMINS ISB, FREIGHTLINER	220	2500PTS	AB	Center rear	279"	THOMAS	158"	91,167
48		66	CUMMINS ISB, BLUEBIRD	250	3000PTS	AB	Center rear	273"	BLUEBIRD	153"	93,520
49		66	CUMMINS ISB, INTERNATIONAL	220	3000PTS	AB	Center rear	276"	IC CORP	149"	94,030
50		66	CUMMINS ISB, INTERNATIONAL	250	3000PTS	AB	Center rear	276"	IC CORP	149"	94,719
51		66	CUMMINS ISB, FREIGHTLINER	220	3000PTS	AB	Center rear	279"	THOMAS	158"	96,077



2016

PA - 3 PROPANE POWERED SCHOOL BUSES

BOARD OF EDUCATION

TYPE A and C PROPANE CONVENTIONAL

Item #	No. To Be Purchased	Capacity	Engine & Manufacturer	HP	Trans.	Brakes	Fuel Tank Location	Wheel base	Body Manufacturer	Rear axle overhang	FOB KY Price
52		24	6.0L GM/ Chevrolet	340	Auto	H	Center rear	159"	COLLINS	92"	73,260
53		34	6.8L FORD/ROUSH, BLUEBIRD	362	FORD	AB	Center rear	189"	BLUEBIRD	125"	85,780
54		52	6.8L FORD/ROUSH, BLUEBIRD	362	FORD	AB	Center rear	217"	BLUEBIRD	132"	89,535
55		52	8.0L GM Python V-8 LPG THOMAS	339	Allison2300	AB	Center rear	219"	THOMAS	128"	91,845
56		66	6.8L FORD/ROUSH, BLUEBIRD	362	FORD	AB	Center rear	273"	BLUEBIRD	139"	90,290
57		66	8.8L PSI /INTERNATIONAL	270	Allison2500	AB	Center rear	276"	IC CORP	149"	91,034
58		66	8.0L GM Python V-8 LPG THOMAS	339	Allison2300	AB	Center rear	279"	THOMAS	158"	95,450
59		72	6.8L FORD/ROUSH, BLUEBIRD	362	FORD	AB	Center rear	273"	BLUEBIRD	160"	90,840
60		72	8.8L PSI /INTERNATIONAL	270	Allison2500	AB	Center rear	276"	IC CORP	149"	91,267
61		72	8.0L GM Python V-8 LPG, THOMAS	339	Allison2300	AB	Center rear	279"	THOMAS	158"	97,872

TYPE A and C PROPANE, SPECIAL NEEDS, LIFT EQUIPTED

Item #	No. To Be Purchased	Shell Size	Engine & Manufacturer	HP	Trans.	Brakes	Fuel Tank Location	Wheel base	Body Manufacturer	Rear axle overhang	FOB KY Price
62		24	6.0L GM/Chevrolet (lift behind rear axle)	340	Auto	H	Center rear	159"	COLLINS	92"	79,820
63		34	6.8L FORD/ROUSH, BLUEBIRD	362	FORD	AB	Center rear	189"	BLUEBIRD	125"	93,290
64		52	6.8L FORD/ROUSH, BLUEBIRD	362	FORD	AB	Center rear	217"	BLUEBIRD	132"	94,800
65		52	8.0L GM Python V-8 LPG THOMAS	339	Allison2300	AB	Center rear	219"	THOMAS	129"	97,427
66		66	6.8L FORD/ROUSH, BLUEBIRD	362	FORD	AB	Center rear	273"	BLUEBIRD	139"	100,100
67		66	8.8L PSI /INTERNATIONAL	270	Allison2500	AB	Center rear	276"	IC CORP	149"	101,230
68		66	8.0L GM Python V-8 LPG THOMAS	339	Allison2300	AB	Center rear	79"	THOMAS	148"	103,457

KEY: Engines

Transmissions and Brakes

Fuel Tank Location

MAXFORCE DT	466CID TURBO ELECTRONIC I-6, DIESEL	AUTO	Type A automatic	Center Rear- Behind the rear axle between the frame rails
CUMMINS ISB	410CID TURBO ELECTRONIC I-6, DIESEL	2500PTS	Allison 5 speed automatic	Right side- Attached to the right frame rail between the axles
6.6 GM	400CID TURBO ELECTRONIC V8, DIESEL	3000PTS	Allison severe service automatic	Center -Between the frame rails, between the axles
		AB	Air brakes	



Central States Bus Sales, Inc.

361 United Court Lexington KY 40509

859-899-8944 • FAX: 866-300-8893 • 866-376-1644

www.centralstatesbus.com

August 11, 2015

2015 School Bus Optional Equipment Information

RFB-758-1200000989

Contact Information:

Mark Parsons
Eastern Kentucky Sales Manager
Phone: 502-216-2544
Fax: 615-466-5045
mparsons@centralstatesbus.com

Chuck Harvill
General Manager
877-307-0322
615-466-5045
charvill@centralstatesbus.com

Bill Glisson
Western Kentucky Sales Manager
Phone: 502-709-2572
Fax: 615-466-5045
bglisson@centralstatesbus.com

Jeff A. Reitz
President/CEO
800-825-8273
636-326-2501
jreitz@centralstatesbus.com

New in-state service facility located in Lexington, KY

**Central States Bus Sales, Inc.
361 United Court
Lexington, KY 40509**

5 year Bumper-to-bumper warranty (see limitations per attached warranty sheet)

Radios

- | | |
|--------------------------------------------|----------|
| A. Radio, AM/FM/PA | \$625.00 |
| B. Radio, AM/FM/PA (with external speaker) | \$725.00 |

Featuring:



SEATS

CE White Safety Seat Options

One (1) 39" CE White Child Safety Restraint Seat In place of standard 39" HB Seat	\$875.00 each
One (1) 30" CE White Child Safety Restraint Seat In place of standard 30" HB Seat	\$675.00 each

Track Mounted Seats and Barriers

One (1) Track Mounted Barrier (30823) Specify LH or RH side	\$235.00 each
One (1) 30-inch Track Mounted Seats with Belts (mounts in wheelchair track)	\$750.00 each
Two Track Mounted Seats Specify LH or RH side	\$235.00 each

Wheel Chair Positions

One (1) additional W/C position Add FF630-4C (Requires Seat Plan Change)	\$750.00 each
Delete One (1) W/C position and adding two (2) seats (Requires Seat Plan Change)	Credit of (\$275.00)

REI Digital Cameras

Digital Camera Information

REI DIGITAL BUS WATCH WITH ONE CAMERA AND 320 GB HARD DRIVE

(Expandable up to four Cameras) \$1,350.00

REI DIGITAL BUS WATCH WITH ONE CAMERA AND SD CARD SYSTEM

(Expandable up to four Cameras) \$1,025.00

Additional Camera - Includes Install labor (each) \$290.00

Installation cost for a single camera system on a new bus
at customer's location \$340.00

In-bus video system sensor harness - Includes Install Labor
(Records brakes, directional and warning lights) \$115.00

GPS Sensor (for speed) – Includes Install Labor \$150.00

Inertia Sensor – Includes Install Labor \$135.00

500 GB Hard Drive Upgrade (add this price to base system price) \$225.00

320 GB Hard Drive Spare (add this price to base system price) \$250.00

500 GB Hard Drive Spare (add this price to base system price) \$425.00

In-Bus Video System Lock Box \$150.00

LCD Monitor Kit 5.6 INCH Battery Charger and Case \$225.00

Gatekeeper Digital Cameras

Digital Camera Information

GATEKEEPER 504HD WITH ONE CAMERA AND 500 GB HARD DRIVE

(Expandable up to four Cameras) \$1,630.00

GATEKEEPER 508HD WITH ONE CAMERA AND 500 GB HARD DRIVE

(Expandable up to eight Cameras) \$1,830.00

GATEKEEPER 304SD WITH ONE CAMERA AND 32GB SD CARD SYSTEM

(Expandable up to four Cameras) \$1,150.00

Additional Camera - Includes Install labor (each) \$290.00

Installation cost for a single camera system on a new bus
at customer's location \$340.00

In-bus video system sensor harness - Includes Install Labor
(Records brakes, directional and warning lights) \$115.00

GPS Sensor (for speed) – Includes Install Labor \$180.00

1 TB Hard Drive Upgrade (add this price to base system price) \$225.00

Upgrade to 64GB SD Card on 304SD \$145.00

Upgrade to 128GB SD Card on 304SD \$275.00

*Gatekeeper cameras are also available with new High Definition cameras for an extra charge.

Air Conditioning

A/C System, 34 Passenger Shell Size

ACC Model RW44FW4465651616 80,000 BTU'S

Air Conditioning system, 34 passenger shell size \$7,990.00

A/C System, 52-66 Passenger Shell Size

ACC Model RW45FW4565651616 110,000 BTU'S

Air Conditioning system, 52-66 passenger shell size \$8,895.00

A/C System, 70-84 Passenger Shell Size

ACC Model RW45FW4560602121 126,000 BTU'S

Air Conditioning system, 70-84 passenger shell size \$9,250.00

A/C Detail

MODEL RW44FW4465651616 80,000 BTU'S. A/C System, 34 Passenger Shell Size

APPLICATION: 2015 BLUE BIRD
ENGINE: CUMMINS 6.7L ISB-13

EACH CONSISTING OF:

The ACC system will meet or exceed all specification requirements of the Kentucky State School bus bid for 2013.

This system will include the following components:

- 2-23044 Series Evaporators In-Wall mounted up to 45K BTU'S.
- 2-25065 Series Condensers Skirt mounted up to 83K BTU'S.
- 2-TM16 Compressors
- 1-Compressor Engine Mount Kit

MODEL RW45FW4565651616 110,000 BTU'S. A/C System, 52-66 Passenger Shell Size

APPLICATION: 2015 BLUE BIRD
ENGINE: CUMMINS ISB-13

EACH CONSISTING OF:

The ACC system will meet or exceed all specification requirements of the Kentucky State School bus bid for 2013.

This system will include the following components:

2-23045 Series Evaporators In-Wall mounted up to 60K BTU'S.
2-25065 Series Condensers Skirt mounted up to 83K BTU'S.
2-TM16 Compressors
2-Digital Controls (separate controls for each system)
1-Compressor Engine Mount Kit

MODEL RW45FW4560602121 126,000 BTU'S. A/C System, 70-84 Passenger Shell Size

APPLICATION: 2015 BLUE BIRD
ENGINE: CUMMINS ISB-13

EACH CONSISTING OF:

The ACC system will meet or exceed all specification requirements of the Kentucky State School bus bid for 2013.

This system will include the following components:

2-23045 Series Evaporators In-Wall mounted up to 60K BTU'S.
2-25060 Series Condensers Skirt mounted up to 100K BTU'S.
2-TM21 Compressors
2-Digital Controls (separate controls for each system)
1-Compressor Engine Mount Kit

LUGGAGE

Please note that all luggage box options are subject to engineering compatibility.

CAPACITY	OPTION	COST
52-66-72 passenger Conventional type C	Left Center Storage Box 16 Cubic Foot	\$795.00
52-66-72 passenger Conventional type C	Right Center Storage Box 16 Cubic Foot	\$795.00
52-66-72 passenger Conventional type C	Right Center Storage Box 21 Cubic Foot	\$1,095.00
52-66-72 passenger Conventional type C	Left Rear Storage Box 16 Cubic Foot	\$795.00
66-72 passenger Conventional type C	Right Center Storage Box 28.4 Cubic Foot	\$1,250.00
72 passenger Conventional type C	Left Rear Storage Box 21 Cubic Foot	\$1,095.00
72 passenger Conventional type C	Right Rear Storage Box 16 Cubic Foot	\$795.00
52-66 passenger Special Needs Conventional type C	Left Rear Storage Box 16 Cubic Foot	\$795.00
52 passenger Special Needs Conventional type C	Left Center Storage Box 16 Cubic Foot	\$795.00
66 passenger Special Needs Conventional type C	Left Rear Storage Box 21 Cubic Foot	\$1,095.00
66 passenger Special Needs Conventional type C	Right Rear Storage Box 16 Cubic Foot	\$795.00
70-74-78 Passenger Front Engine type D	Left Rear Storage Box 16 Cubic Foot	\$795.00
70-74-78 Passenger Front Engine type D	Left Rear Storage Box 22.7 Cubic Foot	\$1,095.00
70-74-78 Passenger Front Engine type D	Right Center Storage Box 16 Cubic Foot	\$795.00
70-74-78 Passenger Front Engine type D	Right Center Storage Box 22.7 Cubic Foot	\$1,095.00
70-74-78 Passenger Front Engine type D	Right Center Storage Box 28.4 Cubic Foot	\$1,250.00
70-74-78 Passenger Front Engine type D	Right Rear Storage Box 16 Cubic Foot	\$795.00
70-74-78 Passenger Front Engine type D	Right Rear Storage Box 22.7 Cubic Foot	\$1,095.00
78 Passenger Rear Engine type D	Right Center Storage Box 16 Cubic Foot	\$795.00
78 Passenger Rear Engine Type D	Right Center Storage Box 22.7 Cubic Foot	\$1,095.00
78 Passenger Rear Engine type D	Right Center Storage Box 28.4 Cubic Foot	\$1,250.00
78 Passenger Rear Engine type D	Left Rear Storage Box 16 Cubic Foot	\$795.00
78 Passenger Rear Engine type D	Pass Through Storage Box 122 Cubic Foot	\$4,950.00


CHASSIS OPTIONAL EQUIPMENT

200 Horse Power Cummins Engine (Price Deduction) On Type C buses 34 and 52 Shell Size	Credit of (\$650.00)
250 Horse Power Cummins Engine with Allison 2500 Transmission On Type C buses 34 and 52 Shell Size (Upgrade from Cummins 200 H.P.)	\$ 2,195.00
250 Horse Power Cummins Engine with Allison 2500 Transmission On Type C buses 66 and 72 Shell Size (Upgrade from Cummins 220 H.P.)	\$ 1,355.00
250 Horse Power Cummins Engine with Allison 2500 Transmission On Type C buses 66 and 72 Shell Size (Upgrade from Cummins 200 H.P.)	\$ 1,355.00
260 Horse Power Cummins Engine with Allison 3000 Transmission On Type D FE Buses 70, 74 and 78 Shell Size (Upgrade from Cummins 250 H.P.)	\$ 755.00
280 Horse Power Cummins Engine with Allison 3000 Transmission On Type D 78 Shell Size (Upgrade from Cummins 250 H.P.)	\$ 3,495.00

MISCELLANEOUS OPTIONAL EQUIPMENT


Webasto Scholastic series Heater (Includes 7-Day Timer)	\$2,425.00
Goodyear G399A 16-ply tires in place of 14-ply (6 Tires)	\$300.00
Full Length Perforated Ceiling	\$775.00
Adjustable Pedals Type-C Only)	\$900.00
Driver Cup Holder	\$80.00
Console Mounted Driver Left Hand Armrest	\$87.00
100 Gallon Diesel Fuel Tank	\$425.00
Air Disc Brakes	\$1,285.00

Body Plan ID: 5010775




Seat Plan ID: 17969

SP: 17969 BBCV 1910, 34 CAP



SP: 17969 BBCV 1910, 34 CAP



Dimensions are to center line of front mounting hole.

LH Seat Spacing: 28.00
LH Knee Clearance: 25.50

RH Seat Spacing: 28.00
RH Knee Clearance: 25.50


BBCV1910 169WB SBHB

DO NOT SCALE

BBCV 1910

Capacity	34
Seat Plan #	17969
Wheelbase	169.0

Body Plan ID: 5010306




SP: 19670 BBCV 2311, 22 CAP



Seat Plan ID: 19670



SP: 19670 BBCV 2311, 22 CAP



Row	RH Seats	LH Seats
1	30SBHB	30SBHBWH
2	30SBHBWH	30SBHBWH
3	30SBHBWH	30SBHBWH
4	30SBHB	30SBHB
5	30SBHB	
6	30SBHB	

Dimensions are to center line of front mounting hole.

LH Seat Spacing: 27.00
LH Knee Clearance: 24.50

RH Seat Spacing: 27.00
RH Knee Clearance: 24.50

BBCV2311 ECDF 2WC SBHB


DO NOT SCALE

BBCV 2311


Capacity	22
Seat Plan #	19670
Wheelbase	189.0

Quote ID: 127572 Body Plan / Seat Plan Information

Body Plan ID: 5010305




SP: 2389 BBCV 2610, 52 CAP



Seat Plan ID: 2389

Quote ID: 127572 Seat Plan Spacing Chart

SP: 2389 BBCV 2610, 52 CAP



Row	RH Seats	LH Seats
1	39SBHB	39SBHB
2	39SBHB	39SBHB
3	39SBHB	39SBHB
4	39SBHB	39SBHB
5	39SBHB	39SBHB
6	39SBHB	39SBHB
7	39SBHB	39SBHB
8	39SBHB	39SBHB
9	30SBHB	30SBHB

Dimensions are to center line of front mounting hole.

LH Seat Spacing: 28.90, 28.74
LH Knee Clearance: 26.40, 26.24

RH Seat Spacing: 28.90, 28.74
RH Knee Clearance: 26.40, 26.24

BBCV 2610 SBHB


DO NOT SCALE

BBCV 2610

Capacity	52
Seat Plan #	2389
Wheelbase	217.0


Quote ID: 127584 Body Plan / Seat Plan Information

Body Plan ID: 5010308




Seat Plan ID: 15106

SP: 15106 BBCV 2610, 23 CAP



Quote ID: 127584 Seat Plan Spacing Chart

SP: 15106 BBCV 2610, 23 CAP



Dimensions are to center line of front mounting hole.

Row	RH Seats	LH Seats
1	30SBHBWH	30SBHBWH
2	30SBHBWH	30SBHBWH
3	30SBHB	30SBHB
4	30SBHB	30SBHBTM
5	30SBHB	30SBHBTM

LH Seat Spacing: 26.60, 28.00
LH Knee Clearance: 24.20, 25.50

RH Seat Spacing: 26.60, 28.00
RH Knee Clearance: 24.20, 25.50

BBCV 2610 217 ECDF SBHB STS 4NC

DO NOT SCALE



BBCV 2610

Capacity	23
Seat Plan #	15106
Wheelbase	217.0

Quote ID: 127586


Body Plan/ Seat Plan Information

Body Plan ID: 5010293



Seat Plan ID: 18248


SP: 18248 BBCV 3201, 66 CAP



Quote ID: 127586

Seat Plan Spacing Chart

SP: 18248 BBCV 3201, 66 CAP



Row	RH Seats	LH Seats
1	39SBHB	39SBHB
2	39SBHB	39SBHB
3	39SBHB	39SBHB
4	39SBHB	39SBHB
5	39SBHB	39SBHB
6	39SBHB	39SBHB
7	39SBHB	39SBHB
8	39SBHB	39SBHB
9	39SBHB	39SBHB
10	39SBHB	39SBHBRRRLH
11	39SBHB	
12	39SBHBRRRH	

Dimensions are to center line of front mounting hole.

LH Seat Spacing: 28.00, 27.80
 LH Knee Clearance: 25.50, 25.30


RH Seat Spacing: 26.80
 RH Knee Clearance: 24.30

BBCV 3201 SED5L SBHB KY

DO NOT SCALE


BBCV 3201	
Capacity	66
Seat Plan #	18248
Wheelbase	273.0

Body Plan ID: 5010309




Seat Plan ID: 10440

SP: 10440 BBCV 3303, 28 CAP



SP: 10440 BBCV 3303, 28 CAP



Row	RH Seats	LH Seats
1	30SBHBWH	30SBHBWH
2	30SBHBWH	30SBHBWH
3	30SBHB	30SBHB
4	30SBHB	30SBHB
5	30SBHB	30SBHB
6	30SBHB	30SBHB

Dimensions are to center line of front mounting hole.

LH Seat Spacing: 31.00, 27.00, 30.00
 LH Knee Clearance: 28.50, 24.50, 27.50

RH Seat Spacing: 28.00, 27.50
 RH Knee Clearance: 25.50, 25.00

BBCV3303 ECDF SED5L 4WC SBHB


DO NOT SCALE

BBCV 3303

Capacity	28
Seat Plan #	10440
Wheelbase	273.0


Quote ID: 127602 Body Plan / Seat Plan Information

Body Plan ID: 5010293




Seat Plan ID: 18248

SP: 18248 BBCV 3201, 66 CAP



Quote ID: 127602 Seat Plan Spacing Chart

SP: 18248 BBCV 3201, 66 CAP



Row	RH Seats	LH Seats
1	39SBHB	39SBHB
2	39SBHB	39SBHB
3	39SBHB	39SBHB
4	39SBHB	39SBHB
5	39SBHB	39SBHB
6	39SBHB	39SBHB
7	39SBHB	39SBHB
8	39SBHB	39SBHB
9	39SBHB	39SBHB
10	39SBHB	39SBHBRRRH
11	39SBHB	
12	39SBHBRRRH	

Dimensions are to center line of front mounting hole.

LH Seat Spacing: 28.00, 27.80
LH Knee Clearance: 25.50, 25.30


RH Seat Spacing: 26.80
RH Knee Clearance: 24.30

BBCV 3201 SED5L SBHB KY

DO NOT SCALE


BBCV 3201	
Capacity	66
Seat Plan #	18248
Wheelbase	273.0

Body Plan ID: 5010309




SP: 10440 BBCV 3303, 28 CAP

Seat Plan ID: 10440



SP: 10440 BBCV 3303, 28 CAP



Row	RH Seats	LH Seats
1	30SBHBWH	30SBHBWH
2	30SBHBWH	30SBHBWH
3	30SBHB	30SBHB
4	30SBHB	30SBHB
5	30SBHB	30SBHB
6	30SBHB	30SBHB

LH Seat Spacing: 31.00, 27.00, 30.00
 LH Knee Clearance: 28.50, 24.50, 27.50
 RH Seat Spacing: 28.00, 27.50
 RH Knee Clearance: 25.50, 25.00


BBCV3303 ECDF SED5L 4LC SBHB

DO NOT SCALE


BBCV 3303	
Capacity	28
Seat Plan #	10440
Wheelbase	273.0

Quote ID: 127605


Body Plan / Seat Plan Information



Body Plan ID: 5010772



SP: 17961 BBCV 3310, 72 CAP




Seat Plan ID: 17961

Quote ID: 127605

Seat Plan Spacing Chart

SP: 17961 BBCV 3310, 72 CAP



Row	RH Seats	LH Seats
1	39SBHB	39SBHB
2	39SBHB	39SBHB
3	39SBHB	39SBHB
4	39SBHB	39SBHB
5	39SBHB	39SBHB
6	39SBHB	39SBHB
7	39SBHB	39SBHB
8	39SBHB	39SBHB
9	39SBHB	39SBHB
10	39SBHB	39SBHB
11	39SBHB	39SBHBRRRH
12	39SBHB	
13	39SBHBRRRH	

Dimensions are to center line of front mounting hole.


LH Seat Spacing: 27.00, 27.50
 LH Knee Clearance: 24.50, 25.00
 RH Seat Spacing: 26.75
 RH Knee Clearance: 24.25

BBCV3310 SED5L SBHB **KY**

DO NOT SCALE


BBCV 3310	
Capacity	72
Seat Plan #	17961
Wheelbase	273.0

Body Plan ID: 5010772




Seat Plan ID: 17961

SP: 17961 BBCV 3310, 72 CAP



SP: 17961 BBCV 3310, 72 CAP



Row	RH Seats	LH Seats
1	39SBHB	39SBHB
2	39SBHB	39SBHB
3	39SBHB	39SBHB
4	39SBHB	39SBHB
5	39SBHB	39SBHB
6	39SBHB	39SBHB
7	39SBHB	39SBHB
8	39SBHB	39SBHB
9	39SBHB	39SBHB
10	39SBHB	39SBHB
11	39SBHB	39SBHBRRRH
12	39SBHB	
13	39SBHBRRRH	

Dimensions are to center line of front mounting hole.

LH Seat Spacing: 27.00, 27.50
 LH Knee Clearance: 24.50, 25.00
 RH Seat Spacing: 26.75
 RH Knee Clearance: 24.25

BBCV3310 SED5L SBHB **KY**



DO NOT SCALE

BBCV 3310	
Capacity	72
Seat Plan #	17961
Wheelbase	273.0

Quote ID: 127597


Body Plan / Seat Plan Information

Body Plan ID: 5010767



Seat Plan ID: 17956


SP: 17956 T3FE 3909, 70 CAP



Quote ID: 127597

Seat Plan Spacing Chart

SP: 17956 T3FE 3909, 70 CAP



Row	RH Seats	LH Seats
1	39SBHB	39SBHB
2	39SBHB	39SBHB
3	39SBHB	39SBHB
4	39SBHB	39SBHB
5	39SBHB	39SBHB
6	39SBHB	39SBHB
7	39SBHB	39SBHB
8	39SBHB	39SBHB
9	39SBHB	39SBHB
10	39SBHB	39SBHB
11	39SBHB	39SBHB
12	30SBHB	30SBHB

Dimensions are to center line of front mounting hole.

LH Seat Spacing: 31.00, 27.00
 LH Knee Clearance: 28.50, 24.50


RH Seat Spacing: 31.00, 30.00
 RH Knee Clearance: 28.50, 27.50

T3FE3909 SED7L SBHB

DO NOT SCALE


T3FE 3909	
Capacity	70
Seat Plan #	17956
Wheelbase	232.0

Body Plan ID: 5010770




Seat Plan ID: 17960

SP: 17960 T3FE 3909, 74 CAP



SP: 17960 T3FE 3909, 74 CAP



Row	RH Seats	LH Seats
1	39SBHB	39SBHB
2	39SBHB	39SBHB
3	39SBHB	39SBHB
4	39SBHB	39SBHB
5	39SBHB	39SBHB
6	39SBHB	39SBHB
7	39SBHB	39SBHB
8	39SBHB	39SBHB
9	39SBHB	39SBHB
10	39SBHB	39SBHB
11	39SBHB	39SBHB
12	39SBHB	39SBHBRRLH
13	30SBHB	

Dimensions are to center line of front mounting hole.

LH Seat Spacing: 31.00, 27.50
 LH Knee Clearance: 28.50, 25.00
 RH Seat Spacing: 29.00, 28.50
 RH Knee Clearance: 26.50, 26.00

T3FE3909 SED7L SBHB

DO NOT SCALE


T3FE 3909	
Capacity	74
Seat Plan #	17960
Wheelbase	232.0

Quote ID: 127601


Body Plan / Seat Plan Information



Body Plan ID: 5010425



SP: 17066 T3FE 4004, 78 CAP




Seat Plan ID: 17066

Quote ID: 127601

Seat Plan Spacing Chart

SP: 17066 T3FE 4004, 78 CAP



Row	RH Seats	LH Seats
1	39SBHB	39SBHB
2	39SBHB	39SBHB
3	39SBHB	39SBHB
4	39SBHB	39SBHB
5	39SBHB	39SBHB
6	39SBHB	39SBHB
7	39SBHB	39SBHB
8	39SBHB	39SBHB
9	39SBHB	39SBHB
10	39SBHB	39SBHB
11	39SBHB	39SBHB
12	39SBHB	39SBHBRR LH
13	39SBHB	
14	39SBHB	

Dimensions are to center line of front mounting hole.


LH Seat Spacing: 29.00, 29.50
 LH Knee Clearance: 26.50, 27.00
 RH Seat Spacing: 27.50
 RH Knee Clearance: 25.00

T3FE4004 SED8L SBHB **KY**

DO NOT SCALE


T3FE 4004	
Capacity	78
Seat Plan #	17066
Wheelbase	232.0

Body Plan ID: 5010304




Seat Plan ID: 14910

SP: 14910 BBCV 2311, 34 CAP



SP: 14910 BBCV 2311, 34 CAP



Row	RH Seats	LH Seats
1	39SBHB	39SBHB
2	39SBHB	39SBHB
3	39SBHB	39SBHB
4	39SBHB	39SBHB
5	39SBHB	39SBHB
6	30SBHB	30SBHB

Dimensions are to center line of front mounting hole.

LH Seat Spacing: 31.00
LH Knee Clearance: 28.50

RH Seat Spacing: 31.00
RH Knee Clearance: 28.50


BBCV2311 SBHB

DO NOT SCALE

BBCV 2311


Capacity	34
Seat Plan #	14910
Wheelbase	189.0

Body Plan ID: 5010306




Seat Plan ID: 19670

SP: 19670 BBCV 2311, 22 CAP



SP: 19670 BBCV 2311, 22 CAP



Row	RH Seats	LH Seats
1	30SBHB	30SBHBWH
2	30SBHBWH	30SBHBWH
3	30SBHBWH	30SBHBWH
4	30SBHB	30SBHB
5	30SBHB	
6	30SBHB	

LH Seat Spacing: 27.00
 LH Knee Clearance: 24.50
 RH Seat Spacing: 27.00
 RH Knee Clearance: 24.50


BBCV2311 ECDF 2MC SBHB

DO NOT SCALE

BBCV 2311


Capacity	22
Seat Plan #	19670
Wheelbase	189.0

Body Plan ID: 5010305




Seat Plan ID: 2389

SP: 2389 BBCV 2610, 52 CAP



SP: 2389 BBCV 2610, 52 CAP



Row	RH Seats	LH Seats
1	39SBHB	39SBHB
2	39SBHB	39SBHB
3	39SBHB	39SBHB
4	39SBHB	39SBHB
5	39SBHB	39SBHB
6	39SBHB	39SBHB
7	39SBHB	39SBHB
8	39SBHB	39SBHB
9	30SBHB	30SBHB

Dimensions are to center line of front mounting hole.

LH Seat Spacing: 28.90, 28.74
LH Knee Clearance: 26.40, 26.24

RH Seat Spacing: 28.90, 28.74
RH Knee Clearance: 26.40, 26.24


BBCV 2610 SBHB

DO NOT SCALE


BBCV 2610

Capacity	52
Seat Plan #	2389
Wheelbase	217.0


Body Plan ID: 5010308



Seat Plan ID: 15106



SP: 15106 BBCV 2610, 23 CAP



Dimensions are to center line of front mounting hole.

Row	RH Seats	LH Seats
1	30SBHBWH	30SBHBWH
2	30SBHBWH	30SBHBWH
3	30SBHB	30SBHB
4	30SBHB	30SBHBTM
5	30SBHB	30SBHBTM


LH Seat Spacing: 26.60, 28.00
 LH Knee Clearance: 24.20, 25.50
 RH Seat Spacing: 26.60, 28.00
 RH Knee Clearance: 24.20, 25.50

BBCV 2610 217 ECDF SBHB STS 4MC


DO NOT SCALE

BBCV 2610


Capacity	23
Seat Plan #	15106
Wheelbase	217.0



Body Plan ID: 5010293




SP: 18248 BBCV 3201, 66 CAP



Seat Plan ID: 18248

SP: 18248 BBCV 3201, 66 CAP



Row	RH Seats	LH Seats
1	39SBHB	39SBHB
2	39SBHB	39SBHB
3	39SBHB	39SBHB
4	39SBHB	39SBHB
5	39SBHB	39SBHB
6	39SBHB	39SBHB
7	39SBHB	39SBHB
8	39SBHB	39SBHB
9	39SBHB	39SBHB
10	39SBHB	39SBHBRR LH
11	39SBHB	
12	39SBHBRRRH	

Dimensions are to center line of front mounting hole.

LH Seat Spacing: 28.00, 27.80
 LH Knee Clearance: 25.50, 25.30
 RH Seat Spacing: 26.80
 RH Knee Clearance: 24.30


BBCV 3201 SED5L SBHB KY

DO NOT SCALE

BBCV 3201


Capacity	66
Seat Plan #	18248
Wheelbase	273.0

Body Plan ID: 5010309




Seat Plan ID: 10440

SP: 10440 BBCV 3303, 28 CAP



SP: 10440 BBCV 3303, 28 CAP



Row	RH Seats	LH Seats
1	30SBHBWH	30SBHBWH
2	30SBHBWH	30SBHBWH
3	30SBHB	30SBHB
4	30SBHB	30SBHB
5	30SBHB	30SBHB
6	30SBHB	30SBHB

Dimensions are to center line of front mounting hole.

LH Seat Spacing: 31.00, 27.00, 30.00
 LH Knee Clearance: 28.50, 24.50, 27.50


RH Seat Spacing: 28.00, 27.50
 RH Knee Clearance: 25.50, 25.00

BBCV3303 ECDF SED5L 4WC SBHB


DO NOT SCALE

BBCV 3303


Capacity	28
Seat Plan #	10440
Wheelbase	273.0



Body Plan ID: 5010772




SP: 17961 BBCV 3310, 72 CAP



Seat Plan ID: 17961

SP: 17961 BBCV 3310, 72 CAP



Row	RH Seats	LH Seats
1	39SBHB	39SBHB
2	39SBHB	39SBHB
3	39SBHB	39SBHB
4	39SBHB	39SBHB
5	39SBHB	39SBHB
6	39SBHB	39SBHB
7	39SBHB	39SBHB
8	39SBHB	39SBHB
9	39SBHB	39SBHB
10	39SBHB	39SBHB
11	39SBHB	39SBHBRRRH
12	39SBHB	
13	39SBHBRRRH	

Dimensions are to center line of front mounting hole.

LH Seat Spacing: 27.00, 27.50
 LH Knee Clearance: 24.50, 25.00


RH Seat Spacing: 26.75
 RH Knee Clearance: 24.25

BBCV3310 SED5L SBHB **KY**

DO NOT SCALE


BBCV 3310	
Capacity	72
Seat Plan #	17961
Wheelbase	273.0

Body Plan ID: 5010772




Seat Plan ID: 17961

SP: 17961 BBCV 3310, 72 CAP



SP: 17961 BBCV 3310, 72 CAP



Row	RH Seats	LH Seats
1	39SBHB	39SBHB
2	39SBHB	39SBHB
3	39SBHB	39SBHB
4	39SBHB	39SBHB
5	39SBHB	39SBHB
6	39SBHB	39SBHB
7	39SBHB	39SBHB
8	39SBHB	39SBHB
9	39SBHB	39SBHB
10	39SBHB	39SBHB
11	39SBHB	39SBHBRRRH
12	39SBHB	
13	39SBHBRRRH	

Dimensions are to center line of front mounting hole.

LH Seat Spacing: 27.00, 27.50
LH Knee Clearance: 24.50, 25.00

RH Seat Spacing: 26.75
RH Knee Clearance: 24.25



BBCV3310 SED5L SBHB **KY**

DO NOT SCALE

BBCV 3310


Capacity	72
Seat Plan #	17961
Wheelbase	273.0

Body Plan ID: 5010309




Seat Plan ID: 10440

SP: 10440 BBCV 3303, 28 CAP



SP: 10440 BBCV 3303, 28 CAP




Row	RH Seats	LH Seats
1	30SBHBWH	30SBHBWH
2	30SBHBWH	30SBHBWH
3	30SBHB	30SBHB
4	30SBHB	30SBHB
5	30SBHB	30SBHB
6	30SBHB	30SBHB

LH Seat Spacing: 31.00, 27.00, 30.00
 LH Knee Clearance: 28.50, 24.50, 27.50
 RH Seat Spacing: 28.00, 27.50
 RH Knee Clearance: 25.50, 25.00

BBCV 3303	
Capacity	28
Seat Plan #	10440
Wheelbase	273.0


BBCV3303 ECDF SEDSL 4NC SBHB
 DO NOT SCALE

Body Plan ID: 5010304




Seat Plan ID: 14910

SP: 14910 BBCV 2311, 34 CAP



SP: 14910 BBCV 2311, 34 CAP



Row	RH Seats	LH Seats
1	39SBHB	39SBHB
2	39SBHB	39SBHB
3	39SBHB	39SBHB
4	39SBHB	39SBHB
5	39SBHB	39SBHB
6	30SBHB	30SBHB

Dimensions are to center line of front mounting hole.

LH Seat Spacing: 31.00
LH Knee Clearance: 28.50

RH Seat Spacing: 31.00
RH Knee Clearance: 28.50


BBCV2311 SBHB

DO NOT SCALE

BBCV 2311	
Capacity	34
Seat Plan #	14910
Wheelbase	189.0


Quote ID: 127607 Body Plan / Seat Plan Information

Body Plan ID: 5010615




Seat Plan ID: 18005

SP: 18005 T3RE 4006, 78 CAP



Quote ID: 127607 Seat Plan Spacing Chart

SP: 18005 T3RE 4006, 78 CAP



Dimensions are to center line of front mounting hole.

LH Seat Spacing: 28.00, 28.25
 LH Knee Clearance: 25.50, 25.75
 RH Seat Spacing: 27.50
 RH Knee Clearance: 25.00

T3RE 4006

T3RE4006 SED7L BARRIERS SBHB

DO NOT SCALE

Capacity	78
Seat Plan #	18005
Wheelbase	273.0



BLUEGRASS INTERNATIONAL TRUCKS and BUSES, INC.

101 TRIPORT CIRCLE
 GEORGETOWN, KY 40324
 T 502.570.5230 F 502.863.3229
mcahill@bluegrasstrucks.com

August 11, 2015

Mr. Dave Mangum
 Kentucky Department Education
 Pupil Transportation Branch
 500 Mero Street
 Frankfort, KY 40601

Dear Mr. Mangum,

The information listed below is a firm quote for each item as ordered with a new IC Corporation bus order for the 2016 contract buying year. These prices are good for the term of the school bus purchase contract.

Type/Capacity	Description and Codes	2016 Option Price
Type C & D	Full-length Perforated Headliner for noise abatement	STANDARD
Type C (66 & 72 Only)	100 Gallon Diesel Fuel tank between frame rails instead of 65 gallon between frame rails	\$549.00
Type C	Four Wheel Air Disc Brakes	\$2,182.00
Type C & D	Ten Year Rust-Through warranty per KY Specifications	STANDARD
Type C & D	UCRA (Universal Child Restraint Anchorage) 39" seat includes attachment points for two child seats (per 39" seat) (Request new seat plan)	\$57.00
Type C & D	Proflex sprayed on step treads – stepwell coated inside and outside with pebble treads	STANDARD
Type C & D	Hidden Hinges on Emergency Exit Doors (with grease fittings)	STANDARD
Type C & D	39" IMMI Child Restraint Seat (instead of regular 39" seat)	\$765.00
Type C & D	30" IMMI Child Restraint Seat (instead of regular 30" seat)	\$585.00
Type C 34-52 passenger	AM/FM/P.A. with four interior speakers and outside speaker (49DDA/49AWG)	\$411.00
Type C 34-52 passenger	AM/FM/CD/P.A. radio with four interior speakers and outside speaker (49BEJ, 49AWG)	\$449.00



BLUEGRASS INTERNATIONAL TRUCKS and BUSES, INC.

101 TRIPORT CIRCLE
 GEORGETOWN, KY 40324
 T 502.570.5230 F 502.863.3229
mcahill@bluegrasstrucks.com

Type/Capacity	Description and Codes	2016 Option Price
Type C 66-72 passenger	AM/FM/P.A. with six interior speakers and outside speaker (49DDA/49AWG/49AWS)	\$446.00
Type C 66-72 passenger	AM/FM/CD/P.A. radio with six interior speakers and outside speaker (49BEJ, 49AWG/49AWS)	\$484.00
Type D 66-78 passenger	AM/FM/P.A. Radio with six interior speakers and outside speaker (49DDA,49AWS/49AWE)	\$465.00
Type D 66-78 passenger	AM/FM/CD/P.A. radio with six interior speakers and outside speaker (49BEJ/49AWS/49AWE)	\$508.00
Type A	AM/FM/P.A. Radio with 4 interior speakers & outside speaker	\$408.00
Type A	AM/FM/CD/P.A. with 4 interior speakers & outside speaker	\$466.00
Type C – ALL Sizes	16 ply Goodyear tires instead of 14 ply	\$645.00
Type C	Engine Brake for Cummins Engine	\$138.00
Type C Special Needs	30" track-mounted seat for use in Type C lift buses (mounts in wheelchair track) (request new seat plan)	\$453.00 Each
Type C Special Needs	30" track-mounted barrier for use in Type C lift buses (mounts in wheelchair track) (request new seat plan)	\$225.00
Type C Special Needs	Delete a wheelchair position from a standard seat plan type C lift bus (request new seat plan)	-\$200.00 Deduct
Type C Special Needs	Add a wheelchair position to a standard seat plan type C lift bus (request new seat plan)	\$750.00
Type C & D	12V Power Source for GPS	\$35.00
Type C Special Needs	Sure-Lok GO2 Oxygen Cylinder Holder	\$249.00



BLUEGRASS INTERNATIONAL TRUCKS and BUSES, INC.

**101 TRIPORT CIRCLE
 GEORGETOWN, KY 40324
 T 502.570.5230 F 502.863.3229
mcahill@bluegrasstrucks.com**

Luggage Compartments

Model	Option	Cost
52 passenger conventional, type C	Left Center Luggage Box 91"x24"x18" (47EVB)	\$805.00
52 passenger conventional, type C	Right Center Luggage Box 44"x24"x18" (47ERG)	\$449.00
66 passenger conventional, type C	Left Center Luggage Box 114"x24"x18" (47EVS)	\$956.00
66 passenger conventional, type C	Right Center Luggage Box 91"x24"x18" (47EVE)	\$805.00
66 passenger conventional, type C	Right Rear Luggage Box 36"x20"x18" (47EPC)	\$355.00
72 passenger conventional, type C	Left Center Luggage Box 114"x24"x18" (47EVS)	\$956.00
72 passenger conventional, type C	Right Center Luggage Box 91"x24"x18" (47EVE)	\$805.00
72 passenger conventional, type C	Right Rear Luggage Box 44"x24"x18" (47EPY)	\$399.00
78 passenger rear engine, type D	Left Side Luggage Boxes, Two Boxes 91"x24"x18" (47EVB) & 91"x20"x18" (47BHK)	\$1,510.00
78 passenger rear engine, type D	Right Side Luggage Boxes, Two Boxes 91"x24"x18" (47EVE) & 54"x20"x18" (47ERW)	\$1,260.00
78 passenger rear engine, type D	Center Pass-Thru Luggage Box 114" (47DSC/47ARY)	\$3,447.00

Please Note: Air Conditioning could limit the availability of under floor luggage boxes!

Air Conditioning: All systems are ductless free-blow systems.

22 passenger, Type A, 70,000 BTU system	\$5,262.00
34 passenger, Type C, 80,000 BTU system	\$8,817.00
52-72 passenger, Type C, 110,000 BTU system	\$9,415.00
78 passenger, Type D, 120,000 BTU system	\$9,999.00
78 passenger, Type D, 130,000 BTU system	\$10,499.00



BLUEGRASS INTERNATIONAL TRUCKS and BUSES, INC.

101 TRIPORT CIRCLE
GEORGETOWN, KY 40324
T 502.570.5230 F 502.863.3229
mcahill@bluegrasstrucks.com

2016 Kentucky Bus Bid Pricing – Digital Video Systems

<u>REI Digital Video Recording Camera System With 1 Camera</u>	\$1,720.00 ea
✓ HD420-1-320 fanless DVR with camera, cable and software	INCLUDED
✓ Color camera equipped with microphone and high-resolution day/night option featuring ultra-bright infrared LED lamps for low light operation (Exterior cameras are not included)	INCLUDED
✓ Hard Drive, 320 GB - 2.5" removable mobile-rated hard drive module with exclusive USB security lockout	INCLUDED
✓ Security cap, rear	INCLUDED
✓ Specially designed system to stand up to the constant vibration, G-force shock, humidity temperature extremes, dust and dirt common in buses	INCLUDED
✓ Four channel system (expandable to four cameras)	INCLUDED
✓ Three-year warranty (24-7 technical support)	INCLUDED
<u>REI Digital Video Recording Camera System With 2 Cameras</u>	\$1,945.00 ea
✓ HD420-2-320 fanless DVR with camera, cable and software	INCLUDED
✓ Color cameras equipped with microphone and high-resolution day/night option featuring ultra-bright infrared LED lamps for low light operation (Exterior cameras are not included)	INCLUDED
✓ Hard Drive, 320 GB - 2.5" removable mobile-rated hard drive module with exclusive USB security lockout	INCLUDED
✓ Security cap, rear	INCLUDED
✓ Specially designed system to stand up to the constant vibration, G-force shock, humidity temperature extremes, dust and dirt common in buses	INCLUDED
✓ Four channel system (expandable to four cameras)	INCLUDED
✓ Three-year warranty (24-7 technical support)	INCLUDED



BLUEGRASS INTERNATIONAL TRUCKS and BUSES, INC.

**101 TRIPORT CIRCLE
GEORGETOWN, KY 40324
T 502.570.5230 F 502.863.3229
mcahill@bluegrasstrucks.com**

2016 Kentucky Bus Bid Pricing – Digital Video Systems

<u>REI SD Card Video Recording System With 1 Camera</u>	\$1,246.00 ea
✓ SD40-1-320 fanless DVR with camera, cable and software	INCLUDED
✓ Color camera equipped with microphone and high-resolution day/night option featuring ultra-bright infrared LED lamps for low light operation (Exterior cameras are not included)	INCLUDED
✓ SD Card, 32 GB	INCLUDED
✓ Security cap, rear	INCLUDED
✓ Specially designed system to stand up to the constant vibration, G-force shock, humidity temperature extremes, dust and dirt common in buses	INCLUDED
✓ Four channel system (expandable to four cameras)	INCLUDED
✓ Three-year warranty (24-7 technical support)	INCLUDED
<u>REI SD Card Video Recording System With 2 Cameras</u>	\$1,456.00 ea
✓ SD40-2-32 fanless DVR with camera, cable and software	INCLUDED
✓ Color camera equipped with microphone and high-resolution day/night option featuring ultra-bright infrared LED lamps for low light operation (Exterior cameras are not included)	INCLUDED
✓ SD Card, 32 GB	INCLUDED
✓ Security cap, rear	INCLUDED
✓ Specially designed system to stand up to the constant vibration, G-force shock, humidity temperature extremes, dust and dirt common in buses	INCLUDED
✓ Four channel system (expandable to four cameras)	INCLUDED
✓ Three-year warranty (24-7 technical support)	INCLUDED



**BLUEGRASS INTERNATIONAL TRUCKS and
BUSES, INC.**

101 TRIPORT CIRCLE
GEORGETOWN, KY 40324
T 502.570.5230 F 502.863.3229
mcahill@bluegrasstrucks.com

OPTIONAL EQUIPMENT FOR REI RECORDING SYSTEMS

<u>Sensor Harness and Installation</u> (Any system)	\$132.00 ea.
✓ Records brakes, directional lights, and Warning Lights	
<u>Event Marker Cable (Panic Button)</u> (Any system)	\$105.00 ea.

Please Note:

Buses with Air Conditioning and Special Needs Buses may require additional mounting hardware and/or Lock Box due to limited availability for placement of the recording equipment, so additional charges may be necessary.

Note: Please address purchase order for all options to:

Mark Cahill, Bus Sales Manager
Bluegrass International Trucks and Buses, Inc.
101 Triport Circle
Georgetown, KY 40324

If you have any questions or need further information on other options, please contact me via e-mail or at one of my phone numbers listed below.


Sincerely,

Mark Cahill

Mark Cahill
Bus Sales Manager
(502) 570-5230 office
(502) 370-1275 mobile

SEATING CONFIGURATION BASED ON ENGINEERING ESTIMATES, FINISH BUILT BUS WEIGHTS MAY REQUIRE REDUCTION IN PASSENGERS.

258.23
BUMPER TO BUMPER



DH416

COLLINS SEATING PLAN

- 22 Passengers
- 3 39 inch SB & 1 30 inch SB RH Seats at 28 inch Hip to Knee
- 3 39 inch SB & 1 30 inch SB LH Seats at 28 inch Hip to Knee

Approved By: _____ Date: _____




COLLINS BUS CORP.
P.O. BOX 2946
HUTCHINSON, KS.
67504-2946
FORM: F-7.3.06 REVISION 0

THIS DRAWING AND ALL INFORMATION THEREON IS THE PROPERTY OF COLLINS IND. INC.

TITLE CHEVY DH416 SB

DRAWING NO.	DRAWN BY	DEL
DH416C_33930_33930		
	DATE	10/26/12



DE416WR

COLLINS SEATING PLAN

- 8 Passengers & 2 W/C Position(s)
- 3 30 inch SB RH Seats at 26 inch Hip to Knee
- 1 30 inch SB LH Seats at 28 inch Hip to Knee

Approved By: _____ Date: _____


	COLLINS BUS CORP. P.O. BOX 2946 HUTCHINSON, KS. 67504-2946 FORM: F-7.3:06 REVISION 0		THIS DRAWING AND ALL INFORMATION THEREON IS THE PROPERTY OF COLLINS IND. INC.		DRAWN BY	DEL
	TITLE CHEVY DE416WR SB				DATE	07/25/12
				DRAWING NO.	DE416WR_C_330_L330L1	

BODY PLAN

WHEELBASE 170"

PB10500, 19 FT. 11 IN., CAP 14, SEAT SIZE 30/30, SEAT SPACING VARIES, LIFT-FRONT, 2-WC

35 GAL RSM TANK OPTION WILL
REDUCE SERVICEABILITY OF
SENDING UNIT.



* NOTE:
SEE SHEET 2 & 3 FOR
WC-TRACK INSTALLATION



* 100" : TOTAL TRACK
LENGTH (APPROXIMATELY)

* NOTE:
IT IS THE SELLING DEALER'S RESPONSIBILITY TO
ENSURE THAT ANY WHEELCHAIR TIE - DOWN SYSTEM
SPECIFIED AND DEPICTED ON THIS DRAWING MEETS
ALL DESTINATION STATE SPECIFICATIONS AND TO
ALSO ENSURE THAT THE WHEELCHAIRS CAN BE
PLACED AND REMOVED WITH RESPECT TO: SEATS,
K/O'S, SIDE EMERG DOORS, HEATERS, LIFTS,
WHEELHOUSES, ETC.
POSSESSION OF THIS PRINT DOES NOT IN ANY WAY
OBLIGATE IC CORP. TO BUILD THE UNIT SHOWN.
WC TRACK SHOWN IS FOR REFERENCE ONLY.


THIS UNIT CONFORMS TO APPLICABLE FMVSS

THIS DOCUMENT IS IN ACCORDANCE WITH ASME Y14.5M-1994
AS AMENDED BY THE INTERNATIONAL TRUCK DIVISION
DIMENSIONING AND TOLERANCING ADDENDUM-2000.

50ETN/49002 REVISE ONLY ON ICP/RF SYSTEM			INTERNATIONAL TRUCK AND ENGINE CORPORATION INTERNATIONAL CONFIDENTIAL PROPRIETARY		
	REFERENCE: DX4732A001		APPROX. MASS (WEIGHT)		
	LINEAR MEASURE: mm <input type="checkbox"/> in <input checked="" type="checkbox"/>		ROUGH PART		
	UNLESS SPECIFIED DIM TOLERANCES ARE		FINISH PART		
	ONE PLACE 1.,X1	+1.5	-0.06	THIRD ANGLE PROJECTION 	INTERNAL CONTROL
	TWO PLACE 1.,XX1	+0.8	+0.03		
	THREE PLACE 1.,XXX1	+0.25	+0.010	NAME: BODY PLAN PB10500 NAME TRANSLATION:	
	DATE: 30NOV11	DATE:	DATE:	DATE:	CONTROL: E 50
	DRAWN: UOUMACH	MATERIAL:	APPROVED:	VERSION: E	APPROVEY:
	CHECKED:		DATE:		
DATE:					
APPROVED:	P1RS NOUN CODE:	PART TYPE CODE:	SCALE: NONE	SIZE: 4	
DATE:	PART NO.:			SHEET: 01	
RELEASE NO.:				FRAME:	



NOT TO SCALE TAKEN AT FLOOR LEVEL



SHOULDER TRACK MOUNT DETAIL

OK	DATE	CHANGE	REV	REFERENCE
----	------	--------	-----	-----------

• TRACK PLAN 170 WB

50ETN/49002

		INTERNATIONAL TRUCK AND ENGINE CORPORATION		
		INTERNATIONAL CONFIDENTIAL PROPRIETARY		
REFERENCE	DX4732A001			
LINEAR MEASURE:	mm	<input type="checkbox"/>	in	<input checked="" type="checkbox"/>
UNLESS SPECIFIED DIM TOLERANCES ARE	ROUGH PART			
	FINISH PART			
ONE PLACE 1.,X1	+1.5	+0.06		
TWO PLACE 1.,XX1	+0.8	+0.03		
THREE PLACE 1.,XXX1	+0.25	+0.010		
ANGLES	±1°			
THIRD ANGLE PROJECTION				
INTERNAL CONTROL	E 50			
NAME	BODY PLAN PB10500			
NAME TRANSLATION:				
VERSION	E			
APPROVED	DATE			
DATE	DATE			
APPROVED	FIRST NAME CODE	PART TYPE CODE	SCALE	
DATE	PART NO.	SCALE	NONE	
RELEASE NO.	DX4732A002		SIZE 4	
			SHEET 02	
			FRAME	

THIS DOCUMENT IS IN ACCORDANCE WITH ASME Y14.5M-1994 AS AMENDED BY THE INTERNATIONAL TRUCK DIVISION DIMENSIONING AND TOLERANCING ADDENDUM-2000.

8

LEFT SIDE FUEL FILL OPTION CANNOT BE USED WITH THIS BODY PLAN.

RSM TANK OPTION WILL REDUCE SERVICEABILITY OF SENDING UNIT.

VERTICAL HINGED K/O REQUIRED


2 1

CHK	DATE	CHANGE	REV	REFERENCE
DRM	12NOV12	UPDATED 6SRSM PICTORIAL,	A	
RSM NOTE: ADDED 3SRSM BLOCK;				
RELOCATED BTR BLOCK				
MAC24JAN14SH NOT AFFECTED, SEE SH 3/B				

BODY PLAN

WHEELBASE 218"

PB10500, 26 FT. 8 IN., CAP 20, SEAT SIZE 30/30, SEAT SPACING 27.00, LIFT-FRONT, 4-WC



-110.37 REF.

-47.54

143.95

270.9

* NOTE:
SEE SHEET 2 & 3 FOR
WC-TRACK INSTALLATION

* 200" : TOTAL TRACK
LENGTH (APPROXIMATELY)

* NOTE:
IT IS THE SELLING DEALER'S RESPONSIBILITY TO ENSURE THAT ANY WHEELCHAIR TIE - DOWN SYSTEM SPECIFIED AND DEPICTED ON THIS DRAWING MEETS ALL DESTINATION STATE SPECIFICATIONS AND TO ALSO ENSURE THAT THE WHEELCHAIRS CAN BE PLACED AND REMOVED WITH RESPECT TO: SEATS, K/O'S, SIDE EMERG DOORS, HEATERS, LIFTS, WHEELHOUSES, ETC.
POSSESSION OF THIS PRINT DOES NOT IN ANY WAY OBLIGATE IC CORP. TO BUILD THE UNIT SHOWN.
WC TRACK SHOWN IS FOR REFERENCE ONLY.

THIS UNIT CONFORMS TO APPLICABLE FMVSS

THIS DOCUMENT IS IN ACCORDANCE WITH ASME Y14.5M-1994 AS AMENDED BY THE INTERNATIONAL TRUCK DIVISION DIMENSIONING AND TOLERANCING ADDENDUM-2000.

50CYL/49003

		INTERNATIONAL TRUCK AND ENGINE CORPORATION	
INTERNATIONAL CONFIDENTIAL PROPRIETARY			
REFERENCE	DX4066A002	APPROX. MASS (WEIGHT)	
L INEAR MEASURE:	mm <input type="checkbox"/> in <input checked="" type="checkbox"/>	ROUGH PART	FINISH PART
UNLESS SPECIFIED DIM TOLERANCES ARE			
ONE PLACE 1.,X1	+1.5	+0.08	
TWO PLACE 1.,XX1	+0.8	+0.03	
THREE PLACE 1.,XXX1	+0.25	+0.010	
ANGLES	±1°		
NAME	BODY PLAN PB10500	CONTROL	E 50
NAME TRANSLATION:		VERSION	E
DATE	26JUL11	APPROVE	
DATE		DATE	
APPROVED	PTR NDR CODE	PART TYPE CODE	SCALE NONE
DATE			SIZE 4
RELEASE NO.		PART NO.	SHEET 01
			FRAME

8

7

6


5

4

3

2

1




OK	DATE	CHANGE	REV	REFERENCE
DRM	12NOV12	SH NOT AFFECTED, SEE SH	A	
		1 & 2		
MAC	24JAN14	REDESIGN & REDRAWN	B	

* TRACK PLAN 218" WB

50CYL/49003			INTERNATIONAL TRUCK AND ENGINE CORPORATION	
	<input type="checkbox"/> CONFIDENTIAL		<input type="checkbox"/> PROPRIETARY	
	REFERENCE: DX4066A002		APPROX. MASS (WEIGHT)	
	LINEAR MEASURE: <input type="checkbox"/> mm <input checked="" type="checkbox"/> in		ROUGH PART	
	UNLESS SPECIFIED DIM TOLERANCES ARE		FINISH PART	
	ONE PLACE 1.,X1	+1.5	-0.06	
	TWO PLACE 1.,XX1	+0.8	+0.03	
	THREE PLACE 1.,XXX1	+0.25	+0.010	
	ANGLES		+1°	
	NAME: BODY PLAN PB10500		CONTROL: E 50	
NAME (TRANSLATION):		VERSION: E		
DRAWN: UOUMACH		MATERIAL:		
DATE: 26JUL11		APPROVED:		
CHECKED:		DATE:		
DATE:		APPROVED:		
APPROVED:		P1RS NOUN CODE	PART TYPE CODE	
DATE:		SCALE: NONE		
RELEASE NO.:		SIZE: 4		
		SHEET: 03		
		FRAME:		

THIS DOCUMENT IS IN ACCORDANCE WITH ASME Y14.5M-1994 AS AMENDED BY THE INTERNATIONAL TRUCK DIVISION DIMENSIONING AND TOLERANCING ADDENDUM-2000.



8 7 6 5 4 3 2 1

D


C

B


A

8 7 6 5 4 3 2 1


CHK	DATE	CHANGE	REV	REFERENCE
MAC	19DEC11	100.00 LHAND SHOULDER TRACK WAS 94.00; REMOVE 4TH LHAND REINFORCEMENT	A	
MRL	15FEB12	ADDED 4TH LHAND REINFORCEMENT	B	
DRM	26JUL12	UPDATED 6SRSM PICTORIAL; ADDED 3SRSM BLOCK	C	



* TRACK PLAN 276 WB



NOT TO SCALE TAKEN AT FLOOR LEVEL




SHOULDER TRACK MOUNT DETAIL

50ETU/49001

		INTERNATIONAL TRUCK AND ENGINE CORPORATION	
		INTERNATIONAL CONFIDENTIAL PROPRIETARY	
REFERENCE: BLUE-20		APPROX. MASS (WEIGHT)	
LINEAR MEASURE: mm <input type="checkbox"/> in <input checked="" type="checkbox"/>		ROUGH PART	
UNLESS SPECIFIED DIM TOLERANCES ARE:		FINISH PART	
ONE PLACE 1.X1	+1.5 +.06		INTERNAL CONTROL
TWO PLACE 1.XX1	+0.8 +.03		
THREE PLACE 1.XXX1	+0.25 +.010		
NAME: BODY PLAN PB10500		CONTROL: E 50	VERSION: E
NAME TRANSLATION:		APPROVEY: DATE	
TRAIN: 000U1B5	MATERIAL:	APPROVED: DATE	APPROVED: DATE
DATE: 04DEC08		APPROVED: DATE	APPROVED: DATE
CHECKED: DATE		APPROVED: DATE	APPROVED: DATE
APPROVED: DATE	P1RS NOUN CODE: PART TYPE CODE: SCALE: NONE	SIZE: 4	
DATE: PART NO. DX4736A001		SHEET: 02	
RELEASE NO.:		FRAME:	

THIS DOCUMENT IS IN ACCORDANCE WITH ASME Y14.5M-1994 AS AMENDED BY THE INTERNATIONAL TRUCK DIVISION DIMENSIONING AND TOLERANCING ADDENDUM-2000.



OK	DATE	CHANGE	REV	REFERENCE
MAC	19DEC11	RELOCATED 28.96 OFF	A	
		PLYWOOD PIECE		
MRL	15FEB12	SH NOT AFFECTED, SEE SH 2	B	
DRM	26JUL12	UPDATED CENTERMARKS	C	


* TRACK PLAN 276 WB

50ETU/49001

		INTERNATIONAL TRUCK AND ENGINE CORPORATION	
<input type="checkbox"/> CONFIDENTIAL		<input type="checkbox"/> PROPRIETARY	
REFERENCE: BLUE-20		APPROX. MASS (WEIGHT)	
LINEAR MEASURE: <input type="checkbox"/> mm <input checked="" type="checkbox"/> in		ROUGH PART	
UNLESS SPECIFIED DIM TOLERANCES ARE		FINISH PART	
ONE PLACE 1.,X1	+1.5 -0.06		INTERNAL CONTROL
TWO PLACE 1.,XX1	+0.8 -0.03		
THREE PLACE 1.,XXX1	+0.25 -0.010		
ANGLES		+1°	
NAME: BODY PLAN PB10500		CONTROL:	E 50
NAME (TRANSLATION):		VERSION:	E
DESIGN: U00U185	MATERIAL:	APPROVE:	DATE
DATE: 04DEC08			
CHECKED:			
DATE:			
APPROVED:	FIRST NAME CODE:	PART TYPE CODE:	SCALE: NONE
DATE:			SIZE: 4
RELEASE NO.:	PART NO.:	DX4736A001	SHEET: 03
			FRAME:

SLOT DIMENSION DETAIL

THIS DOCUMENT IS IN ACCORDANCE WITH ASME Y14.5M-1994 AS AMENDED BY THE INTERNATIONAL TRUCK DIVISION DIMENSIONING AND TOLERANCING ADDENDUM-2000.



LEFT SIDE FUEL FILL OPTION CANNOT BE USED WITH THIS BODY PLAN.

BODY PLAN
WHEELBASE 276"

PB10500, 34 FT. 2 IN., CAP 72, SEAT SIZE 39/39, SEAT SPACING VARIES, SIDE EMERG DOOR

REV	DATE	DESCRIPTION
1		KICKLAND/UPDATED INWARD SEAT SPACING A
2		KICKLAND/UPDATED BTR NOTE B
3		KICKLAND/UPDATED BTR NOTE C
4		ADDED 39/39M BLOCK; RELOCATED DIM TEXT FOR CLARITY

50JTT/49001

INTERNATIONAL TRUCK AND ENGINE CORPORATION
 INTERNATIONAL CONFIDENTIAL PROPRIETARY

LINEAR MEASURE: NET APPROX. MASS (NET/GRT)
 MASS SPECIFIED FOR TOLERANCE USE: FINISH PART

ONE PLACE 1.24 4.5 4.00
 TWO PLACE 1.24 4.5 4.00
 THREE PLACE 1.24 4.5 4.00

NAME: BODY PLAN PB10500
 PART NUMBER: 50
 PART NAME: 50
 PART TYPE: 50
 SCALE: 1:1
 DATE: 01/01/10
 DRAWN BY: LUCKKIBS
 CHECKED BY: LUCKKIBS
 PART NO.: DX5936A001

REVISE ONLY ON USPT SYSTEM



THIS DOCUMENT IS IN AGREEMENT WITH THE VEHICLE BODY DIVISION OF INTERNATIONAL TRUCK AND ENGINE CORPORATION.

THIS UNIT CONFORMS TO APPLICABLE FMVSS

BODY PLAN

WHEELBASE 276"

PB30500, 39 FT. 11 IN., CAP 78, SEAT SIZE 39/39, SEAT SPACING VARIES, SIDE EMERG DOOR



CHK	DATE	CHANGE	REV	REFERENCE
MAC	02OCT13	ADDED 65RSM BLOCK;	A	


RELOCATED DIM TEXT FOR CLARITY

50MEK/49001

INTERNATIONAL TRUCK AND ENGINE CORPORATION
INTERNATIONAL CONFIDENTIAL PROPRIETARY

REFERENCE	BLUE - 88
L INEAR MEASURE: mm <input type="checkbox"/> in <input checked="" type="checkbox"/>	APPROX. MASS (WEIGHT) ROUNDED TO NEAREST FINISH PART
UNLESS SPECIFIED DIM TOLERANCES ARE	
ONE PLACE 1.,X1 ±1.5 ±.06	THIRD ANGLE PROJECTION
TWO PLACE 1.,XX1 ±0.8 ±.03	INTERNAL CONTROL
THREE PLACE 1.,XXX1 ±0.25 ±.010	
ANGLES ±1°	
NAME BODY PLAN PB30500	CONTROL E 50
NAME TRANSLATION:	VERSION E
DESIGN U00Y511	MATERIAL
DATE 18SEP12	APPROVEE
DRAWN	DATE
APPROVED	FIRMS NO. CODE PART TYPE CODE SCALE NONE SIZE 4
DATE	PART NO.
RELEASE NO.	DC0564A001 SHEET 01 FRAME

THIS UNIT CONFORMS TO APPLICABLE FMVSS THIS DOCUMENT IS IN ACCORDANCE WITH ASME Y14.5M-1994 AS AMENDED BY THE INTERNATIONAL TRUCK DIVISION DIMENSIONING AND TOLERANCING ADDENDUM-2000.



SEATING CONFIGURATION BASED ON ENGINEERING ESTIMATES, FINISH BUILT BUS WEIGHTS MAY REQUIRE REDUCTION IN PASSENGERS.

290.23
BUMPER TO BUMPER

DE516WR

COLLINS SEATING PLAN

- 8 Passengers & 2 W/C Position(s)
- 3 30 inch SB RH Seats at 26 inch Hip to Knee
- 1 30 inch SB LH Seats at 28 inch Hip to Knee



COLLINS BUS CORP.
P.O. BOX 2946
HUTCHINSON, KS.
67504-2946

FORM: F-7.3.06 REVISION 0

THIS DRAWING AND ALL INFORMATION THEREON IS THE PROPERTY OF COLLINS IND. INC.

DRAWN BY DEL

DATE 08/06/2015



TITLE CHEVY DE516WR SB

DRAWING NO. DE516WR_330_133011

BODY PLAN

WHEELBASE 276"

PB10500, 33 FT. 5 IN., CAP 66, SEAT SIZE 39/39, SEAT SPACING VARIES, SIDE EMERG DOOR



PROPANE

THIS UNIT CONFORMS TO APPLICABLE FMVSS AS AMENDED BY THE INTERNATIONAL TRUCK DIVISION DIMENSIONING AND TOLERANCING ADDENDUM 2000.

REVISE ONLY ON UOPM/FM SYSTEM 49000/49000	REFERENCE: 000		APPROX. MASS (WEIGHT):	
	LINEAR MEASURE: <input type="checkbox"/> mm <input checked="" type="checkbox"/> in		UNLESS SPECIFIED DIM TOLERANCES ARE:	
	ONE PLACE 1.,X1 ±1.5 ±.06		ROUGH PART	
	TWO PLACE 1.,XX1 ±0.8 ±.03		FINISH PART	
	THREE PLACE 1.,XXX1 ±0.25 ±.010		THIRD ANGLE PROJECTION	
	ANGLES: ±1°		INTERNAL CONTROL	
	NAME: BODY PLAN PB10500			CONTROL: E 50
	NAME TRANSLATION:			VERSION: E
	DRAWN: UOOMACH	MATERIAL:		APPROVED:
	DATE: 14 JUL 15	PART NO.:		DATE:
CHECKED:	FIRST NUM CODE:		SCALE: NONE	
DATE:	PART TYPE CODE:		SIZE: 4	
APPROVED:	SCALE: NONE		SHEET: 01	
DATE:	SCALE: NONE		FRAME:	
RELEASE NO.:	BLUE - 122		FRAME:	

49000/49000



Whayne Supply supporting Thomas Built Buses

1400 Cecil Avenue | Louisville, KY 40211 | 1-800-4WHAYNE

HP Upgrade Option

Type C Buses (C2 Saf-T-Liner)		
200 to 220 Upgrade	Upgrade from 200hp to 220hp	\$950
220 to 250 Upgrade	Upgrade from 220hp to 250hp	\$950
Type D Rear Engine Buses (HDX)		
240 to 260 Upgrade	Upgrade from 240hp to 260hp	\$950
260 to 280 Upgrade	Upgrade from 260hp to 280hp	\$950

EXTENDED WARRANTY & TOWING OPTIONS

Type C & D Buses (C2, EFX, HDX)
<p>5-Year Bumper-to-Bumper Warranty (does not include maintenance and wear items) INCLUDED WITH BUS PURCHASE AT NO ADDITIONAL CHARGE (Ky State Spec for all buses). Thomas standard towing coverage is 6 months from the in-service date for up to \$450.00 per occurrence for a warrantable failure.</p>

All Thomas Buses		
TOW PACKAGES	5-Year, Unlimited mileage*	\$1951
TOW PACKAGES	5-Year, 150,000 mileage*	\$1551

*Up to \$450 per occurrence. Warranty is to be used for required towing repairs that inhibit the mobility of the vehicle. Maintenance and routine repairs do not apply if vehicle can travel without assistance.

HEATER OPTIONS

Type C (C2 Saf-T-Liner)		
WEBASTO	7-day timer	\$879
Type D Forward & Rear Control (EFX & HDX)		
WEBASTO	7-day timer	\$1,552

AIR CONDITIONING (FACTORY INSTALLED)

Type C (C2 Saf-T-Liner), includes separate driver in-dash air conditioning if selected		
34 passenger shell**	90,000 BTU system*	\$9,891
52, 66 & 72 passenger shell	126,000 BTU System*	\$10,616
Type D Forward & Rear Control (EFX & HDX) (in-dash air conditioning not an option on D buses)		
70 – 84 passenger shell	120,000 BTU System	\$11,336

*Exceeds state minimum requirements for A/C. When ordering A/C some storage boxes may not be compatible and a new seat plan will need to be configured.

**34 Passenger Shell buses will be dealer installed A/C.



Whayne Supply supporting Thomas Built Buses

1400 Cecil Avenue | Louisville, KY 40211 | 1-800-4WHAYNE

LUGGAGE COMPARTMENTS

Type C (C2 Saf-T-Liner)		
52 passenger shell	Left Center Storage Box 22x25x60"	\$814
66 & 72 passenger shell	Left Center Storage Box 22x25x100"	\$1088
66 & 72 passenger shell	Right Center Storage Box 22x25x100"	\$1088
66 & 72 passenger shell	2 nd Left Center Storage Box 22x25x30"	\$507

Type D Forward Control (EFX)		
70 passenger shell	Left Center Storage Box 22x56"	\$932
70 passenger shell	Right Center Storage Box 22x84"	\$1,095
74 passenger shell	Left Center Storage Box 22x84"	\$1,095
74 passenger shell	Right Center Storage Box 22x84"	\$1,095
78 passenger shell	Left Center Storage Box 22x98"	\$1,112
78 passenger shell	Right Center Storage Box 22x98"	\$1,112
Gas Spring Cargo Door Opener in lieu of chain link retainers (2 springs)		\$95 per storage box

Type D Rear Control (HDX)		
78 passenger shell	Left Center Boxes 22x56" & 22x84"	\$1,905
78 passenger shell	Right Center Boxes 22x56" & 22x84"	\$1,905
78 – 84 passenger shell	Center Pass Thru 125"	\$4,323
Gas Spring Cargo Door Op. in lieu of chain link retainers – smaller boxes		\$95 per storage box
Gas Spring Cargo Door Opener in lieu of chain link retainers - 125" box		\$165

Some A/C & Luggage Options not compatible together, please verify by requesting new seat plan.

RADIO – PANASONIC AM/FM with CD PLAYER

Type C (34 passenger shell has 4 flush mounted speakers, all other C2 include 6 flush-mounted speakers)		
Radio (no Page)	Radio	\$695
Radio with Page	Radio with Page	\$825
Type D (includes 8 flush-mounted speakers)		
Radio (no Page)	Radio	\$715
Radio with Page	Radio with Page	\$850



Whayne Supply supporting Thomas Built Buses

1400 Cecil Avenue | Louisville, KY 40211 | 1-800-4WHAYNE

SEATING OPTIONS

Factory Installation Options for ALL Thomas Buses (all buses on this year's bid will come equipped with S3C restraint-ready seats)	
Add one (1) additional wheelchair position to lift bus (add FF630-4C)	\$820
Delete one (1) wheelchair position and add wall mounted seats	\$280 credit
Add one (1) track mounted, SynTec S3C seat with lap belts, in designated wheel chair position	\$500
EXCHANGE one (1) SynTec S3C 39" Flexible 3/2 lap/shoulder seat in LIEU of standard (3 passenger seat, fits occupants from 40lbs 4 year old child through large adult)	\$883
EXCHANGE one (1) SynTec S3C 30" with lap/shoulder seat in LIEU of standard (2 passenger seat, fits occupants from 40lbs 4 year old child through large adult)	\$825
EXCHANGE one (1) SynTec S3C 39" INTEGRATED child safety restraint in LIEU of standard (seat fits children 22lb to 85 lb)	\$1,010
EXCHANGE one (1) SynTec S3C 30" INTEGRATED child safety restraint in LIEU of standard (seat fits children 22lb to 85 lb)	\$867
PLEASE NOTE: Adding or deleting a wheelchair position and/or adding SynTec seats will require seating plan adjustment. Please submit requested change to Whayne Supply for review and to have a new seat plan generated. Some configurations may not be available.	



SynTec 39" INTEGRATED SEAT
(2 pass/2 modules)



SynTec 39" FLEXIBLE 3/2



Whayne Supply supporting Thomas Built Buses

1400 Cecil Avenue | Louisville, KY 40211 | 1-800-4WHAYNE

SEATING OPTIONS (cont.)

AFTER MARKET OPTIONS:*		
Please use this pricing for additional purchases to add to a bus on hand.		
Part#	Description	Per Unit Price*
TBB2470266H	ISO Latch – Qty 2 (for one-two passenger, 30" seat)	\$16
TBB2470266H	ISO Latch – Qty 3 (for one-three passenger, 39" seat)	\$32
155257	Seat Belts only - Black/Maroon set (2 belts)	\$51
155567	Seat Belts only - Black/Maroon/Tan set (3 belts)	\$74
13390132	39" S3C Flexible 3/2 Lap/Shoulder belts (3 pass) seat back	\$600
12300132	30" S3C 3-Point Lap/Shoulder belts (2 pass) seat back	\$534
13391132	39" S3C Integrated with Lap/Shoulder belts (3 pass, 2 modules) seat back	\$822
12301132	30" S3C Integrated with Lap/Shoulder belts (2 pass, 1 module) seat back	\$624

*Price listed above is for unit only and does not include shipping and handling. Additional fees will apply based on quantity and weight.



SynTec 39" Flexible 3/2 Seat back
(3/2 passengers depending on size)



SynTec 39" Integrated Child Seat (ICS) back
(2 pass/2 modules)



SynTec 39" Integrated Child Seat (ICS) back with Lap/Shoulder belts
(2 pass/2 modules)



Whayne Supply supporting Thomas Built Buses

1400 Cecil Avenue | Louisville, KY 40211 | 1-800-4WHAYNE

SEON SURVEILLANCE SYSTEMS



All Buses – SEON Systems & Accessories are accessories, not Thomas supplied parts.		
TL2	SEON Trooper TL2 includes: 1 camera, 2 channel/ports, DVR camera system, lock box, 320GB hard drive, diagnostic event button w/signal harness	\$985
TL4	SEON Trooper TL4 includes: 1 camera, 4 channel/ports, DVR camera system, lock box, 320GB hard drive, diagnostic event button w/signal harness	\$1,085
TL4-HD	SEON TL4 HD system includes: 1 camera, 4 channel port plus 1 HD video channel capable, DVR camera system, lock box, 320GB hard drive, diagnostic event button w/signal harness	\$1,806
TX8	SEON Trooper TX8, includes: 1 camera, 8 channel/ports, DVR camera system, lock box, dual 640GB hard drive, diagnostic event button w/signal harness	\$1,975

*Quantity discounts available.

SEON ACCESSORIES		
TL-HL320G	320 GB Hard Drive for new systems (TL2, TL4, TL-HD)	\$210
LMK	SEON LCD Monitor	\$300
GPS4	GPS Antenna	\$135
CQ9xxAxx	Additional Dome Camera Head with Infrared (2.9mm, 3.6mm, or 6mm)	\$239
CQ902A20	Additional Fisheye Dome Camera Head (2.5mm -wide angle lens)	\$255
CAMERA PLACEMENT	<p><i>Please note location in order comments for each additional camera head ordered. When installing, locations may need to be slightly adjusted to accommodate correct viewing and construction interference. Suggested lens size per location in parenthesis for your reference.</i></p> <ul style="list-style-type: none"> - Location 1: Front Facing rear – 20' harness (3.6 or 6mm) - Location 2: Driver & Stepwell – 20' harness (2.5 or 2.9 mm) - Location 3: Mid-ship/Side Emergency Door – 50' harness (3.6mm) - Location 4: Rear of Bus facing forward – 50' or 75' harness (2.9mm) 	
CA9xxE20	Exterior Stop Arm Camera (high resolution)	\$249
CHW716ES20	Exterior Stop Arm Camera 16mm (high definition)	\$499
HDD-STB	SEON Reader Dock, Trackball, software VMAX View <i>(not needed if school system has VMAX software & dock)</i>	\$265
1HDD-DOCK	Reader dock only, no software or mouse	\$150

SEON CAMERA INSTALLATION - All New Bus purchases		
New System	Basic System Installation – does not include removal of pre-existing systems (quote required)	\$299
Acc. Install	Accessory installation for GPS	\$49
Camera Install	Installation for each additional camera head	\$69



Whayne Supply supporting Thomas Built Buses

1400 Cecil Avenue | Louisville, KY 40211 | 1-800-4WHAYNE

OTHER FACTORY INSTALLED OPTIONS

Adjustable Pedals <i>(option change for this year)</i>	\$990
GPS / Cell adapter	Included at no charge
Upgrade 35 gallon fuel tank to 60 gallon on 34 pass shell (C2)	\$500
Upgrade 60 gallon fuel tank to 100 gallon on 52-72 pass (C2)	\$650
Upgrade from 14ply to 16ply tires on C buses	\$995
Air Disc Brakes for C buses & Rear Engine D buses (HDX)	\$890

Type C Buses	
<p>All Thomas C2 Buses come equipped with Zonar V3 system module and Zonar GPS antenna. A subscription is required for services. Upgradeable services will require additional accessories.</p> <p>Zonar Systems can provide real time tracking, electronic inspections, and other operating solutions for pupil transportation.</p> <ul style="list-style-type: none"> • <i>Safety</i> – ensure pre- and post-trip inspections are performed accurately; dynamic geo-fencing helps track true idle, speed and odometer • <i>Service</i> – remote engine and system diagnostics • <i>Security</i> – cost-effectively locate the bus, driver and student • www.zonarsystems.com 	<p>Subscription required and rates vary.</p> <p>Additional accessories also available upon request.</p> <p>Contact your local sales rep for pricing of services as well as add-on equipment.</p>

DELIVERY CREDITS

All Thomas Buses	
Bus pick-up from Thomas factory in High Point, NC*	\$500 credit

*Whayne Supply will provide one Thomas factory tour, if units are picked up from High Point. Factory tour will be subject to availability. Talk to your bus sales rep for more information.



Whayne Supply supporting Thomas Built Buses

1400 Cecil Avenue | Louisville, KY 40211 | 1-800-4WHAYNE

CONTACT YOUR LOCAL REP WITH QUESTIONS


Equipment Sales

Todd Cunningham
502-303-6825
Todd_Cunningham@whayne.com

Jeff Niblack
859-230-3318
Jeff_Niblack@whayne.com

Don Beck
812-204-3202
Don_Beck@whayne.com

Nick Couch
606-304-3103
Nick_Couch@whayne.com



Technical Support

Dave Marsters
Coverage: West
502-541-7305
David_Marsters@whayne.com

David Garbrough
Coverage: East
502-594-4146
Dave_Garbrough@whayne.com

Inside Parts and Service Representatives

Larry Belcher
Coverage: Owensboro, Elizabethtown, Louisville, Middletown
502-262-3309
Larry_Belcher@whayne.com


Mark Pinczewski
Coverage: Paducah, Hopkinsville, Bowling Green, Lexington, Dry Ridge
859-576-2201
Mark_Pinczewski@whayne.com

Chuck Terry
Coverage: Ashland, Pikeville, Hazard, Corbin, Somerset
606-216-0829
Chuck_Terry@whayne.com


Please address purchase orders, for all options, to:
Ashley Sears, [Bus Order Specialist](#) | Whayne Supply | PO Box 35900 | Louisville, KY 40232
For all other branch addresses, visit [WHAYNE.COM](#)

SEATING CAPACITY: 78 + DRIVER



CAD DRAWING - DO NOT MAKE MANUAL CHANGES



EQUIPPED WITH 23K SUSPENSION



NOTES:
 1. THIS DRAWING IS SUPPLIED WITH A PLYWOOD FLOOR
 2. SEE NOTE 5 FOR A UN
 3. ***23K REAR SUSPENSION***



Model: MVP-EF
 Units Ordered: 15
 Order Numbers: N/A - 14
 Quote Number: 306763
 Locality: KY
 Build Date: N/A

GENERAL NOTES

- SOME ITEMS, SUCH AS CYMBERS, ROOF LUGGAGE RACKS, AND OTHER FEES, ARE SHOWN IN ONE VIEW ONLY. THE DRAWING IS A REPRESENTATION ONLY AND MAY BE SUBJECT TO CHANGE.
- PLEASE REFER TO OTHER DRAWINGS FOR DIMENSIONS OF INTERIOR AND EXTERIOR LIGHTS AND OTHER EQUIPMENT.
- SUSPENSION TYPE:
- THIS DRAWING IS NOT TO BE USED AS A STANDARD.
- DO NOT ALTER DIMENSIONS OR MATERIALS WITHOUT THE WRITTEN APPROVAL OF THE MANUFACTURER.
- OPTIONAL EQUIPMENT IS NOT TO BE TAKEN INTO ACCOUNT UNLESS SPECIFICALLY NOTED ON THE DRAWING.
- COVER BUSSESS WITH DIMENSIONS DOES NOT TAKE INTO ACCOUNT THE DIMENSIONS OF THE BUS, SUCH AS APPROXIMATE LENGTH OF THE BUS, SUCH AS APPROXIMATE LENGTH AND CROSSING ARMS.


THIS DRAWING AND ALL INFORMATION PROVIDED WITH IT ARE THE PROPERTY OF THOMAS BUILT BUSES, INC. ANY REPRODUCTION OR DISTRIBUTION OF THIS MATERIAL WITHOUT THE WRITTEN APPROVAL OF THOMAS BUILT BUSES, INC. IS STRICTLY PROHIBITED. COPYRIGHT THOMAS BUILT BUSES, INC.

THOMAS BUILT BUSES, INC
 HIGH POINT, NC

SIZE	REV	SPACING	DATE
LEFT	300	28.7	
LEFT	28.0	28.7	
LEFT	28.0	28.7	
RIGHT	27.6	28.3	
RIGHT	25.7	24.4	

PLAN AND ELEVATION BODY 1408S

DRN 07-26-15 BY K. WISNER
 SCALE 3/8"=12"
S 606715
 Program Version: 15.7.6



CAD DRAWING - DO NOT MAKE MANUAL CHANGES

