2017

Kentucky School Bus Purchasing Guide

BLUE BIRD

IC BUS

Kentucky Department of Education
Our Children, Our Commonwealth

Thomas BUILT BUSES
Because every mile matters.℠

2017 Kentucky Department of Education School Bus Purchasing Guide

PA-1
PA-2
PA-3

BLUE BIRD

Options

Radios - Seats – Track Mounted Seats and Barriers – Wheel Chair Positions
REI Digital Cameras
Angel Trax Digital Cameras
Air Conditioning
Luggage Boxes
Chassis Options – Miscellaneous Options
Warranty

Floor Plans

34 Short
34 Long
52 Regular
66 Regular
66 Regular
72 Regular
72 Regular
70 FC
74 FC
78 FC
78 RE
34 Shell - 20 with 2 Wheel Chair positions
52 Shell – 20 with 3 Wheel Chair positions
66 Shell – 24 with 4 Wheel Chair positions
66 Shell – 24 with 4 Wheel Chair positions
34 Long – propane
52 Regular – propane
66 Regular – propane
72 Regular – propane
34 Shell - 20 with 2 Wheel Chair positions - propane
52 Shell – 20 with 3 Wheel Chair positions - propane
66 Shell – 24 with 4 Wheel Chair positions - propane
66 Shell – 24 with 4 Wheel Chair positions

INTERNATIONAL BUS

Options

Fuel Tank – Disc Brakes – Traction Control – UCRA – Seats – Radios
Radios – Tires – Track Mounted Seats – Other Options

Luggage Compartments – Air Conditioning
Video Cameras

Floor Plans

34 Regular
52 Regular
66 Regular – propane
66 Regular
72 Regular
34 Shell – 12 with 2 Wheel Chair positions
52 Shell – 16 with 4 Wheel Chair positions
66 Shell – 26 with 4 Wheel Chair positions
Collins – 22 Shell - 8 with 2 Wheel Chair positions
Collins – 22 Regular

THOMAS BILT

Options

Wi-Fi – Cameras - Tinted Windows
Corrosion Protection – Warranty
Air Conditioning – Luggage Compartments
Horsepower Upgrade – Radios – Webasto Heaters – Other options
Seats
Seon Surveillance Systems
Fleet Tracking – Seon - Zonar

Floor Plans

12 with 2 Wheel Chair positions
34 Regular
16 with 4 Wheel Chair positions
52 Regular
52 Regular – propane
16 with 4 Wheel Chair positions – propane
26 with 4 Wheel Chair positions
66 Regular
26 with 4 Wheel Chair positions – propane
66 Regular – propane
72 Regular
72 Regular – propane
70 FC
74 FC
78 FC
78 RE
84 RE

PA-1

KENTUCKY DEPARTMENT OF EDUCATION
2017 SCHOOL BUS PURCHASE AUTHORIZATION
TYPE A, TYPE C, AND TYPE D SCHOOL BUSES

The Board of Education _____, Kentucky, on _____, 20_____, in a legally called and constituted meeting, did vote to purchase school buses through the Kentucky State Contract price procedure. This Board of Education took this official action in order to authorize the Chief State School Officer to procure 2017 school buses. This action, as spread upon the minutes of the meeting of this Board of Education on the above date, should be construed as evidence of obligation of this Board of Education to purchase the above school buses through State Price Contract agreements established in accordance with statutory authority.

Signed
_____, Secretary
_____, Superintendent
Of _____, Board of Education
Date _____.

BODY SIDE NUMBERS: Indicate the body side number the Board of Education wants painted on the body side of each school bus. Match body side number to individual item numbers. Example: Item 1 - Side number - 5, 6, 7, 8

_____
_____
_____
_____

ATTACH ADDITIONAL INFORMATION IF NECESSARY

2017

PA-1 **TYPE A AND TYPE C SCHOOL BUSES** _____BOARD OF EDUCATION

Item #	No. To Be Purchased	Capacity	Engine & Chassis Manufacturer	HP	Trans.	Brakes	Fuel Tank Location	Wheel base	Body Manufacturer	Rear axle overhang	FOB KY Price
1		22	6.5 GM, GENERAL MOTORS CORP.	155	AUTO	H	Center rear	159”	COLLINS	76”	69,259
2		34	CUMMINS ISB, BLUEBIRD	220	2500PTS	AB	Center rear	169”	BLUEBIRD	96”	79,895
3		34	CUMMINS ISB, BLUEBIRD	220	2500PTS	AB	Center rear	189”	BLUEBIRD	125”	79,895
4		34	CUMMINS ISB, INTERNATIONAL	220	2500PTS	AB	Center rear	169”	IC CORP	93”	81,261
5		34	CUMMINS ISB, FREIGHTLINER	200	2500PTS	AB	Center rear	158”	THOMAS	99”	80,522
6		52	CUMMINS ISB, BLUEBIRD	220	2500PTS	AB	Center rear	217”	BLUEBIRD	132”	81,295
7		52	CUMMINS ISB, INTERNATIONAL	220	2500PTS	AB	Center rear	217”	IC CORP	128”	82,700
8		52	CUMMINS ISB, INTERNATIONAL	250	2500PTS	AB	Center rear	217”	IC CORP	128	83,300
9		52	CUMMINS ISB, FREIGHTLINER	200	2500PTS	AB	Center rear	219”	THOMAS	128”	82,865
10		66	CUMMINS ISB, BLUEBIRD	220	2500PTS	AB	Center rear	273”	BLUEBIRD	139 ”	82,315
11		66	CUMMINS ISB, INTERNATIONAL	220	2500PTS	AB	Center rear	276”	IC CORP	141”	83419
12		66	CUMMINS ISB, INTERNATIONAL	250	2500PTS	AB	Center rear	276”	IC CORP	141”	84,019
13		66	CUMMINS ISB, FREIGHTLINER	220	2500PTS	AB	Center rear	279”	THOMAS	148”	83,868
14		66	CUMMINS ISB, BLUEBIRD	250	3000PTS	AB	Center rear	273”	BLUEBIRD	139“	87,310
15		66	CUMMINS ISB, INTERNATIONAL	220	3000PTS	AB	Center rear	276”	IC CORP	141”	88,067
16		66	CUMMINS ISB, INTERNATIONAL	250	3000PTS	AB	Center rear	276”	IC CORP	141”	88,667
17		66	CUMMINS ISB, FREIGHTLINER	220	3000PTS	AB	Center rear	279”	THOMAS	148”	88,132

2017

PA-1 **TYPE A AND TYPE C SCHOOL BUSES** _____BOARD OF EDUCATION

18		72	CUMMINS ISB, BLUEBIRD	220	2500PTS	AB	Center rear	273”	BLUEBIRD	160”	83,220
19		72	CUMMINS ISB, BLUEBIRD	250	3000PTS	AB	Center rear	273”	BLUEBIRD	160”	87,665
20		72	CUMMINS ISB, INTERNATIONAL	220	2500PTS	AB	Center rear	276”	IC CORP	158”	84,405
21		72	CUMMINS ISB, INTERNATIONAL	250	2500PTS	AB	Center rear	276”	IC CORP	158”	85,005
22		72	CUMMINS ISB, INTERNATIONAL	220	3000PTS	AB	Center rear	276”	IC CORP	158”	88,506
23		72	CUMMINS ISB, INTERNATIONAL	250	3000PTS	AB	Center rear	276”	IC CORP	158”	89,106
24		72	CUMMINS ISB, FREIGHTLINER	220	2500PTS	AB	Center rear	279”	THOMAS	148’	84,767
25		72	CUMMINS ISB, FREIGHTLINER	220	3000PTS	AB	Center rear	279”	THOMAS	148”	88,518

KEY: Engines		**Transmissions and Brakes**		**Fuel Tank Location**
CUMMINS ISB	410CID TURBO ELECTRONIC I-6, DIESEL	AUTO	Type A automatic	Center Rear- Behind the rear axle between the frame rails
6.6 GM	400CID TURBO ELECTRONIC V8, DIESEL	2500PTS	Allison 5 speed automatic	Right side- Attached to the right frame rail between the axles
		3000PTS	Allison severe service automatic	Center -Between the frame rails, between the axles
		AB	Air brakes	

2017

PA - 1 **TYPE D NON-CONVENTIONAL SCHOOL BUSES** _____ BOARD OF EDUCATION

FORWARD CONTROL

Item #	No. To Be Purchased	Capacity	Engine & Manufacturer	HP	Trans.	Brakes	Fuel Tank Location	Wheel base	Body Manufacturer	Rear axle overhang	FOB KY Price
26		70	CUMMINS ISB, BLUEBIRD	250	3000PTS	AB	Center rear	232”	BLUEBIRD	153”	100,935
27		70	CUMMINS ISB, FREIGHTLINER	260	3000PTS	AB	Center rear	212”	THOMAS	155”	100,325
28		74	CUMMINS ISB, BLUEBIRD	250	3000PTS	AB	Center rear	232”	BLUEBIRD	153”	100,920
29		74	CUMMINS ISB, FREIGHTLINER	260	3000PTS	AB	Center rear	212”	THOMAS	155”	100,262
30		78	CUMMINS ISB, BLUEBIRD	250	3000PTS	AB	Center rear	232”	BLUEBIRD	160”	100,520
31		78	CUMMINS ISB, FREIGHTLINER	260	3000PTS	AB	Center rear	231”	THOMAS	155”	100,700

REAR ENGINE

Item #	No. To Be Purchased	Capacity	Engine & Manufacturer	HP	Trans.	Brakes	Fuel Tank Location	Wheel base	Body Manufacturer	Rear axle overhang	FOB KY Price
32		78	CUMMINS ISB, FREIGHTLINER	240	3000PTS	AB	Center	267”	THOMAS	115”	107,826
33		78	CUMMINS ISB, BLUEBIRD	250	3000PTS	AB	Center	273”	BLUEBIRD	122”	107,950
34		84	CUMMINS ISB, FREIGHTLINER	280	3000PTS	AB	Center	277”	THOMAS	115”	110,339

KEY: Engines

CUMMINS ISB	410CID TURBO ELECTRONIC I-6, DIESEL
6.6 GM	400CID TURBO ELECTRONIC V8, DIESEL

Transmissions and Brakes

AUTO	Type A automatic
2500PTS	Allison 5 speed automatic
3000PTS	Allison severe service automatic
AB	Air brakes

Fuel Tank Location

Center Rear- Behind the rear axle between the frame rails
Right side- Attached to the right frame rail between the axles
Center -Between the frame rails, between the axles

PA-2

KENTUCKY DEPARTMENT OF EDUCATION
2017 SCHOOL BUS PURCHASE AUTHORIZATION
(HANDICAPPED UNITS)

The Board of Education _____, Kentucky, on _____, 20_____, in a legally called and constituted meeting, did vote to purchase school buses through the Kentucky State Contract price procedure.

This Board of Education took this official action in order to authorize the Chief State School Officer to procure 2017 school buses. This action, as spread upon the minutes of the meeting of this Board of Education on the above date, should be construed as evidence of obligation of this Board of Education to purchase the above school buses through State Price Contract agreements established in accordance with statutory authority.

Signed
_____, Secretary
_____, Superintendent
Of _____, Board of Education
Date _____.

BODY SIDE NUMBERS: Indicate the body side number the Board of Education wants painted on the body side of each school bus. Match body side number to individual item numbers. Example: Item 1 - Side number - 5, 6, 7, 8

_____
_____
_____
_____

ATTACH ADDITIONAL INFORMATION IF NECESSARY

Buses listed by shell size (For actual capacity see enclosed floor plans) 2017



PA-2 **TYPE A AND TYPE C HANDICAP EQUIPPED SCHOOL BUSES** _____ BOARD OF EDUCATION

Item #	No. To Be Purchased	Shell Capacity	Engine & Manufacturer	HP	Trans.	Brakes	Fuel Tank Location	Wheel base	Body Manufacturer	Rear axle overhang	FOB KY Price
36		22	6.5 GM **Lift behind the rear axle**	155	AUT0	H	Center rear	159”	COLLINS	92”	76,287
37		34	CUMMINS ISB, BLUEBIRD	220	2500PTS	AB	Center rear	189”	BLUEBIRD	125”	84,685
38		34	CUMMINS ISB, INTERNATIONAL	220	2500PTS	AB	Center rear	169”	IC CORP	93”	85,837
39		34	CUMMINS ISB, FREIGHTLINER	200	2500PTS	AB	Center rear	158”	THOMAS	99”	86,522
40		52	CUMMINS ISB, BLUEBIRD	220	2500PTS	AB	Center rear	217”	BLUEBIRD	132”	87,095
41		52	CUMMINS ISB, INTERNATIONAL	220	2500PTS	AB	Center rear	217”	IC CORP	128”	87,844
42		52	CUMMINS ISB,INTERNATIONAL	250	2500PTS	AB	Center rear	217”	IC CORP	128”	88,444
43		52	CUMMINS ISB,FREIGHTLINER	200	2500PTS	AB	Center rear	219”	THOMAS	128”	88,733
44		66	CUMMINS ISB, BLUEBIRD	220	2500PTS	AB	Center rear	273”	BLUEBIRD	153”	89,680
45		66	CUMMINS ISB, INTERNATIONAL	220	2500PTS	AB	Center rear	276”	IC CORP	149”	90,704
46		66	CUMMINS ISB, INTERNATIONAL	250	2500PTS	AB	Center rear	276”	IC CORP	149”	91,304
47		66	CUMMINS ISB, FREIGHTLINER	220	2500PTS	AB	Center rear	279”	THOMAS	158”	91,296
48		66	CUMMINS ISB, BLUEBIRD	250	3000PTS	AB	Center rear	273”	BLUEBIRD	153”	94,490
49		66	CUMMINS ISB, INTERNATIONAL	220	3000PTS	AB	Center rear	276”	IC CORP	149”	94,855
50		66	CUMMINS ISB, INTERNATIONAL	250	3000PTS	AB	Center rear	276”	IC CORP	149”	95,455
51		66	CUMMINS ISB, FREIGHTLINER	220	3000PTS	AB	Center rear	279”	THOMAS	158”	95,251

2017

PA - 3 **PROPANE POWERED SCHOOL BUSES** _____ BOARD OF EDUCATION

TYPE A and C PROPANE CONVENTIONAL

Item #	No. To Be Purchased	Capacity	Engine & Manufacturer	HP	Trans.	Brakes	Fuel Tank Location	Wheel base	Body Manufacturer	Rear axle overhang	FOB KY Price
52		34	6.8L FORD/ROUSH, BLUEBIRD	362	FORD	AB	Center rear	189”	BLUEBIRD	125”	85,790
53		52	6.8L FORD/ROUSH, BLUEBIRD	362	FORD	AB	Center rear	217”	BLUEBIRD	132”	88,545
54		52	8.0L GM Python V-8 LPG THOMAS	339	Allison2350	AB	Center rear	219”	THOMAS	128”	88,779
55		66	6.8L FORD/ROUSH, BLUEBIRD	362	FORD	AB	Center rear	273”	BLUEBIRD	139”	89,425
56		66	8.8L PSI /INTERNATIONAL	270	Allison2500	AB	Center rear	276”	IC CORP	149”	91,350
57		66	8.0L GM Python V-8 LPG THOMAS	339	Allison2350	AB	Center rear	279”	THOMAS	158”	91,509
58		72	6.8L FORD/ROUSH, BLUEBIRD	362	FORD	AB	Center rear	273”	BLUEBIRD	160”	89,915
59		72	8.8L PSI /INTERNATIONAL	270	Allison2500	AB	Center rear	276”	IC CORP	149”	92,187
60		72	8.0L GM Python V-8 LPG, THOMAS	339	Allison2350	AB	Center rear	279”	THOMAS	158”	91,619

TYPE A and C PROPANE, SPECIAL NEEDS, LIFT EQUIPTED

Item #	No. To Be Purchased	Shell Size	Engine & Manufacturer	HP	Trans.	Brakes	Fuel Tank Location	Wheel base	Body Manufacturer	Rear axle overhang	FOB KY Price
61		34	6.8L FORD/ROUSH, BLUEBIRD	362	FORD	AB	Center rear	189”	BLUEBIRD	125”	92,435
62		52	6.8L FORD/ROUSH, BLUEBIRD	362	FORD	AB	Center rear	217”	BLUEBIRD	132”	94,100
63		52	8.0L GM Python V-8 LPG THOMAS	339	Allison2350	AB	Center rear	219”	THOMAS	129”	94,048
64		66	6.8L FORD/ROUSH, BLUEBIRD	362	FORD	AB	Center rear	273”	BLUEBIRD	153”	99,285
65		66	8.8L PSI /INTERNATIONAL	270	Allison2500	AB	Center rear	276”	IC CORP	149”	99,926
66		66	8.0L GM Python V-8 LPG THOMAS	339	Allison2350	AB	Center rear	279”	THOMAS	148”	97,742

KEY: Engines

CUMMINS ISB 410CID TURBO ELECTRONIC I-6, DIESEL
6.6 GM 400CID TURBO ELECTRONIC V8, DIESEL

Transmissions and Brakes

AUTO Type A automatic
2500PTS Allison 5 speed automatic
3000PTS Allison severe service automatic
AB Air brakes

Fuel Tank Location

Center Rear- Behind the rear axle between the frame rails
Right side- Attached to the right frame rail between the axles
Center -Between the frame rails, between the axles

Central States Bus Sales, Inc.
"The Bus Experts"
2450 Cassens Drive, St. Louis MO 63026
636-343-6050 • FAX: 636-326-2501 • 800-825-8273
www.centralstatesbus.com

August 11, 2016

2016-17 School Bus Optional Equipment Information

RFB-758-1300000170-03

Contact Information:

Mark Parsons
Eastern Kentucky Sales Manager
Phone: 502-216-2544
Fax: 615-466-5045
mparsons@centralstatesbus.com

Chuck Harvill
General Manager
877-307-0322
615-466-5045
charvill@centralstatesbus.com

Bill Glisson
Western Kentucky Sales Manager
Phone: 502-709-2572
Fax: 615-466-5045
bglisson@centralstatesbus.com

Jeff A. Reitz
President/CEO
800-825-8273
636-326-2501
jreitz@centralstatesbus.com

Service facility located in Lexington, KY along with mobile service capabilities

Central States Bus Sales, Inc.
361 United Court
Lexington, KY 40509

5 year Bumper-to-bumper warranty (see limitations per attached warranty sheet)

Featuring: BLUE BIRD, ElDorado National, THE BRAUN CORPORATION, RICON

Radios

A. Radio, AM/FM/PA	$625.00
B. Radio, AM/FM/PA (with external speaker)	$725.00

SEATS

CE White Safety Seat Options

One (1) 39” CE White Child Safety Restraint Seat In place of standard 39” HB Seat	$875.00 each
One (1) 30” CE White Child Safety Restraint Seat In place of standard 30” HB Seat	$675.00 each

Track Mounted Seats and Barriers

One (1) Track Mounted Barrier (30823) Specify LH or RH side	$275.00 each
One (1) 30-inch Track Mounted Seats with Belts (mounts in wheelchair track)	$425.00 each
Two Track Mounted Seats Specify LH or RH side	$850.00 each

Wheel Chair Positions

One (1) additional W/C position Add FF630-4C (Requires Seat Plan Change)	$750.00 each
Delete One (1) W/C position and adding two (2) seats (Requires Seat Plan Change)	Credit of ($225.00)

REI Digital Cameras

Digital Camera Information

REI DIGITAL BUS WATCH WITH ONE CAMERA AND 500 GB HARD DRIVE

(Expandable up to four Cameras)	$1,350.00

REI DIGITAL BUS WATCH WITH ONE CAMERA AND SD CARD SYSTEM

(Expandable up to four Cameras)	$1,025.00
Additional Camera - Includes Install labor (each)	$290.00
Installation cost for a single camera system on a new bus at customer's location	$340.00
In-bus video system sensor harness - Includes Install Labor (Records brakes, directional and warning lights)	$115.00
GPS Sensor (for speed) – Includes Install Labor	$150.00
Inertia Sensor – Includes Install Labor	$135.00
500 GB SATA Hard Drive Spare (add this price to base system price)	$225.00
1 TB SATA Hard Drive Spare (add this price to base system price)	$395.00
2 TB SATA Hard Drive Spare (add this price to base system price)	$600.00
64 GB SD Card Upgrade (add this price to base system price)	$115.00
In-Bus Video System Lock Box	$150.00
LCD Monitor Kit 5.6 INCH Battery Charger and Case	$225.00

Angel Trax Digital Cameras

Digital Camera Information

ANGEL TRAX HDX HYBRID SYSTEM WITH ONE CAMERA AND 500 GB HARD DRIVE	
(Expandable up to four Cameras)	$1,295.00
ANGEL TRAX SDX SYSTEM WITH ONE CAMERA AND 256GB SD CARD	
(Expandable up to four Cameras)	$ 995.00
Additional Camera - Includes Install labor (each)	$290.00
Installation cost for a single camera system on a new bus at customer's location	$340.00
In-bus video system sensor harness - Includes Install Labor (Records brakes, directional and warning lights)	STANDARD
GPS Sensor (for speed) – Includes Install Labor	$250.00
STOP Arm Camera – Includes Install Labor	$335.00
64 GB SD Card Upgrade (add this price to base system price)	$100.00
500 GB Hard Drive Spare (add this price to base system price)	$340.00
In-Bus Video System Lock Box	STANDARD
LCD Monitor Kit 7 INCH Remote Control and Case	$225.00

Air Conditioning

A/C System, 34 Passenger Shell Size

ACC Model RW44FW4465651616 80,000 BTU'S

Air Conditioning system, 34 passenger shell size $8,250.00

A/C System, 52-66 Passenger Shell Size

ACC Model RW45FW4565651616 110,000 BTU'S

Air Conditioning system, 52-66 passenger shell size $9,250.00

A/C System, 70-84 Passenger Shell Size

ACC Model RW45FW4560602121 126,000 BTU'S

Air Conditioning system, 70-84 passenger shell size $9,450.00

A/C Detail

MODEL RW44FW4565651616 95,000 BTU'S. A/C System, 34 Passenger Shell Size

APPLICATION: 2015 BLUE BIRD
ENGINE: CUMMINS 6.7L ISB-13

EACH CONSISTING OF:

The ACC system will meet or exceed all specification requirements of the Kentucky State School bus bid for 2013.

This system will include the following components:

1-23044 Series Evaporator In-Wall mounted up to 45K BTU'S.
1-23045 Series Evaporator In-Wall mounted with driver's cool vent
2-25065 Series Condensers Skirt mounted up to 83K BTU'S.
2-TM16 Compressors
1-Compressor Engine Mount Kit

MODEL RW45FW4565651616 110,000 BTU'S. A/C System, 52-66 Passenger Shell Size

APPLICATION: 2015 BLUE BIRD
ENGINE: CUMMINS ISB-13

EACH CONSISTING OF:

The ACC system will meet or exceed all specification requirements of the Kentucky State School bus bid for 2013.

This system will include the following components:

2-23045 Series Evaporators In-Wall mounted up to 60K BTU'S (includes driver cool vent).
2-25065 Series Condensers Skirt mounted up to 83K BTU'S.
2-TM16 Compressors
2-Digital Controls (separate controls for each system)
1-Compressor Engine Mount Kit

MODEL RW45FW4560602121 126,000 BTU'S. A/C System, 70-84 Passenger Shell Size

APPLICATION: 2015 BLUE BIRD
ENGINE: CUMMINS ISB-13

EACH CONSISTING OF:

The ACC system will meet or exceed all specification requirements of the Kentucky State School bus bid for 2013.

This system will include the following components:

2-23045 Series Evaporators In-Wall mounted up to 60K BTU'S (includes driver cool vent).
2-25065 Series Condensers Skirt mounted up to 100K BTU'S.
2-TM21 Compressors
2-Digital Controls (separate controls for each system)
1-Compressor Engine Mount Kit

LUGGAGE

Please note that all luggage box options are subject to engineering compatibility.

CAPACITY	OPTION	COST
52-66-72 passenger Conventional type C	Left Center Storage Box 16 Cubic Foot	$845.00
52-66-72 passenger Conventional type C	Right Center Storage Box 16 Cubic Foot	$845.00
52-66-72 passenger Conventional type C	Right Center Storage Box 21 Cubic Foot	$1,095.00
52-66-72 passenger Conventional type C	Left Rear Storage Box 16 Cubic Foot	$845.00
66-72 passenger Conventional type C	Right Center Storage Box 28.4 Cubic Foot	$1,250.00
72 passenger Conventional type C	Left Rear Storage Box 21 Cubic Foot	$1,095.00
72 passenger Conventional type C	Right Rear Storage Box 16 Cubic Foot	$845.00
52-66 passenger Special Needs Conventional type C	Left Rear Storage Box 16 Cubic Foot	$845.00
52 passenger Special Needs Conventional type C	Left Center Storage Box 16 Cubic Foot	$845.00
66 passenger Special Needs Conventional type C	Left Rear Storage Box 21 Cubic Foot	$1,095.00
66 passenger Special Needs Conventional type C	Right Rear Storage Box 16 Cubic Foot	$845.00
70-74-78 Passenger Front Engine type D	Left Rear Storage Box 16 Cubic Foot	$845.00
70-74-78 Passenger Front Engine type D	Left Rear Storage Box 22.7 Cubic Foot	$1,095.00
70-74-78 Passenger Front Engine type D	Right Center Storage Box 16 Cubic Foot	$845.00
70-74-78 Passenger Front Engine type D	Right Center Storage Box 22.7 Cubic Foot	$1,095.00
70-74-78 Passenger Front Engine type D	Right Center Storage Box 28.4 Cubic Foot	$1,250.00
70-74-78 Passenger Front Engine type D	Right Rear Storage Box 16 Cubic Foot	$845.00
70-74-78 Passenger Front Engine type D	Right Rear Storage Box 22.7 Cubic Foot	$1,095.00
78 Passenger Rear Engine type D	Right Center Storage Box 16 Cubic Foot	$845.00
78 Passenger Rear Engine Type D	Right Center Storage Box 22.7 Cubic Foot	$1,095.00
78 Passenger Rear Engine type D	Right Center Storage Box 28.4 Cubic Foot	$1,250.00
78 Passenger Rear Engine type D	Left Rear Storage Box 16 Cubic Foot	$845.00
78 Passenger Rear Engine type D	Pass Through Storage Box 122 Cubic Foot	$5,050.00

CHASSIS OPTIONAL EQUIPMENT

200 Horse Power Cummins Engine (Price Deduction) On Type C buses 34 and 52 Shell Size	Credit of ($650.00)
250 Horse Power Cummins Engine with Allison 2500 Transmission On Type C buses 34 and 52 Shell Size (Upgrade from Cummins 200 H.P.)	$ 2,195.00
250 Horse Power Cummins Engine with Allison 2500 Transmission On Type C buses 66 and 72 Shell Size (Upgrade from Cummins 220 H.P.)	$ 1,355.00
250 Horse Power Cummins Engine with Allison 2500 Transmission On Type C buses 66 and 72 Shell Size (Upgrade from Cummins 200 H.P.)	$ 1,355.00
260 Horse Power Cummins Engine with Allison 3000 Transmission On Type D FE Buses 70, 74 and 78 Shell Size (Upgrade from Cummins 250 H.P.)	$ 755.00
280 Horse Power Cummins Engine with Allison 3000 Transmission On Type D 78 Shell Size (Upgrade from Cummins 250 H.P.)	$ 3,495.00

MISCELLANEOUS OPTIONAL EQUIPMENT

Espar series Heater (Includes 7-Day Timer)	$1,575.00
Goodyear G399A 16-ply tires in place of 14-ply (6 Tires)	$425.00
Full Length Perforated Ceiling	$775.00
Adjustable Pedals Type-C Only)	$900.00
Driver Cup Holder	$80.00
Console Mounted Driver Left Hand Armrest	$87.00
100 Gallon Diesel Fuel Tank	$425.00
Air Disc Brakes	$1,285.00

BLUE BIRD

Premium Limited Warranty

Buses with Option 31300-26

This warranty is in lieu of the standard limited warranty. Blue Bird Body Company (Blue Bird) warrants each bus to be free from defects in material and workmanship under normal use and service within the limits described below:

1. For a period of five (5) years/100,000 miles/160,000 kilometers, whichever occurs first from date of delivery to the original user, Blue Bird warrants the:

- All American and Vision chassis frame rails and crossmembers to be free from defects in structural integrity (breaking or cracking).
- Body shell (those structural metal components welded or riveted together forming floor, side walls, roof, front and rear sections) to be free from defects in structural integrity (breaking or cracking) including rust-through.
- Interior and exterior paint adhesion to the body shell (those components forming side walls, roof, front and rear sections) and doors.
- School bus seat frames and barrier frames to be free from defects in structural integrity (breaking or cracking).

2. For a period of four (4) years/50,000 miles/80,000 kilometers, whichever occurs first from date of delivery to the original user, Blue Bird warrants the:

- All American and Vision front axle assembly, including king pins, I-beam, bushings and spindles, excluding brakes and wheel ends.
- All American and Vision rear axle assembly and differential, excluding brakes and wheel ends.

3. For a period of three (3) years from date of delivery to the original user, Blue Bird warrants the:

- Comfort Aire® integrated air conditioner, subject to annual service inspections.
- Propane-powered engine*, if equipped.
- Propane fuel system, if equipped.
- All American and Vision suspension, excluding pins and bushings.
- All American and Vision driveshafts, support bearings and universal joints.
- All other components not covered in 1 and 2 above, except engines, automatic transmissions, wheelchair lifts, air conditioners, tires, batteries, and non-Blue Bird chassis (MicroBird). The warranties of the engine, automatic transmission, wheelchair lift, air conditioner, tires, batteries, and non-Blue Bird chassis are provided solely by, and are the responsibility of, those manufacturers and are not a part of Blue Bird's limited warranty.

Blue Bird's obligation covered in this limited warranty is limited to the repair or replacement of such parts as shall, under normal use and service, appear to have been defective in workmanship or material.

This warranty is applicable to Blue Bird bus products, All American (D3FE, D3RE), Vision (BBCV), and MicroBird (A1VC, B1VC, B2VC) with Option 31300-26, that are registered and operated in the United States of America, Canada, Puerto Rico, U.S. Virgin Islands, Guam, and American Samoa. The warranty period begins on the date the bus is delivered to the original user. During the warranty period, this warranty is transferable to subsequent Owners/Operators.

THIS LIMITED WARRANTY IS EXPRESSLY IN LIEU OF ALL OTHER WARRANTIES EXPRESSED OR IMPLIED AND ALL OTHER OBLIGATIONS OR LIABILITIES. NO PERSON, INCLUDING SALESPERSONS, DEALERS, OR FACTORY REPRESENTATIVES OF BLUE BIRD, IS AUTHORIZED TO MAKE ANY REPRESENTATION OR WARRANTY CONCERNING BLUE BIRD PRODUCTS EXCEPT TO REFER PURCHASERS TO THIS LIMITED WARRANTY. BLUE BIRD MAKES NO WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. BLUE BIRD SHALL NOT BE LIABLE FOR INCIDENTAL OR CONSEQUENTIAL DAMAGES.

Defects must be reported to a Blue Bird Dealer immediately upon discovery of the defect and within the warranty period as stated herein. Unless authorized by the Blue Bird Dealer, repairs under this limited warranty are to be performed by the Blue Bird Dealer. It is the responsibility of the Owner/Operator to return the bus to the Blue Bird Dealer, or qualified repair facility authorized by the Blue Bird Dealer for warranty repairs. Defects shall be repaired promptly after discovery of the defect and within the warranty period as stated herein. All claims for warranty adjustments must be received by Blue Bird not later than 30 days after the repair date.

Limitations & Exclusions

In addition to the limitations described on the previous page, the following items are specifically not covered:

- Engines, automatic transmissions, wheelchair lifts, air conditioners (other than Blue bird ComfortAire® system), tires, batteries, and non-Blue Bird chassis (MicroBird). The limited warranties for these components are provided solely by and are the responsibility of those manufacturers and are not a part of Blue Bird's limited warranty.
- Loss of use and incidental consequential expenses, including but not limited to commercial loss, loss of commercial fares, driver time or pay, lease or rental of substitute vehicle, storage, lodging, meals, telephone calls and other travel costs.
- Maintenance, wear-out and consumption. This warranty shall not apply to any parts or components which must be repaired, replaced or adjusted during the warranty period as a result of what is wear-out or consumption in the course of normal operations or use, including but not limited to brake pads and linings, wiper blades, light bulbs, filters, lubricants, fluids, belts, tires, tightening threaded-fasteners, front-end alignment, wheel-balancing, body tie-downs, and door adjustments.
- This warranty shall not apply to any parts or components which must be repaired, replaced or adjusted during the warranty period as a result of accident damage, abnormal operation, misuse and/or abuse, including but not limited to excessive operation on unpaved, un-maintained roads, operation on cross-country trails or off-road conditions, collision, fire, vandalism, explosion, objects striking the vehicle, theft, freezing, riot, flood.
- Paint adhesion failures resulting from abrasions, atmospheric conditions, road chemicals, caustic detergents/cleaners, and/or improper maintenance. Paint adhesion failures, whether warrantable defects or non-warrantable events, that are not repaired immediately upon discovery of the failure may deteriorate the finish and/or panels underneath. Surface corrosion and/or other progressive deterioration as a result of not repairing paint failures immediately is not covered by this warranty.
- If dealers or customers have any vehicle modifications or equipment installations performed without the written approval of Blue Bird, to the extent the modifications or equipment installations adversely affect other vehicle components or performance, Blue Bird shall not accept any product liability or claims under the terms of the limited warranty. These claims become the sole responsibility of the company performing the modifications and/or installations.
- Transportation expenses to deliver the bus to a Blue Bird Dealer or nearest qualified repair facility, including but not limited to fuel, driver time/pay, mileage and towing.
- Repairs to parts or components which have been previously replaced with parts not obtained from Blue Bird or failures caused by non-Blue Bird parts or components. Rework of repairs not performed by or approved by a Blue Bird Dealer.
- Excessive labor hours, premium labor costs, overtime labor costs, local taxes. This limited warranty covers reasonable labor to perform replacement or repair.
- Defects not reported to a Blue Bird Dealer and repaired during the warranty period. Repairs are to be made immediately upon discovery of the defect.
- Damage caused by using improper or contaminated fluids, including but not limited to fuels, lubricants and coolant. Damage caused by using fluids that do not meet Blue Bird's or the Manufacturers' minimum recommendations. Damage caused by the lack of fluids and/or improper fluid maintenance.
- Overloading beyond the normal seated and standee capacity voids all warranties.

*Covered components of the propane-powered engine are the internally lubricated parts of the engine, including pistons, piston rings, piston pins, crankshaft and main bearings, connecting rods and rod bearings, camshaft and camshaft bearings, timing chain, timing chain gears, intake and exhaust valves, valve springs, oil pump, push rods, rocker arms, valve/lash adjusters, hydraulic lifters, rocker arm shafts and valve stem seals. The engine block and cylinder heads are also covered. Seals and gaskets are covered only as part of repair or replacement of the above covered components. This engine coverage does not apply to any external engine parts, including but not limited to cooling system parts, ignition parts, fuel system parts or engine management parts.

Blue Bird reserves the right to make changes in design and changes or improvements upon its products without imposing any obligations upon itself to install the same upon products theretofore manufactured. Any suit alleging a breach of this limited warranty or of any other alleged warranty must be filed within one year of breach.

Controlling Law and Severability

This Limited Warranty shall be governed by and construed in accordance with the laws of the State of Georgia, U.S.A. The owner/operator agrees and consents to the exclusive jurisdiction of the courts of the State of Georgia for all purposes regarding this Limited Warranty and further agrees and consents that venue of any action brought hereunder shall be exclusively in Peach County, Georgia. Owner/Operator hereby submits to personal jurisdiction in Peach County, Georgia and waives any objection or argument related to venue, personal jurisdiction, forum non convenience, and/or transfer. If any portion hereof is found to be void or unenforceable, the remaining provisions of the Limited Warranty shall remain in full force and effect.

Central States Bus Sales, Inc.
"The Bus Experts"
361 United Court Lexington KY 40509
859-899-8944 • FAX: 866-300-8893 • 866-376-1644
www.centralstatesbus.com

Quote Id: 139171 | Body Plan / Seat Plan Information

Body Plan: 5010775

PA-1

ITEM #2





Seat Plan: 17969

SP: 17969 BBCV 1910, 34 CAP





Row	RH Seats	LH Seats
1	39SBHB	39SBHB
2	39SBHB	39SBHB
3	39SBHB	39SBHB
4	39SBHB	39SBHB
5	39SBHB	39SBHB
6	30SBHB	30SBHB

Dimensions are to center line of front mounting hole.

LH Seat Spacing: 28.00
LH Knee Clearance: 25.50

RH Seat Spacing: 28.00
RH Knee Clearance: 25.50

BBCV1910 169WB SBHB

DO NOT SCALE

BBCV 1910

Capacity	34
Seat Plan #	17969
Wheelbase	169.0

Central States Bus Sales, Inc.
"The Bus Experts"
361 United Court Lexington KY 40509
859-899-8944 • FAX: 866-300-8893 • 866-376-1644
www.centralstatesbus.com

PA-1

ITEM #3

Quote Id: 139227 | Body Plan / Seat Plan Information

Body Plan: 5010304



Seat Plan: 14910

SP: 14910 BBCV 2311, 34 CAP



Quote Id: 139227 | Seat Plan Spacing Chart

SP: 14910 BBCV 2311, 34 CAP



Row	RH Seats	LH Seats
1	39SBHB	39SBHB
2	39SBHB	39SBHB
3	39SBHB	39SBHB
4	39SBHB	39SBHB
5	39SBHB	39SBHB
6	30SBHB	30SBHB

Dimensions are to center line of front mounting hole.

LH Seat Spacing: 31.00
LH Knee Clearance: 28.50

RH Seat Spacing: 31.00
RH Knee Clearance: 28.50

BBCV2311 SBHB

BBCV 2311

Capacity	34
Seat Plan #	14910

Central States Bus Sales, Inc.
"The Bus Experts"
361 United Court Lexington KY 40509
859-899-8944 • FAX: 866-300-8893 • 866-376-1644
www.centralstatesbus.com

PA-1

ITEM #6

Quote Id: 139228 | Body Plan / Seat Plan Information

Body Plan: S010305



Seat Plan: 2389



Quote Id: 139228 | Seat Plan Spacing Chart

SP: 2389 BBCV 2610, 52 CAP



Row	RH Seats	LH Seats
1	39SBHB	39SBHB
2	39SBHB	39SBHB
3	39SBHB	39SBHB
4	39SBHB	39SBHB
5	39SBHB	39SBHB
6	39SBHB	39SBHB
7	39SBHB	39SBHB
8	39SBHB	39SBHB
9	30SBHB	30SBHB

Dimensions are to center line of front mounting hole.

LH Seat Spacing: 28.90, 28.74
LH Knee Clearance: 26.48.26.24

RH Seat Spacing: 28.90, 28.74
RH Knee Clearance: 26.40, 26.24

BBCV 2610 SBHB

DO NOT SCALE

BBCV 2610

Capacity	52
Seat Plan #	2389
Wheelbase	217.0

Authorized BLUE BIRD Distributor for over 75 years

Central States Bus Sales, Inc.
"The Bus Experts"
361 United Court Lexington KY 40509
859-899-8944 • FAX: 866-300-8893 • 866-376-1644
www.centralstatesbus.com

PA-1

ITEM #10

Quote Id: 139230 | Body Plan / Seat Plan Information

Body Plan: 5010293



Seat Plan: 18248

SP: 18248 BBCV 3201, 66 CAP



Quote Id: 139230 | Seat Plan Spacing Chart



Row	RH Seats	LH Seats
1	39SBHB	39SBHB
2	39SBHB	39SBHB
3	39SBHB	39SBHB
4	39SBHB	39SBHB
5	39SBHB	39SBHB
6	39SBHB	39SBHB
7	39SBHB	39SBHB
8	39SBHB	39SBHB
9	39SBHB	39SBHB
10	39SBHB	39SBHBRRLH
11	39SBHB	
12	39SBHBRRRH	

Dimensions are to center line of front mounting hole.

LH Seat Spacing: 28.00, 27.80
LH Knee Clearance: 25.50, 25.30

RH Seat Spacing: 26.80
RH Knee Clearance: 24.30

BBCV 3201 SED5L SBHB KY

DO NOT SCALE

BBCV 3201

Capacity	66
Seat Plan #	18248
Wheelbase	273.0

Central States Bus Sales, Inc.
"The Bus Experts"
361 United Court Lexington KY 40509
859-899-8944 • FAX: 866-300-8893 • 866-376-1644
www.centralstatesbus.com

PA-1

ITEM #14

Quote Id: 139231 | Body Plan / Seat Plan Information

Body Plan: 5010293



Seat Plan: 18248

SP: 18248 BBCV 3201, 66 CAP



Quote Id: 139231 | Seat Plan Spacing Chart

SP: 18248 BBCV 3201, 66 CAP



Row	RH Seats	LH Seats
1	39SBHB	39SBHB
2	39SBHB	39SBHB
3	39SBHB	39SBHB
4	39SBHB	39SBHB
5	39SBHB	39SBHB
6	39SBHB	39SBHB
7	39SBHB	39SBHB
8	39SBHB	39SBHB
9	39SBHB	39SBHB
10	39SBHB	39SBHBRRLH
11	39SBHB	
12	39SBHBRRRH	

Dimensions are to center line of front mounting hole.

LH Seat Spacing: 28.00, 27.80
LH Knee Clearance: 25.50, 25.30

RH Seat Spacing: 26.80
RH Knee Clearance: 24.30

BBCV 3201 SED5L SBHB KY

DO NOT SCALE

BBCV 3201

Capacity	66
Seat Plan #	18248
Wheelbase	273.0

Central States Bus Sales, Inc.
"The Bus Experts"
361 United Court Lexington KY 40509
859-899-8944 • FAX: 866-300-8893 • 866-376-1644
www.centralstatesbus.com

PA-1

ITEM #18

Quote Id: 139232 | Body Plan / Seat Plan Information

Body Plan: 5011839



Seat Plan: 17961

SP: 17961 BBCV 3310, 72 CAP

Quote Id: 139232 | Seat Plan Spacing Chart

SP: 17961 BBCV 3310, 72 CAP



Row	RH Seats	LH Seats
1	39SBHB	39SBHB
2	39SBHB	39SBHB
3	39SBHB	39SBHB
4	39SBHB	39SBHB
5	39SBHB	39SBHB
6	39SBHB	39SBHB
7	39SBHB	39SBHB
8	39SBHB	39SBHB
9	39SBHB	39SBHB
10	39SBHB	39SBHB
11	39SBHB	39SBHBRRLH
12	39SBHB	
13	39SBHBRRRH	

Dimensions are to center line of front mounting hole.

LH Seat Spacing: 27.00, 27.50
LH Knee Clearance: 24.50, 25.00

RH Seat Spacing: 26.75
RH Knee Clearance: 24.25

BBCV3310 SED5L SBHB **KY**

DO NOT SCALE

BBCV 3310

Capacity	72
Seat Plan #	17961
Wheelbase	273.0

Central States Bus Sales, Inc.
"The Bus Experts"
361 United Court Lexington KY 40509
859-899-8944 • FAX: 866-300-8893 • 866-376-1644
www.centralstatesbus.com

PA-1

ITEM #19

Quote Id: 139234 | Body Plan / Seat Plan Information

Body Plan: 5011839



Seat Plan: 17961

SP: 17961 BBCV 3310, 72 CAP



Quote Id: 139234 | Seat Plan Spacing Chart

SP: 17961 BBCV 3310, 72 CAP



Row	RH Seats	LH Seats
1	39SBHB	39SBHB
2	39SBHB	39SBHB
3	39SBHB	39SBHB
4	39SBHB	39SBHB
5	39SBHB	39SBHB
6	39SBHB	39SBHB
7	39SBHB	39SBHB
8	39SBHB	39SBHB
9	39SBHB	39SBHB
10	39SBHB	39SBHB
11	39SBHB	39SBHBRRLH
12	39SBHB	
13	39SBHBRRRH	

Dimensions are to center line of front mounting hole.

LH Seat Spacing: 27.00, 27.50
LH Knee Clearance: 24.50, 25.00

RH Seat Spacing: 26.75
RH Knee Clearance: 24.25

BBCV3310 SED5L SBHB **KY**

DO NOT SCALE

BBCV 3310

Capacity	72
Seat Plan #	17961
Wheelbase	273.0

Central States Bus Sales, Inc.
"The Bus Experts"
361 United Court Lexington KY 40509
859-899-8944 • FAX: 866-300-8893 • 866-376-1644
www.centralstatesbus.com

PA-1

ITEM #26

Quote Id: 139235 | Body Plan / Seat Plan Information

Body Plan: 5010767



Seat Plan: 17956

SP: 17956 T3FE 3909, 70 CAP

Quote Id: 139235 | Seat Plan Spacing Chart

SP: 17956 T3FE 3909, 70 CAP



Row	RH Seats	LH Seats
1	39SBHB	39SBHB
2	39SBHB	39SBHB
3	39SBHB	39SBHB
4	39SBHB	39SBHB
5	39SBHB	39SBHB
6	39SBHB	39SBHB
7	39SBHB	39SBHB
8	39SBHB	39SBHB
9	39SBHB	39SBHB
10	39SBHB	39SBHB
11	39SBHB	39SBHB
12	30SBHB	30SBHB

Dimensions are to center line of front mounting hole.

LH Seat Spacing: 31.00, 27.00
LH Knee Clearance: 28.50, 24.50

RH Seat Spacing: 31.00, 30.00
RH Knee Clearance: 28.50, 27.50

T3FE3909 SED7L SBHB

DO NOT SCALE

T3FE 3909	
Capacity	70
Seat Plan #	17956
Wheelbase	232.0

Central States Bus Sales, Inc.
"The Bus Experts"
361 United Court Lexington KY 40509
859-899-8944 • FAX: 866-300-8893 • 866-376-1644
www.centralstatesbus.com

PA-1

ITEM #28

Quote Id: 139237 | Body Plan / Seat Plan Information

Body Plan: 5010770



Seat Plan: 17960

SP: 17960 T3FE 3909, 74 CAP

Quote Id: 139237 | Seat Plan Spacing Chart

SP: 17960 T3FE 3909, 74 CAP



Row	RH Seats	LH Seats
1	39SBHB	39SBHB
2	39SBHB	39SBHB
3	39SBHB	39SBHB
4	39SBHB	39SBHB
5	39SBHB	39SBHB
6	39SBHB	39SBHB
7	39SBHB	39SBHB
8	39SBHB	39SBHB
9	39SBHB	39SBHB
10	39SBHB	39SBHB
11	39SBHB	39SBHB
12	39SBHB	39SBHBRRLH
13	30SBHB	

Dimensions are to center line of front mounting hole.

LH Seat Spacing: 31.00, 27.50
LH Knee Clearance: 28.50, 25.00

RH Seat Spacing: 29.00, 28.50
RH Knee Clearance: 26.50, 26.00

T3FE3909 SED7L SBHB

DO NOT SCALE

T3FE 3909

Capacity	74
Seat Plan #	17960
Wheelbase	232.0

Central States Bus Sales, Inc.
"The Bus Experts"
361 United Court Lexington KY 40509
859-899-8944 • FAX: 866-300-8893 • 866-376-1644
www.centralstatesbus.com

PA-1

ITEM #30

Quote Id: 139238 | Body Plan / Seat Plan Information

Body Plan: 5011609



Seat Plan: 17066

SP: 17066 T3FE 4004, 78 CAP

Quote Id: 139238 | Seat Plan Spacing Chart

SP: 17066 T3FE 4004, 78 CAP



Row	RH Seats	LH Seats
1	39SBHB	39SBHB
2	39SBHB	39SBHB
3	39SBHB	39SBHB
4	39SBHB	39SBHB
5	39SBHB	39SBHB
6	39SBHB	39SBHB
7	39SBHB	39SBHB
8	39SBHB	39SBHB
9	39SBHB	39SBHB
10	39SBHB	39SBHB
11	39SBHB	39SBHB
12	39SBHB	39SBHBRRLH
13	39SBHB	
14	39SBHB	

Dimensions are to center line of front mounting hole.

LH Seat Spacing: 29.00, 29.50
LH Knee Clearance: 26.50, 27.00

RH Seat Spacing: 27.50
RH Knee Clearance: 25.00

T3FE4004 SEDBL SBHB **KY**

DO NOT SCALE

T3FE 4004

Capacity	78
Seat Plan #	17066
Wheelbase	232.0

Central States Bus Sales, Inc.
"The Bus Experts"
361 United Court Lexington KY 40509
859-899-8944 • FAX: 866-300-8893 • 866-376-1644
www.centralstatesbus.com

PA 1

ITEM #34

Quote Id: 139239 | Body Plan / Seat Plan Information

Body Plan: 5011688



Seat Plan: 18005

SP: 18005 T3RE 4006, 78 CAP

Quote Id: 139239 | Seat Plan Spacing Chart

SP: 18005 T3RE 4006, 78 CAP



Row	RH Seats	LH Seats
1	39SBHB	39SBHB
2	39SBHB	39SBHB
3	39SBHB	39SBHB
4	39SBHB	39SBHB
5	39SBHB	39SBHB
6	39SBHB	39SBHB
7	39SBHB	39SBHB
8	39SBHB	39SBHB
9	39SBHB	39SBHB
10	39SBHB	39SBHB
11	39SBHB	39SBHB
12	39SBHB	39SBHBRRDAV
13	39SBHB	
14	39SBHBRRDAV	

Dimensions are to center line of front mounting hole.

LH Seat Spacing: 28.00, 28.25
LH Knee Clearance: 25.50, 25.75

RH Seat Spacing: 27.50
RH Knee Clearance: 25.00

T3RE4006 SED7L BARRIERS SBHB

DO NOT SCALE

T3RE 4006

Capacity	78
Seat Plan #	18005
Wheelbase	273.0

Authorized BLUE BIRD Distributor for over 40 years - serving Missouri, Illinois, Arkansas, Tennessee, and Kentucky

Central States Bus Sales, Inc.
"The Bus Experts"
361 United Court Lexington KY 40509
859-899-8944 • FAX: 866-300-8893 • 866-376-1644
www.centralstatesbus.com

PA-2

ITEM #37

Quote Id: 139242 | Body Plan / Seat Plan Information

Body Plan: 5010306





Seat Plan: 19670

SP: 19670 BBCV 2311, 22 CAP



Quote Id: 139242 | Seat Plan Spacing Chart

SP: 19670 BBCV 2311, 22 CAP



Row	RH Seats	LH Seats
1	30SBHB	30SBHBWH
2	30SBHBWH	30SBHBWH
3	30SBHBWH	30SBHBWH
4	30SBHB	30SBHB
5	30SBHB	
6	30SBHB	

Dimensions are to center line of front mounting hole.

LH Seat Spacing: 27.00
LH Knee Clearance: 24.50

RH Seat Spacing: 27.00
RH Knee Clearance: 24.50

BBCV2311 ECDF 2HC SBHB

DO NOT SCALE

BBCV 2311	
Capacity	22
Seat Plan #	19670
Wheelbase	189.0

Central States Bus Sales, Inc.
"The Bus Experts"
361 United Court Lexington KY 40509
859-899-8944 • FAX: 866-300-8893 • 866-376-1644
www.centralstatesbus.com

PA 2

ITEM #40

Quote Id: 139243 | Body Plan / Seat Plan Information

Body Plan: 5010308



Seat Plan: 15106

SP: 15106 BBCV 2610, 23 CAP



Quote Id: 139243 | Seat Plan Spacing Chart

SP: 15106 BBCV 2610, 23 CAP



Row	RH Seats	LH Seats
1	30SBHBWH	30SBHBWH
2	30SBHBWH	30SBHBWH
3	30SBHB	30SBHB
4	30SBHB	30SBHBTM
5	30SBHB	30SBHBTM

Dimensions are to center line of front mounting hole.

LH Seat Spacing: 26.60, 28.00
LH Knee Clearance: 24.20, 25.50

RH Seat Spacing: 26.60, 28.00
RH Knee Clearance: 24.20, 25.50

BBCV 2610 217 ECDF SBHB STS 4WC

DO NOT SCALE

BBCV 2610

Capacity	23
Seat Plan #	15106
Wheelbase	217.0

Central States Bus Sales, Inc.
"The Bus Experts"
361 United Court Lexington KY 40509
859-899-8944 • FAX: 866-300-8893 • 866-376-1644
www.centralstatesbus.com

PA-2

ITEM #44

Quote Id: 139244 | Body Plan / Seat Plan Information

Body Plan: 5010309



Seat Plan: 10440

SP: 10440 BBCV 3303, 28 CAP



Quote Id: 139244 | Seat Plan Spacing Chart

SP: 10440 BBCV 3303, 28 CAP



Row	RH Seats	LH Seats
1	30SBHBWH	30SBHBWH
2	30SBHBWH	30SBHBWH
3	30SBHB	30SBHB
4	30SBHB	30SBHB
5	30SBHB	30SBHB
6	30SBHB	30SBHB

Dimensions are to center line of front mounting hole.

LH Seat Spacing: 31.00, 27.00, 30.00
LH Knee Clearance: 28.50, 24.50, 27.50

RH Seat Spacing: 28.00, 27.50
RH Knee Clearance: 25.50, 25.00

BBCV3303 ECDF SEDSL 4WC SBHB

DO NOT SCALE

BBCV 3303

Capacity	28
Seat Plan #	10440
Wheelbase	273.0

Central States Bus Sales, Inc.
"The Bus Experts"
361 United Court Lexington KY 40509
859-899-8944 • FAX: 866-300-8893 • 866-376-1644
www.centralstatesbus.com

PA-2

ITEM #48

Quote Id: 139247 | Body Plan / Seat Plan Information

Body Plan: 5010309



Seat Plan: 10440

SP: 10440 BBCV 3303, 28 CAP



Quote Id: 139247 | Seat Plan Spacing Chart

SP: 10440 BBCV 3303, 28 CAP



Row	RH Seats	LH Seats
1	30SBHBWH	30SBHBWH
2	30SBHBWH	30SBHBWH
3	30SBHB	30SBHB
4	30SBHB	30SBHB
5	30SBHB	30SBHB
6	30SBHB	30SBHB

Dimensions are to center line of front mounting hole.

LH Seat Spacing: 31.00, 27.00, 30.00
LH Knee Clearance: 28.50, 24.50, 27.50

RH Seat Spacing: 28.00, 27.50
RH Knee Clearance: 25.50, 25.00

BBCV3303 ECDF SEDSL 4WC SBHB

DO NOT SCALE

BBCV 3303

Capacity	28
Seat Plan #	10440
Wheelbase	273.0

Central States Bus Sales, Inc.
"The Bus Experts"
361 United Court Lexington KY 40509
859-899-8944 • FAX: 866-300-8893 • 866-376-1644
www.centralstatesbus.com

PA-3

ITEM #52

Quote Id: 139248 | Body Plan / Seat Plan Information

Body Plan: 5010304





Seat Plan: 14910

SP: 14910 BBCV 2311, 34 CAP



Quote Id: 139248 | Seat Plan Spacing Chart

SP: 14910 BBCV 2311, 34 CAP



Row	RH Seats	LH Seats
1	39SBHB	39SBHB
2	39SBHB	39SBHB
3	39SBHB	39SBHB
4	39SBHB	39SBHB
5	39SBHB	39SBHB
6	30SBHB	30SBHB

Dimensions are to center line of front mounting hole.

LH Seat Spacing: 31.00
LH Knee Clearance: 28.50

RH Seat Spacing: 31.00
RH Knee Clearance: 28.50

BBCV2311 SBHB

DO NOT SCALE

BBCV 2311

Capacity	34
Seat Plan #	14910

Central States Bus Sales, Inc.
"The Bus Experts"
361 United Court Lexington KY 40509
859-899-8944 • FAX: 866-300-8893 • 866-376-1644
www.centralstatesbus.com

PA-3

ITEM #53

Quote Id: 139249 | Body Plan / Seat Plan Information

Body Plan: 5010305



Seat Plan: 2389

SP: 2389 BBCV 2610, 52 CAP



Quote Id: 139249 | Seat Plan Spacing Chart

SP: 2389 BBCV 2610, 52 CAP



Row	RH Seats	LH Seats
1	39SBHB	39SBHB
2	39SBHB	39SBHB
3	39SBHB	39SBHB
4	39SBHB	39SBHB
5	39SBHB	39SBHB
6	39SBHB	39SBHB
7	39SBHB	39SBHB
8	39SBHB	39SBHB
9	30SBHB	30SBHB

Dimensions are to center line of front mounting hole.

LH Seat Spacing: 28.90, 28.74
LH Knee Clearance: 26.40,26.24

RH Seat Spacing: 28.90, 28.74
RH Knee Clearance: 26.40, 26.24

BBCV 2610 SBHB

DO NOT SCALE

BBCV 2610

Capacity	52
Seat Plan #	2389
Wheelbase	217.0

Central States Bus Sales, Inc.
"The Bus Experts"
361 United Court Lexington KY 40509
859-899-8944 • FAX: 866-300-8893 • 866-376-1644
www.centralstatesbus.com

PA-3

ITEM #55

Quote Id: 139250 | Body Plan / Seat Plan Information

Body Plan: 5010293



Seat Plan: 18248

SP: 18248 BBCV 3201, 66 CAP



Quote Id: 139250 | Seat Plan Spacing Chart

SP: 18248 BBCV 3201, 66 CAP



Row	RH Seats	LH Seats
1	39SBHB	39SBHB
2	39SBHB	39SBHB
3	39SBHB	39SBHB
4	39SBHB	39SBHB
5	39SBHB	39SBHB
6	39SBHB	39SBHB
7	39SBHB	39SBHB
8	39SBHB	39SBHB
9	39SBHB	39SBHB
10	39SBHB	39SBHBRRLH
11	39SBHB	
12	39SBHBRRRH	

Dimensions are to center line of front mounting hole.

LH Seat Spacing: 28.00, 27.80
LH Knee Clearance: 25.50, 25.30

RH Seat Spacing: 26.80
RH Knee Clearance: 24.30

BBCV 3201 SED5L SBHB KY

DO NOT SCALE

BBCV 3201

Capacity	66
Seat Plan #	18248
Wheelbase	273.8

Authorized

BLUE BIRD

Central States Bus Sales, Inc.
"The Bus Experts"
361 United Court Lexington KY 40509
859-899-8944 • FAX: 866-300-8893 • 866-376-1644
www.centralstatesbus.com

PA-3

ITEM #58

Quote Id: 139252 | Body Plan / Seat Plan Information

Body Plan: 5011839



Seat Plan: 17961

SP: 17961 BBCV 3310, 72 CAP



Quote Id: 139252 | Seat Plan Spacing Chart

SP: 17961 BBCV 3310, 72 CAP



Row	RH Seats	LH Seats
1	39SBHB	39SBHB
2	39SBHB	39SBHB
3	39SBHB	39SBHB
4	39SBHB	39SBHB
5	39SBHB	39SBHB
6	39SBHB	39SBHB
7	39SBHB	39SBHB
8	39SBHB	39SBHB
9	39SBHB	39SBHB
10	39SBHB	39SBHB
11	39SBHB	39SBHBRRLH
12	39SBHB	
13	39SBHBRRRH	

Dimensions are to center line of front mounting hole.

LH Seat Spacing: 27.00, 27.50
LH Knee Clearance: 24.50, 25.00

RH Seat Spacing: 26.75
RH Knee Clearance: 24.25

BBCV3310 SED5L SBHB **KY**

DO NOT SCALE

BBCV 3310

Capacity	72
Seat Plan #	17961
Wheelbase	273.0

Central States Bus Sales, Inc.
"The Bus Experts"
361 United Court Lexington KY 40509
859-899-8944 • FAX: 866-300-8893 • 866-376-1644
www.centralstatesbus.com

PA 3

ITEM #61

Quote Id: 139254 | Body Plan / Seat Plan Information

Body Plan: 5010306



Seat Plan: 19670

SP: 19670 BBCV 2311, 22 CAP



Quote Id: 139254 | Seat Plan Spacing Chart

SP: 19670 BBCV 2311, 22 CAP



Row	RH Seats	LH Seats
1	30SBHB	30SBHBWH
2	30SBHBWH	30SBHBWH
3	30SBHBWH	30SBHBWH
4	30SBHB	30SBHB
5	30SBHB	
6	30SBHB	

Dimensions are to center line of front mounting hole.

LH Seat Spacing: 27.00
LH Knee Clearance: 24.50

RH Seat Spacing: 27.00
RH Knee Clearance: 24.50

BBCV2311 ECDF 2WC SBHB

BBCV 2311

Capacity	22
Seat Plan #	19670

Central States Bus Sales, Inc.
"The Bus Experts"
361 United Court Lexington KY 40509
859-899-8944 • FAX: 866-300-8893 • 866-376-1644
www.centralstatesbus.com

PA-3

ITEM #62

Quote Id: 139255 Body Plan / Seat Plan Information

Body Plan: 5010308



Seat Plan: 15106

SP: 15106 BBCV 2610, 23 CAP



Quote Id: 139255 Seat Plan Spacing Chart

SP: 15106 BBCV 2610, 23 CAP



Row	RH Seats	LH Seats
1	30SBHBWH	30SBHBWH
2	30SBHBWH	30SBHBWH
3	30SBHB	30SBHB
4	30SBHB	30SBHBTM
5	30SBHB	30SBHBTM

Dimensions are to center line of front mounting hole.

LH Seat Spacing: 26.60, 28.00
LH Knee Clearance: 24.20, 25.50

RH Seat Spacing: 26.60, 28.00
RH Knee Clearance: 24.20, 25.50

BBCV 2610 217 ECDF SBHB STS 4WC

DO NOT SCALE

BBCV 2610

Capacity	23
Seat Plan #	15106
Wheelbase	217.0

Central States Bus Sales, Inc.
"The Bus Experts"
361 United Court Lexington KY 40509
859-899-8944 • FAX: 866-300-8893 • 866-376-1644
www.centralstatesbus.com

PA-3

ITEM #64

Quote Id: 139258 | Body Plan / Seat Plan Information

Body Plan: 5010309



Seat Plan: 10440

SP: 10440 BBCV 3303, 28 CAP



Quote Id: 139258 | Seat Plan Spacing Chart

SP: 10440 BBCV 3303, 28 CAP



Row	RH Seats	LH Seats
1	30SBHBWH	30SBHBWH
2	30SBHBWH	30SBHBWH
3	30SBHB	30SBHB
4	30SBHB	30SBHB
5	30SBHB	30SBHB
6	30SBHB	30SBHB

Dimensions are to center line of front mounting hole.

LH Seat Spacing: 31.00, 27.00, 30.00
LH Knee Clearance: 28.50, 24.50, 27.50

RH Seat Spacing: 28.00, 27.50
RH Knee Clearance: 25.50, 25.00

BBCV3303 ECDF SED5L 4WC SBHB

DO NOT SCALE

BBCV 3303

Capacity	28
Seat Plan #	10440
Wheelbase	273.0

Central States Bus Sales, Inc.
"The Bus Experts"
361 United Court Lexington KY 40509
859-899-8944 • FAX: 866-300-8893 • 866-376-1644
www.centralstatesbus.com

OPTIMAL WHEEL BASE

18 AND 19

Quote Id: 140207 | Body Plan / Seat Plan Information

Body Plan: 5010768



Seat Plan: 17957

SP: 17957 BBCV 3310, 72 CAP



Quote Id: 140207 | Seat Plan Spacing Chart

SP: 17957 BBCV 3310, 72 CAP



Row	RH Seats	LH Seats
1	39SBHB	39SBHB
2	39SBHB	39SBHB
3	39SBHB	39SBHB
4	39SBHB	39SBHB
5	39SBHB	39SBHB
6	39SBHB	39SBHB
7	39SBHB	39SBHB
8	39SBHB	39SBHB
9	39SBHB	39SBHB
10	39SBHB	39SBHB
11	39SBHB	39SBHBRRLH
12	39SBHB	
13	39SBHBRRRH	

Dimensions are to center line of front mounting hole.

LH Seat Spacing: 27.00, 27.50
LH Knee Clearance: 24.50, 25.00

RH Seat Spacing: 26.75
RH Knee Clearance: 24.25

BBCV3310 280HB SEDSL SBHB **KY**

DO NOT SCALE

BBCV 3310

Capacity	72
Seat Plan #	17957
Wheelbase	280.0

BLUEGRASS INTERNATIONAL TRUCKS and BUSES, INC.
101 TRIPORT CIRCLE
GEORGETOWN, KY 40324
T 502.570.5230 F 502.863.3229
mcahill@bluegrasstrucks.com

August 12, 2016

Mr. Dave Mangum
Kentucky Department Education
Pupil Transportation Branch
500 Mero Street
Frankfort, KY 40601

Dear Mr. Mangum,

The information listed below is a firm quote for each item as ordered with a new IC Corporation bus order for the 2017 contract buying year. These prices are good for the term of the school bus purchase contract.

Type/Capacity	Description and Codes	2017 Option Price
Type C & D	**Full-length Perforated Headliner for noise abatement**	**STANDARD**
Type C (66 & 72 Only)	**100 Gallon Diesel Fuel tank between frame rails instead of 65 gallon between frame rails**	**$549.00**
Type C	**Four Wheel Air Disc Brakes**	**$1,650.00**
Type C	**Traction Control**	**$300.00**
Type C	**Ten Year Rust-Through warranty per KY Specifications**	**STANDARD**
Type C	**UCRA (Universal Child Restraint Anchorage)** 39" seat includes attachment points for two child seats (per 39" seat) (Request new seat plan)	**$57.00**
Type C	**Proflex sprayed on step treads – stepwell coated inside and outside with pebble treads**	**STANDARD**
Type C	**Hidden Hinges on Emergency Exit Doors (with grease fittings)**	**STANDARD**
Type C	**39" IMMI Child Restraint Seat** (instead of regular 39" seat)	**$765.00**
Type C	**30" IMMI Child Restraint Seat** (instead of regular 30" seat)	**$585.00**
Type C 34-52 passenger	AM/FM/P.A. with four interior speakers and outside speaker **(49BYD/49AWG/49AWT)**	**$414.00**
Type C 34-52 passenger	AM/FM/CD/P.A. radio with four interior speakers and outside speaker **(49BYC/49AWG/49AWT)**	**$475.00**

BLUEGRASS INTERNATIONAL TRUCKS and BUSES, INC.
101 TRIPORT CIRCLE
GEORGETOWN, KY 40324
T 502.570.5230 F 502.863.3229
mcahill@bluegrasstrucks.com

Type/Capacity	Description and Codes	2017 Option Price
Type C 66-72 passenger	AM/FM/P.A. with six interior speakers and outside speaker **(49BYD/49AWG/49AWU)**	**$450.00**
Type C 66-72 passenger	AM/FM/CD/P.A. radio with six interior speakers and outside speaker **(49BYC/49AWG/49AWU)**	**$510.00**
Type A	AM/FM/P.A. Radio with 4 interior speakers & outside speaker	**$458.00**
Type A	AM/FM/CD/P.A. with 4 interior speakers & outside speaker	**$499.00**
Type C – ALL Sizes	**16 ply Goodyear tires instead of 14 ply**	**$669.00**
Type C	**Engine Brake for Cummins Engine (07SCP)**	**$138.00**
Type C Special Needs	**30" track-mounted seat** for use in Type C lift buses (mounts in wheelchair track) (request new seat plan)	**$453.00 Each**
Type C Special Needs	**30" track-mounted barrier** for use in Type C lift buses (mounts in wheelchair track) (request new seat plan)	**$296.00**
Type C Special Needs	**Delete a wheelchair position** from a standard seat plan type C lift bus (request new seat plan)	**-$200.00 Deduct**
Type C – All Sizes	**Driver's Dome Light with Separate Switch (49APA)**	**$48.00**
Type C Special Needs	**Add a wheelchair position** to a standard seat plan type C lift bus (request new seat plan)	**$767.00**
Type C	**12V Power Source for GPS (49ANU)**	**$35.00**
Type C – All Sizes	**28% Light Transmittance Tinted Windows (Can be purchased as an option for A/C buses.)**	**$679.00**
Type A	**AM/FM radio with 4 internal speakers**	**$408.00**
Type A	**AM/FM/CD/P.A. with 4 interior speakers & outside speaker**	**$530.00**
Type C Special Needs	**Sure-Lok GO2 Oxygen Cylinder Holder**	**$279.00**

BLUEGRASS INTERNATIONAL TRUCKS and BUSES, INC.
101 TRIPORT CIRCLE
GEORGETOWN, KY 40324
T 502.570.5230 F 502.863.3229
mcahill@bluegrasstrucks.com

Luggage Compartments

Model	Option	Cost
52 passenger conventional, type C	Left Center Luggage Box 91"x24"x18" (47EVB)	$805.00
52 passenger conventional, type C	Right Center Luggage Box 44”x24”x18” (47ERG)	$449.00
66 passenger conventional, type C	Left Center Luggage Box 114"x24"x18" (47EVS)	$956.00
66 passenger conventional, type C	Right Center Luggage Box 91"x24"x18" (47EVE)	$805.00
66 passenger conventional, type C	Right Rear Luggage Box 36”x20”x18” (47EPC)	$355.00
72 passenger conventional, type C	Left Center Luggage Box 114"x24"x18" (47EVS)	$956.00
72 passenger conventional, type C	Right Center Luggage Box 91”x24”x18” (47EVE)	$805.00
72 passenger conventional, type C	Right Rear Luggage Box 44"x20"x18" (47EPY)	$399.00

Please Note: Air Conditioning could limit the availability of under floor luggage boxes!

Air Conditioning: All systems are ductless ACT free-blow systems.

Type A – 22 pass. or 8 + 2 70,000 BTU system	**$5,262.00**
34 passenger, Type C, 85,000 BTU system	**$7,999.00**
52-72 passenger, Type C, 110,000 BTU system	**$9,526.00**
52-72 passenger, Type C, 120,000 BTU system	**$9,779.00**
Roof Mounted Condenser instead of skirt mount	**$975.00**

Note: ALL American Cooling Technologies (ACT) Air Conditioning systems include a five year warranty!

BLUEGRASS INTERNATIONAL TRUCKS and BUSES, INC.
101 TRIPORT CIRCLE
GEORGETOWN, KY 40324
T 502.570.5230 F 502.863.3229
mcahill@bluegrasstrucks.com

2016 Kentucky Bus Bid Pricing – Digital Video Systems

REI Digital Video Recording Camera System With 1 Camera	**$1,720.00 ea**
✓ HD420-1-500 fanless DVR with camera, cable and software	INCLUDED
✓ Color camera equipped with microphone and high-resolution day/night option featuring ultra-bright infrared LED lamps for low light operation (Exterior cameras are not included)	INCLUDED
✓ Hard Drive, 500 GB - 2.5" removable mobile-rated hard drive module with exclusive USB security lockout	INCLUDED
✓ Security cap, rear	INCLUDED
✓ Specially designed system to stand up to the constant vibration, G-force shock, humidity temperature extremes, dust and dirt common in buses	INCLUDED
✓ Four channel system (expandable to four cameras)	INCLUDED
✓ Three-year warranty (24-7 technical support)	INCLUDED
REI Digital Video Recording Camera System With 2 Cameras	**$1,945.00 ea**
✓ HD420-2-500 fanless DVR with camera, cable and software	INCLUDED
✓ Color cameras equipped with microphone and high-resolution day/night option featuring ultra-bright infrared LED lamps for low light operation (Exterior cameras are not included)	INCLUDED
✓ Hard Drive, 500 GB - 2.5" removable mobile-rated hard drive module with exclusive USB security lockout	INCLUDED
✓ Security cap, rear	INCLUDED
✓ Specially designed system to stand up to the constant vibration, G-force shock, humidity temperature extremes, dust and dirt common in buses	INCLUDED
✓ Four channel system (expandable to four cameras)	INCLUDED
✓ Three-year warranty (24-7 technical support)	INCLUDED

BLUEGRASS INTERNATIONAL TRUCKS and BUSES, INC.
101 TRIPORT CIRCLE
GEORGETOWN, KY 40324
T 502.570.5230 F 502.863.3229
mcahill@bluegrasstrucks.com

2016 Kentucky Bus Bid Pricing – Digital Video Systems

REI SD Card Video Recording System With 1 Camera	**$1,246.00 ea**
✓ SD40-1-32 fanless DVR with camera, cable and software	INCLUDED
✓ Color camera equipped with microphone and high-resolution day/night option featuring ultra-bright infrared LED lamps for low light operation (Exterior cameras are not included)	INCLUDED
✓ SD Card, 32 GB	
✓ Security cap, rear	INCLUDED
✓ Specially designed system to stand up to the constant vibration, G-force shock, humidity temperature extremes, dust and dirt common in buses	INCLUDED
✓ Four channel system (expandable to four cameras)	INCLUDED
✓ Three-year warranty (24-7 technical support)	INCLUDED
REI SD Card Video Recording System With 2 Cameras	**$1,456.00 ea**
✓ SD40-2-32 fanless DVR with camera, cable and software	INCLUDED
✓ Color camera equipped with microphone and high-resolution day/night option featuring ultra-bright infrared LED lamps for low light operation (Exterior cameras are not included)	INCLUDED
✓ SD Card, 32 GB	
✓ Security cap, rear	INCLUDED
✓ Specially designed system to stand up to the constant vibration, G-force shock, humidity temperature extremes, dust and dirt common in buses	INCLUDED
✓ Four channel system (expandable to four cameras)	INCLUDED
✓ Three-year warranty (24-7 technical support)	INCLUDED

BLUEGRASS INTERNATIONAL TRUCKS and BUSES, INC.
101 TRIPORT CIRCLE
GEORGETOWN, KY 40324
T 502.570.5230 F 502.863.3229
mcahill@bluegrasstrucks.com

OPTIONAL EQUIPMENT FOR REI RECORDING SYSTEMS

Sensor Harness and Installation (Any system) **$132.00 ea.**

- ✓ Records brakes, directional lights, and Warning Lights

Event Marker Cable (Panic Button) (Any system) **$105.00 ea.**

Upgrade from Hard Drive System to Solid State Hard Drive **$325.00 ea.**

Upgrade SD Card System from 32GB to 256GB **$225.00 ea.**

Please Note:

Buses with Air Conditioning and Special Needs Buses may require additional mounting hardware and/or Lock Box due to limited availability for placement of the recording equipment, so additional charges may be necessary.

Note: Please address purchase order for all options to:

Mark Cahill, Bus Sales Manager
Bluegrass International Trucks and Buses, Inc.
101 Triport Circle
Georgetown, KY 40324

If you have any questions or need further information on other options, please contact me via e-mail or at one of my phone numbers listed below.

Sincerely,

Mark Cahill

Mark Cahill
Bus Sales Manager
(502) 570-5230 office
(502) 370-1275 mobile

BODY PLAN

WHEELBASE 170"

PB10500, 19 FT. 11 IN., CAP 34, SEAT SIZE 39/39, SEAT SPACING 27.99



CHK	DATE	CHANGE	REV	REFERENCE
MRF	16AUG06	UPDATE TO UG	F	
MRF	23AUG06	ADD AFT DIM	G	
MAC	28NOV12	UPDATED 35RSM, BARRIER	H	
		PICTORIALS: 96.66 WAS 96.75, 93.22 WAS 93.12		

49TCR/49001

INTERNATIONAL TRUCK AND ENGINE CORPORATION

INTERNATIONAL*CONFIDENTIAL PROPRIETARY

REVISE ONLY ON LEGAF SYSTEM

REFERENCE 49369401 1

LINEAR MEASURE: mm ☐ in ☒

UNLESS SPECIFIED: DIM TOLERANCES ARE

	mm	in
ONE PLACE	±.X	±.5	±.06
TWO PLACE	±.XX	±0.8	±.03
THREE PLACE	±.XXX	±0.25	±.010
ANGLES		±1°	

APPROX. MASS (WEIGHT) ROUGH PART FINISH PART

THIRD ANGLE PROJECTION

INTERNAL CONTROL

NAME: BODY PLAN PB10500

NAME (TRANSLATION)

CONTROL: E 50

VERSION: E

DRAWN: U00VAF

DATE: 17AUG99

CHECKED

DATE

MATERIAL

APPR/REV

DATE

APPROVED

PTRS NOUN CODE

PART TYPE CODE

SCALE: NONE

SIZE: 4

DATE

PART NO.: DX0025A001

SHEET: 01

RELEASE NO.

FRAME

THIS UNIT CONFORMS TO APPLICABLE FMVSS

THIS DOCUMENT IS IN ACCORDANCE WITH ASME Y14.5M-1994 AS AMENDED BY THE INTERNATIONAL TRUCK DIVISION DIMENSIONING AND TOLERANCING ADDENDUM-2000.

LEFT SIDE FUEL FILL OPTION CANNOT BE USED WITH THIS BODY PLAN.

BODY PLAN

WHEELBASE 218"

PB10500, 26 FT. 8 IN., CAP 52, SEAT SIZE 39/39, SEAT SPACING 27.7



CHK	DATE	CHANGE	REV	REFERENCE
JTT	08AUG06	UPDATE TO UG;ADD BTR NOTE	E	
JRQ	17DEC13	UPDATED 65RSM PICTORIAL, BARRIERS; ADDED 35RSM BLOCK; RELOCATED BTR BLOCK, DIM TEXT FOR CLARITY, 143.95 WAS 144.00	F	

49TMZ/49001

INTERNATIONAL TRUCK AND ENGINE CORPORATION

INTERNATIONAL® CONFIDENTIAL PROPRIETARY

REFERENCE 49339301 3

LINEAR MEASURE: mm ☐ in ☒

APPROX. MASS (WEIGHT) ROUGH PART FINISH PART

UNLESS SPECIFIED DIM TOLERANCES ARE:

		mm	in
ONE PLACE	1.X1	±1.5	±.06
TWO PLACE	1.XX1	±0.8	±.03
THREE PLACE	1.XXX1	±0.25	±.010
ANGLES		±1°	

THIRD ANGLE PROJECTION

INTERNAL CONTROL

NAME: BODY PLAN PB10500

NAME (TRANSLATION):

CONTROL: E 50

VERSION: E

DRAWN: U00VAF2

DATE: 14MAY99

CHECKED

DATE

MATERIAL

APPD/REV

DATE

APPROVED

DATE

PROJECT NO.

FORM ASSM CODE

PART TYPE CODE

SCALE: NONE

SIZE: 4

PART NO.: DX0166A001

SHEET: 01

FRAME

REVISE ONLY ON LEGAL SYSTEM

THIS UNIT CONFORMS TO APPLICABLE FMVSS

THIS DOCUMENT IS IN ACCORDANCE WITH ASME Y14.5M-1994 AS AMENDED BY THE INTERNATIONAL TRUCK DIVISION DIMENSIONING AND TOLERANCING ADDENDUM-2000.

BODY PLAN

WHEELBASE 276"

PB10500, 33 FT. 5 IN., CAP 66, SEAT SIZE 39/39, SEAT SPACING VARIES, SIDE EMERG DOOR





SIDE DOOR LOCATION DETAIL

PROPANE

THIS UNIT CONFORMS TO APPLICABLE FMVSS

THIS DOCUMENT IS IN ACCORDANCE WITH ASME Y14.5M-1994 AS AMENDED BY THE INTERNATIONAL TRUCK DIVISION DIMENSIONING AND TOLERANCING ADDENDUM-2000.

CHK	DATE	CHANGE	REV	REFERENCE

49000/49000

REVISE ONLY ON UGRAF SYSTEM

INTERNATIONAL TRUCK AND ENGINE CORPORATION

INTERNATIONAL® CONFIDENTIAL PROPRIETARY

REFERENCE 000

LINEAR MEASURE: mm ☐ in ☒

UNLESS SPECIFIED DIM TOLERANCES ARE

		mm	in
ONE PLACE	(.X)	±1.5	±.06
TWO PLACE	(.XX)	±0.8	±.03
THREE PLACE	(.XXX)	±0.25	±.010
ANGLES		±1°	

APPROX. MASS (WEIGHT) ROUGH PART FINISH PART

THIRD ANGLE PROJECTION

INTERNAL CONTROL

NAME: BODY PLAN PB10500

CONTROL: E 50

NAME (TRANSLATION)

VERSION: E

DRAWN: UOOMACH

DATE: 14JUL15

CHECKED

DATE

MATERIAL

APPD/REV

DATE

APPROVED

PIRS NOUN CODE

PART TYPE CODE

SCALE: NONE

SIZE: 4

DATE

RELEASE NO.

PART NO.: BLUE-122

SHEET: 01

FRAME

LEFT SIDE FUEL FILL OPTION CANNOT BE USED WITH THIS BODY PLAN.

VERTICAL HINGED K/O REQUIRED

CHK	DATE	CHANGE	REV	REFERENCE
DRM	24JUL12	RELOCATED BTR BLOCK, DIM	A	
		TEXT FOR CLARITY, UPDATED 65RSM PICTORIAL		
		ADDED 35 RSM BLOCK; 203.38 WAS 203.05		

BODY PLAN

WHEELBASE 276"

PB10500, 32 FT. 8 IN., PLUS 9 RR., CAP 66, SEAT SIZE 39/39, SEAT SPACING VARIES, SIDE EMERG DOOR





SIDE DOOR LOCATION DETAIL

THIS UNIT CONFORMS TO APPLICABLE FMVSS

THIS DOCUMENT IS IN ACCORDANCE WITH ASME Y14.5M-1994 AS AMENDED BY THE INTERNATIONAL TRUCK DIVISION DIMENSIONING AND TOLERANCING ADDENDUM-2002.

49TCG/49003

INTERNATIONAL TRUCK AND ENGINE CORPORATION

INTERNATIONAL® CONFIDENTIAL PROPRIETARY

REFERENCE DX0026A001

LINEAR MEASURE: mm ☐ in ☒

UNLESS SPECIFIED BY ⊥ TOLERANCES ARE

		mm	in
ONE PLACE	(.X)	±1.5	±.06
TWO PLACE	(.XX)	±0.8	±.03
THREE PLACE	(.XXX)	±0.25	±.010
ANGLES		±1°	

APPROX. MASS (WEIGHT)
ROUGH PART
FINISH PART

THIRD ANGLE PROJECTION

INTERNAL CONTROL

NAME: BODY PLAN PB10500

CONTROL: E 50

NAME TRANSLATIONS

VERSION: E

DRAWN: U00U185
DATE: 23FEB10

MATERIAL

APPROVED

CHECKED

DATE

APPROVED

FIRING ROUND CODE | PART TYPE CODE | SCALE: NONE | SIZE: 4

DATE

PART NO. DX0026A003

SHEET: 01

RELEASE NO.

REVISE ONLY ON LEGAL SYSTEM

LEFT SIDE FUEL FILL OPTION CANNOT BE USED WITH THIS BODY PLAN.

BODY PLAN

WHEELBASE 276"

PB10500, 34 FT. 2 IN., CAP 72, SEAT SIZE 39/39, SEAT SPACING VARIES, SIDE EMERG DOOR



DWN	DATE	CHANGE	REV	REFERENCE
KKB	18NOV10	UPDATED RHAND SEAT SPACING	A	
KLC	18NOV10	ADDED BTR NOTE	B	
MAC	05NOV12	UPDATED 85RSM PICTORIAL; ADDED 35RSM BLOCK; RELOCATED DIM TEXT FOR CLARITY	C	

50JTT/49001

REVISE ONLY ON LOGIC SYSTEM

INTERNATIONAL TRUCK AND ENGINE CORPORATION

INTERNATIONAL® CONFIDENTIAL PROPRIETARY

REFERENCE BLUE-88A

LINEAR MEASURE: mm ☐ in ☒

UNLESS SPECIFIED DIM TOLERANCES ARE

	mm	in
ONE PLACE 1.X1	±1.5	±.06
TWO PLACE 1.XX1	±0.8	±.03
THREE PLACE 1.XXX1	±0.25	±.010
ANGLES	±1°	

APPROX. MASS (WEIGHT) ROUGH PART FINISH PART

THIRD ANGLE PROJECTION

INTERNAL CONTROL

NAME: BODY PLAN PB10500

CONTROL: E 50

NAME TRANSLATIONS

VERSION: E

DRAWN: U00KKB5

DATE: 11OCT10

MATERIAL

APPD/REV

DATE

CHECKED

DATE

APPROVED

DATE

RELEASE NO.

FITMS NOUN CODE | PART TYPE CODE | SCALE NONE | SIZE 4

PART NO. DX5936A001

SHEET 01

FRAME

THIS UNIT CONFORMS TO APPLICABLE FMVSS

THIS DOCUMENT IS IN ACCORDANCE WITH ASME Y14.5M-1994 AS AMENDED BY THE INTERNATIONAL TRUCK DIVISION DIMENSIONING AND TOLERANCING ADDENDUM-2000.

35 GAL RSM TANK OPTION WILL REDUCE SERVICEABILITY OF SENDING UNIT.

BODY PLAN

WHEELBASE 170"

PB10500, 19 FT. 11 IN., CAP 14, SEAT SIZE 30/30, SEAT SPACING VARIES, LIFT-FRONT, 2-WC



NOTE:
SEE SHEET 2 & 3 FOR WC-TRACK INSTALLATION

100": TOTAL TRACK LENGTH (APPROXIMATELY)

• NOTE:
IT IS THE SELLING DEALER'S RESPONSIBILITY TO ENSURE THAT ANY WHEELCHAIR TIE - DOWN SYSTEM SPECIFIED AND DEPICTED ON THIS DRAWING MEETS ALL DESTINATION STATE SPECIFICATIONS AND TO ALSO ENSURE THAT THE WHEELCHAIRS CAN BE PLACED AND REMOVED WITH RESPECT TO: SEATS, K/O's, SIDE EMERG DOORS, HEATERS, LIFTS, WHEELHOUSES, ETC..
POSSESSION OF THIS PRINT DOES NOT IN ANY WAY OBLIGATE IC CORP. TO BUILD THE UNIT SHOWN.
WC TRACK SHOWN IS FOR REFERENCE ONLY.

THIS UNIT CONFORMS TO APPLICABLE FMVSS

THIS DOCUMENT IS IN ACCORDANCE WITH ASME Y14.5M-1994 AS ANCHED BY THE INTERNATIONAL TRUCK DIVISION DIMENSIONING AND TOLERANCING ADDENDUM-2000.

50ETN/49002

REVISE ONLY ON LEGAL SYSTEM

INTERNATIONAL TRUCK AND ENGINE CORPORATION

INTERNATIONAL CONFIDENTIAL PROPRIETARY

REFERENCE DX4732A001

LINEAR MEASURE: mm ☐ in ☒

UNLESS SPECIFIED DIM TOLERANCES ARE: mm in

ONE PLACE ±.X ±1.5 ±.06
TWO PLACE ±.XX ±0.8 ±.03
THREE PLACE ±.XXX ±0.25 ±.010
ANGLES ±1°

APPROX. MASS (WEIGHT) ROUGH PART FINISH PART

THIRD ANGLE PROJECTION

INTERNAL CONTROL

NAME BODY PLAN PB10500

CONTROL E 50

VERSION E

DRAWN UOOMACH

DATE 30NOV11

CHECKED

DATE

MATERIAL

APPROVED

DATE

RELEASE NO.

FINISH MACH CODE

PART TYPE CODE

SCALE NONE

SIZE 4

PART NO. DX4732A002

SHEET 01

FRAME

PART NO.

ON	DATE	CHANGE	REV	REFERENCE

PA 1

TOC

LEFT SIDE FUEL FILL OPTION CANNOT BE USED WITH THIS BODY PLAN.

RSM TANK OPTION WILL REDUCE SERVICEABILITY OF SENDING UNIT.

VERTICAL HINGED K/O REQUIRED

CHG	DATE	CHANGE	REV	REFERENCE
DRM	12NOV12	UPDATED 65RSM PICTORIAL.	A	
		RSM NOTE: ADDED 35RSM BLOCK:		
		RELOCATED BTR BLOCK		
MAC	24JAN14	SH NOT AFFECTED, SEE SH 3&8		

BODY PLAN

WHEELBASE 218"

PB10500, 26 FT. 8 IN., CAP 20, SEAT SIZE 30/30, SEAT SPACING 27.00, LIFT-FRONT, 4-WC



✳ NOTE: SEE SHEET 2 & 3 FOR WC-TRACK INSTALLATION

✳ 200" : TOTAL TRACK LENGTH (APPROXIMATELY)

* NOTE:
IT IS THE SELLING DEALER'S RESPONSIBILITY TO ENSURE THAT ANY WHEELCHAIR TIE - DOWN SYSTEM SPECIFIED AND DEPICTED ON THIS DRAWING MEETS ALL DESTINATION STATE SPECIFICATIONS AND TO ALSO ENSURE THAT THE WHEELCHAIRS CAN BE PLACED AND REMOVED WITH RESPECT TO: SEATS, K/O'S, SIDE EMERG DOORS, HEATERS, LIFTS, WHEELHOUSES, ETC.
POSSESSION OF THIS PRINT DOES NOT IN ANY WAY OBLIGATE IC CORP. TO BUILD THE UNIT SHOWN. WC TRACK SHOWN IS FOR REFERENCE ONLY.

THIS UNIT CONFORMS TO APPLICABLE FMVSS

THIS DOCUMENT IS IN ACCORDANCE WITH ASME Y14.5M-1994 AS AMENDED BY THE INTERNATIONAL TRUCK DIVISION DIMENSIONING AND TOLERANCING ADDENDUM-2000.

50CYL/49003

REVISE ONLY ON LEGACY SYSTEM

INTERNATIONAL TRUCK AND ENGINE CORPORATION

INTERNATIONAL CONFIDENTIAL PROPRIETARY

REFERENCE DX4066A002

LINEAR MEASURE: mm / in

APPROX. MASS (WEIGHT) ROUGH PART FINISH PART

ONE PLACE	±.X	±.5	±.08
TWO PLACE	±.XX	±0.8	±.03
THREE PLACE	±.XXX	±0.25	±.010
ANGLES	±1°		

NAME: BODY PLAN PB10500

CONTROL: E 50

VERSION: E

DRAWN: UOOMACH

DATE: 26JUL11

SCALE: NONE

SHEET: 4

DX4066A003

SHEET: 01

PA 1

TOC

LEFT SIDE FUEL FILL OPTION CANNOT BE USED WITH THIS BODY PLAN.

GAL RSM TANK OPTION WILL REDUCE SERVICEABILITY OF SENDING UNIT.

BODY PLAN

WHEELBASE 276"

PB10500, 33 FT. 5 IN., CAP 30, SEAT SIZE 30/30, SEAT SPACING 27.00, LIFT-FRONT, 4-WC, SIDE EMERG DOOR



61cm (24") AISLE MANDATORY
NO WHEELCHAIR OR TIEDOWN
IS PERMITTED IN THIS AREA.

✳ NOTE:
SEE SHEET 2 & 3 FOR WC-TRACK INSTALLATION

✳ 200" : TOTAL TRACK LENGTH (APPROXIMATELY)

• NOTE:
IT IS THE SELLING DEALER'S RESPONSIBILITY TO ENSURE THAT ANY WHEELCHAIR TIE - DOWN SYSTEM SPECIFIED AND DEPICTED ON THIS DRAWING MEETS ALL DESTINATION STATE SPECIFICATIONS AND TO ALSO ENSURE THAT THE WHEELCHAIRS CAN BE PLACED AND REMOVED WITH RESPECT TO: SEATS, K/O's, SIDE EMERG DOORS, HEATERS, LIFTS, WHEELHOUSES, ETC..
POSSESSION OF THIS PRINT DOES NOT IN ANY WAY OBLIGATE IC CORP. TO BUILD THE UNIT SHOWN. WC TRACK SHOWN IS FOR REFERENCE ONLY.

THIS UNIT CONFORMS TO APPLICABLE FMVSS

THIS DOCUMENT IS IN ACCORDANCE WITH ASME Y14.5M-1994 AS AMENDED BY THE INTERNATIONAL TRUCK DIVISION DIMENSIONING AND TOLERANCING ADDENDUM-2000.

CHG	DATE	CHANGE	REV	REFERENCE
MAC	19DEC1	203.38 WAS 203.05;	A	
		RELOCATED BTR BLOCK		
MRL	15FEB12	SH NOT AFFECTED, SEE SH 2&3		
DRM	26JUL12	UPDATED 65RSM PICTORIAL.	C	
		RSM NOTE: ADDED 35RSM BLOCK		

50ETU/49001

REVISE ONLY ON LEGACY SYSTEM

INTERNATIONAL TRUCK AND ENGINE CORPORATION

INTERNATIONAL CONFIDENTIAL PROPRIETARY

REFERENCE: BLUE-20

LINEAR MEASURE: mm / in

APPROX. MASS (WEIGHT): ROUGH PART / FINISH PART

ONE PLACE ±.X ±1.5 ±.06
TWO PLACE ±.XX ±0.8 ±.03
THREE PLACE ±.XXX ±0.25 ±.010
ANGLES ±1°

THIRD ANGLE PROJECTION

INTERNAL CONTROL

NAME: BODY PLAN PB10500

CONTROL: E 50

VERSION: E

U00U185

DATE: 04DEC08

APPROVED

SCALE: NONE

SIZE: 4

DX4736A001

SHEET: 01

PA 1

TOC



DE516WR

COLLINS SEATING PLAN

8 Passengers & 2 W/C Position(s)

3 30 inch SB RH Seats at 26 inch Hip to Knee

1 30 inch SB LH Seats at 28 inch Hip to Knee

	COLLINS BUS CORP. P.O. BOX 2946 HUTCHINSON, KS. 67504-2946 FORM: F-7.3.06 REVISION 0	THIS DRAWING AND ALL INFORMATION THEREON IS THE PROPERTY OF COLLINS IND. INC.	DRAWN BY	DEL
			DATE	08/06/2015
TITLE CHEVY DE516WR SB			DRAWING NO.	DE516WRC_330_L330L1



DH500

COLLINS SEATING PLAN

22 Passengers

3 39 inch LAP BELT & 1 30 inch LAP BELT RH Seats at 28 inch Hip to Knee

3 39 inch LAP BELT & 1 30 inch LAP BELT LH Seats at 28 inch Hip to Knee

	COLLINS BUS CORP. P.O. BOX 2946 HUTCHINSON, KS. 67504-2946 FORM: F-7.3.06 REVISION 0	THIS DRAWING AND ALL INFORMATION THEREON IS THE PROPERTY OF COLLINS IND. INC.	DRAWN BY	DEL
			DATE	08/10/16
TITLE CHEVY DH500 SB			DRAWING NO.	DH500C_22PAX-312D

Whayne Supply supporting Thomas Built Buses

10001 Linn Station Rd. | Louisville, KY 40223 | 1-800-4WHAYNE

All options listed are factory installed unless noted otherwise.

Dealer installed options may be available but result in additional charges for shipping & labor.
Quantity discounts may apply. Talk to your Whayne sales rep today for more info.

NEW Options for 2016-17 School Year

Introducing BUSWISE™ TECHNOLOGIES on Type C Buses (C2 Saf-T-Liner)		
Wi-Fi Router	Wireless networking hardware installed in driver storage box to provide as an expandable option for customer supplied wireless hotspot and modem. *Customer must provide carrier modem and data plan.*	$267
Mobileye Collision Avoidance	Camera based system features lane departure warning (above 35mph), headway monitoring warning (follow time, above 19mph), forward collision warning (active at all speeds), pedestrian/cyclist detection warning, and speed-limit indication warning. System is comprised of three alerts: visual, audible, and haptic alert (driver's seat back vibrates).	$765
Perimeter View 360 Camera	Wide angle cameras installed front, back, and each side to provide crisp, real time images all around the bus to provide driver full visibility. Images are blended together to provide a "Birds Eye" view on a 10" monitor integrated into rearview mirror.	$1940

CAT® Driver Safety System (DSS)
Price will vary based on quantity and bus type. Talk to your sales rep for a quote.

Tinted Side Windows NEW STATE SPEC: Non-lift equipped units can be upgraded with window tint at the discretion of each district. (Window tint similar to lift equipped units. State spec requires lift-equipped buses to have windows tinted as a standard option.)	
34 passenger shell side windows	$300
52 passenger shell side windows	$500
66 – 72 passenger shell side windows	$600
All Type D buses (EFX & HDX)	$800

Whayne Supply supporting Thomas Built Buses

10001 Linn Station Rd. | Louisville, KY 40223 | 1-800-4WHAYNE

NEW CORROSION PROTECTION

Guard your buses against corrosion, moisture, abrasions, road debris and weather.

UnderGuard – High Performance undercoating applied to underside of bus body.		
34 Passenger Shell	FleetShield™ UnderGuard Corrosion Protection Treatment	$360
52 - 72 Passenger Shell	FleetShield™ UnderGuard Corrosion Protection Treatment	$460
Type D Buses	FleetShield™ UnderGuard Corrosion Protection Treatment	$510

EdgeCover – Clear, protective coating on top of standard paint and applied to various exterior body surfaces such as perimeters of doors, fenderettes, skirt seams, and door hinges.		
Type C & D buses	FleetShield™ EdgeCover Corrosion Protection Treatment	$130

Bumper – High Performance coating applied to bumper.		
Type C buses	FleetShield™ TuffCoat Corrosion Protection Treatment	$216

WARRANTY – EXTENDED & TOWING

Type C & D Buses (C2, EFX, HDX)

FREE 5-YEAR BUMPER-TO-BUMPER WARRANTY WITH BUS PURCHASE does not include maintenance and wear items (Ky State Spec requires all buses to have 5-year warranty)

- Thomas standard towing coverage is 6-months from the in-service date for up to $450.00 per occurrence for a warrantable failure.
- Cummins will cover towing up to 24-months from in-service date for warrantable failure.
- Allison will cover towing up to 36-months from in-service date for warrantable failure.

All Thomas Buses		
TOW PACKAGES	5-Year, Unlimited mileage*	$1951
TOW PACKAGES	5-Year, 150,000 mileage*	$1551

*Up to $450 per occurrence. Warranty is to be used for required towing repairs that inhibit the mobility of the vehicle. Maintenance and routine repairs do not apply if vehicle can travel without assistance.

Whayne Supply supporting Thomas Built Buses

10001 Linn Station Rd. | Louisville, KY 40223 | 1-800-4WHAYNE

AIR CONDITIONING

Type C (C2 Saf-T-Liner) - includes separate driver in-dash air conditioning if option selected		
34 passenger shell	85,000 BTU system dealer installed	$9,985
52 – 72 passenger shell	126,000 BTU System factory installed*	$9,985
Type D Forward & Rear Control (EFX & HDX) in-dash air conditioning not an option on Type D buses		
70 – 84 passenger shell	120,000 BTU System factory installed	$9,985

*Exceeds state minimum requirements for A/C

LUGGAGE COMPARTMENTS (skirt mounted)

Compatibility
Air Conditioning and/or lift units installed in conjunction with storage boxes may limit some of the available storage box options. Please discuss with your Whayne sales representative. A new seat plan from Thomas may need to be generated.
Not all boxes listed below can be combined together on an order. Please talk to your sales representative to get the best combination for your school district needs.
LS = Left Side or Driver Side RS = Right Side or Street Entrance Side

Type C (C2 Saf-T-Liner)				
Availability	**Option**	**Dimensions**	**Location**	**Price**
34 – 72 pass.	30” Storage Box	30” L x 20” H x 25” D (8.9 ft^3)	LS &/or RS	$402
52 – 72 pass.	60” Storage Box	60” L x 20” H x 25” D (17.8 ft^3)	LS &/or RS	$814
66 – 72 pass.	100” Storage Box	100” L x 20” H x 25” D (29.7 ft^3)	LS &/or RS	$1088

Type D Forward Control (EFX)				
Availability	**Option**	**Dimensions**	**Location**	**Price**
70 – 78 pass.	56” Storage Box	56" L x 22" H x 27” D (19.9 ft^3)	LS &/or RS	$932
70 – 78 pass.	84” Storage Box	84" L x 22" H x 27” D (32 ft^3)	LS &/or RS	$1,095
78 pass only	98” Storage Box	98" L x 22" H x 27” D (34 ft^3)	LS &/or RS	$1,112
Gas Spring Cargo Door in lieu of chain link retainers (2 springs)			$75 per box	

Type D Rear Engine (HDX)			
Availability	**Option**	**Dimensions**	**Price**
78 & 84 pass.	Dual Storage Boxes LS &/or RS	56" L x 22" H x 27" D (19.9 ft^3) & 84" L x 22" H x 27" D (32 ft^3)	$1,905
Gas Spring Cargo Door in lieu of chain link retainers (4 springs)		$250 per dual storage boxes	
78 & 84 pass.	Center Pass Thru	125” L x 23.25” H (129 ft^3)	$3,990
Gas Spring Cargo Door in lieu of chain link retainers (8 springs)		$200 for thru box	

Whayne Supply supporting Thomas Built Buses

10001 Linn Station Rd. | Louisville, KY 40223 | 1-800-4WHAYNE

HORSEPOWER UPGRADE

Type C Buses (C2 Saf-T-Liner)		
34 – 52 passenger shell	Upgrade from 200hp to 220hp	$450
34 – 72 passenger shell	Upgrade from 220hp to 250hp	$950
Type D Rear Engine Buses (HDX)		
78 passenger HDX	Upgrade from 240hp to 260hp	$950
78 passenger HDX	Upgrade from 260hp to 280hp	$1050

RADIO – AM/FM with CD PLAYER

NEW **Type C -** *INTRODUCING* DELPHI DEA510 RADIO which includes 7-channel weather band with 24-hr weather info (34 pass. shell has 4 flush-mounted speakers, all other C2 include 6 flush-mounted speakers)	
Radio (no page)	$500
Radio with Page	$575
Type D - Panasonic radio with 8 flush-mounted speakers	
Radio (no page)	$600
Radio with Page	$675

WEBASTO HEATER

Type C (C2 Saf-T-Liner)	
Webasto Heater with a 7-day timer	$879
Type D Forward & Rear Control (EFX & HDX)	
Webasto Heater with a 7-day timer	$1552

OTHER FACTORY INSTALLED OPTIONS

Adjustable Pedals (C2 & HDX)	$890
GPS / Cell adapter	Included at no charge
Upgrade 35-gallon fuel tank to 60-gallon on 34 pass shell (C2)	$375
Upgrade 60-gallon fuel tank to 100-gallon on 52-72 pass (C2)	$575
Upgrade from 14ply to 16ply tires on C buses	$500
Michelin Tires are standard on all bus types (C2, HDX & EFX)	Included at no charge
Air Disc Brakes for all bus types (C2, HDX & EFX)	$1090
12V Step Tread heater (C2)	$405
Flat Floor Upgrade for 34 passenger shell with lift	$4500

Whayne Supply supporting Thomas Built Buses

10001 Linn Station Rd. | Louisville, KY 40223 | 1-800-4WHAYNE

PASSENGER SEATS

ALL Thomas Buses will come equipped with S3B SynTec restraint-ready seats. (Lap belts come standard on lift-equipped buses.)	
Add one (1) additional wheelchair position with continuous floor track to lift bus	$820
Delete one (1) wheelchair position and add wall mounted seats	$280 credit
Add one (1) 30” track mounted, SynTec S3B seat with lap belts, in designated wheel chair position with continuous track	$350
EXCHANGE one (1) S3C restraint-ready seat in lieu of S3B restraint-ready seat	$75
EXCHANGE one (1) SynTec S3C 30” with lap/shoulder seat in LIEU of standard (2 passenger seat, fits occupants from 40lbs 4-year old child through large adult)	$400
EXCHANGE one (1) SynTec S3C 30” INTEGRATED child safety, restraint ready, in LIEU of standard (seat fits children 22lb to 85lb and has one module)	$450
EXCHANGE one (1) SynTec S3C 30” INTEGRATED child safety with Shoulder Belts in LIEU of standard (seat fits children 22lb to 85lb and has one module)	$600
EXCHANGE one (1) SynTec S3C 39” Flexible 3/2 lap/shoulder seat in LIEU of standard (3 passenger seat, fits occupants from 40lbs 4-year old child through large adult)	$400
EXCHANGE one (1) SynTec S3C 39” INTEGRATED child safety restraint, restraint ready, in LIEU of standard (seat fits children 22lb to 85lb)	$450
EXCHANGE one (1) SynTec S3C 39” INTEGRATED child safety restraint with shoulder belts in LIEU of standard (seat fits children 22lb to 85lb)	$750

COMING SOON **S.T.A.R.S. Mounting System**

The new mounting system will allow for easy transition from wall mounted seats to wheel chair location. The system requires wheel chair locations to use pocket tracks instead of continuous floor track.

***PLEASE NOTE**: Adding or deleting a wheelchair position and/or adding seats will require seat plan adjustment. Please submit requested change to Whayne Supply for review and to have a new seat plan generated. Some configurations may not be available.*

SynTec 39” INTEGRATED SEAT

with Shoulder Belts (2 pass/2 modules)

SynTec 39”FLEXIBLE 3/2

Whayne Supply supporting Thomas Built Buses

10001 Linn Station Rd. | Louisville, KY 40223 | 1-800-4WHAYNE

AFTERMARKET SEAT OPTIONS

Please use this pricing for additional purchases to add to a bus at your school district.		
Part#	**Description**	**Unit Price***
TBB2470266H	ISO Latch – Qty 2 (for one, two passenger, 30” seat)	$16
TBB2470266H	ISO Latch – Qty 3 (for one, three passenger, 39” seat)	$32
155257	SEAT BELTS only - Black/Maroon set (2 belts)	$51
155567	SEAT BELTS only - Black/Maroon/Tan set (3 belts)	$74
12300132	30” S3C 3-Point Lap/Shoulder belts (2 pass) seat back	$530
12301132	30” S3C Integrated with Lap/Shoulder belts (2 pass, 1 module) seat back	$630
13390132	39” S3C Flexible 3/2 Lap/Shoulder belts (3 pass) seat back	$630
13391132	39” S3C Integrated with Lap/Shoulder belts (3 pass, 2 modules) seat back	$830

*Price listed above is for part only and does not include shipping and handling. Additional fees may apply based on total quantity and weight of order.

SynTec 39” Flexible 3/2 Seat back
(3/2 passengers depending on size)

SynTec 39” Integrated Child Seat (ICS) back
with or without lap belts (2 pass/2 modules)

SynTec 39” Integrated Child Seat (ICS) back
with Lap/Shoulder belts (2 pass/2 modules)

Whayne Supply supporting Thomas Built Buses

10001 Linn Station Rd. | Louisville, KY 40223 | 1-800-4WHAYNE

SEON SURVEILLANCE SYSTEMS

All Buses – SEON Systems & Accessories are accessories, not Thomas supplied parts.		
TL2	SEON Trooper TL2 includes: 1 camera, 2 channel/ports, DVR camera system, lock box, 320GB hard drive, diagnostic event button w/signal harness	$985
TL4	SEON Trooper TL4 includes: 1 camera, 4 channel/ports, DVR camera system, lock box, 320GB hard drive, diagnostic event button w/signal harness	$1,085
TL4-HD	SEON TL4 HD system includes: 1 camera, 4 channel port plus 1 HD video channel capable, DVR camera system, lock box, 320GB hard drive, diagnostic event button w/signal harness	$1,806
TX8	SEON Trooper TX8, includes: 1 camera, 8 channel/ports, DVR camera system, lock box, dual 640GB hard drive, diagnostic event button w/signal harness	$1,975

SEON ACCESSORIES		
TL-HL320G	320 GB Hard Drive for new systems (TL2, TL4, TL-HD)	$210
LMK	SEON LCD Monitor	$300
GPS4	GPS Antenna	$135
CQ9xxAxx	Additional Dome Camera Head with Infrared (2.9mm, 3.6mm, or 6mm)	$239
CQ902A20	Additional Fisheye Dome Camera Head (2.5mm -wide angle lens)	$255
CAMERA PLACEMENT	*Please note location in order comments for each additional camera head ordered. When installing, locations may need to be slightly adjusted to accommodate correct viewing and construction interference. Suggested lens size per location in parenthesis for your reference.* - Location 1: Front Facing Rear – 20' harness (3.6 or 6mm) - Location 2: Driver & Stepwell – 20' harness (2.5 or 2.9 mm) - Location 3: Mid-Ship/Side Emergency Door – 50' harness (3.6mm) - Location 4: Rear of Bus Facing Forward – 50' or 75' harness (2.9mm)	
CA9xxE20	Exterior Stop Arm Camera (high resolution)	$249
CHW816ES20	Exterior Stop Arm Camera 16mm (high definition)	$499
HDD-STB	SEON Reader Dock, Trackball, software VMAX View (*not needed if school system has VMAX software & dock*)	$265
1HDD-DOCK	Reader dock only, no software or mouse	$150
inView 360	Around Vehicle Monitoring System to eliminate blind spots	Call for pricing

SEON CAMERA INSTALLATION - All New Bus purchases		
New System	Basic System Installation on Type C or Type D buses – does not include removal of pre-existing systems (quote required). Minotours or Vans may require additional labor and parts, please ask for quote.	$299
Camera Install	Installation for each additional camera head	$69

Whayne Supply supporting Thomas Built Buses

10001 Linn Station Rd. | Louisville, KY 40223 | 1-800-4WHAYNE

FLEET TRACKING

SEON		
vMax® Compass	Fleet Maintenance & Inventory Management System that lets you identify parts and labor savings opportunities and improve the efficiency of your maintenance operations.	Call for pricing
vMax® Live Plus	Real-time fleet tracking and management system, now with live video streaming in one simple, web-based application. Get updates and critical alerts based on bus location, direction, speeds, stops, and alarms every 20 seconds.	Subscription required and rates vary

www.seon.com

ZONAR®	
All Thomas C2 Buses come equipped with Zonar® V3 system module and Zonar® GPS antenna. A subscription is required for services. Upgradeable services will require additional accessories. Zonar® systems can provide real time tracking, electronic inspections, and other operating solutions for pupil transportation. • *Safety* – ensure pre- and post-trip inspections are performed accurately; dynamic geo-fencing helps track true idle, speed and odometer • *Service* – remote engine and system diagnostics • *Security* – cost-effectively locate the bus, driver and student • www.zonarsystems.com	Subscription required and rates vary Additional accessories also available upon request Contact your local sales rep for pricing of services as well as add-on equipment

Whayne Supply supporting Thomas Built Buses

10001 Linn Station Rd. | Louisville, KY 40223 | 1-800-4WHAYNE

CONTACT YOUR LOCAL REP

Equipment Sales

Todd Cunningham
(502) 303-6825
todd_cunningham@whayne.com

Mark Pinczewski
(859) 576-2201
mark_pinczewski@whayne.com

David Garbrough
(502) 594-4146
dave_garbrough@whayne.com

Nick Couch
(606) 304-3103
nick_couch@whayne.com



Inside Parts and Service Representatives

Larry Belcher
Coverage: Owensboro, Elizabethtown, Louisville, Middletown
(502) 262-3309
larry_belcher@whayne.com

Shane Thompson
Coverage: Paducah, Hopkinsville, Bowling Green, Lexington, Dry Ridge
(859) 338-7159
shane_thompson@whayne.com

Chuck Terry
Coverage: Ashland, Pikeville, Hazard, Corbin, Somerset
(606) 216-0829
chuck_terry@whayne.com

Technical Support

Dave Marsters
(502) 541-7305
david_marsters@whayne.com

Please address purchase orders, for all options, to Bus Order Specialist:
Bus_Division@whayne.com | Whayne Supply | 10001 Linn Station Rd. | Louisville, KY 40223
For all other branch addresses, visit WHAYNE.COM

SEATING CAPACITY: 12 + 2 WC + DRIVER





CAUTION! - LEFT SIDE BARRIER IS NOT IN STANDARD LOCATION, SEE SEATING PLAN.

CAUTION! - RIGHT SIDE BARRIER IS NOT IN STANDARD LOCATION, SEE SEATING PLAN.





NOTES:
UNIT EQUIPPED WITH OVERHEAD TRACK REINFORCEMENT



Model: Saf-T-Liner C2
Quote Number: 310519
Locality: KY

GENERAL NOTES

1. SOME ITEMS, SUCH AS CV MIRRORS, ROOF LUGGAGE RACKS, AND OTHER ITEMS, ARE SHOWN IN ONE VIEW ONLY FOR CLARITY.
2. THIS DRAWING IS A REPRESENTATION ONLY AND MAY NOT HAVE ALL ITEMS REQUIRED. PLEASE REFER TO ORDER!
3. THE CLEARANCE BETWEEN BOTTOM OF BUS OR BOTTOM OF UNDERBODY COMPARTMENTS AND GROUND WILL VARY ACCORDING TO TIRE SIZE, BUS LOAD, AND SUSPENSION TYPE.
4. THE MAXIMUM WIDTH AT BELT LINE OVER GUARD RAILS IS 96".
5. THE NOMINAL BUS HEIGHT IS BASED ON A STANDARD BODY AND LARGEST SIZE TIRES.
6. THE MAXIMUM BUS HEIGHT IS BASED ON BODY WITH OPTIONS SUCH AS A/C UNITS, STROBE LIGHT, LARGEST SUSPENSION ETC.
7. "OVER BUMPER" DIMENSION DOES NOT TAKE INTO ACCOUNT OPTIONS THAT MAY ADD TO THE TOTAL LENGTH OF THE BUS, SUCH AS MIRRORS, LIGHTS AND CROSSING ARMS.

THIS DRAWING AND ALL INFORMATION PROVIDED WITH IT ARE THE PROPERTY OF THOMAS BUILT BUSES, INC. ANY REPRODUCTION OR DISTRIBUTION OF THIS MATERIAL OR ANY PART WITHOUT WRITTEN PERMISSION OF THOMAS BUILT BUSES, INC. IS STRICTLY PROHIBITED. COPYRIGHT THOMAS BUILT BUSES, INC.

SIDE	ROW	SPACING	KNEE ROOM
LEFT		26.8	25.6

THOMAS BUILT BUSES,INC
HIGH POINT,NC

TITLE PLAN AND ELEVATION BODY 161TS

DRN: 06-13-16 BY: K. Whisnant
SCALE 3/8"=12"
SIZE S
DWG. NO. 643536

Program Version: 16.3.21.1

CAD DRAWING - DO NOT MAKE MANUAL CHANGES

PA 1

TOC

SEATING CAPACITY: 34 + DRIVER





CAUTION! - LEFT SIDE BARRIER IS NOT IN STANDARD LOCATION, SEE SEATING PLAN.

CAUTION! - RIGHT SIDE BARRIER IS NOT IN STANDARD LOCATION, SEE SEATING PLAN.







Model: Saf-T-Liner C2
Quote Number: 318908
Locality: KY

GENERAL NOTES

1. SOME ITEMS, SUCH AS CV MIRRORS, ROOF LUGGAGE RACKS, AND OTHER ITEMS, ARE SHOWN IN ONE VIEW ONLY FOR CLARITY.
2. THIS DRAWING IS A REPRESENTATION ONLY AND MAY NOT HAVE ALL ITEMS REQUIRED. PLEASE REFER TO ORDER!
3. THE CLEARANCE BETWEEN BOTTOM OF BUS OR BOTTOM OF UNDERBODY COMPARTMENTS AND GROUND WILL VARY ACCORDING TO TIRE SIZE, BUS LOAD, AND SUSPENSION TYPE.
4. THE MAXIMUM WIDTH AT BELT LINE OVER GUARD RAILS IS 96".
5. THE NOMINAL BUS HEIGHT IS BASED ON A STANDARD BODY AND LARGEST SIZE TIRES.
6. THE MAXIMUM BUS HEIGHT IS BASED ON BODY WITH OPTIONS SUCH AS A/C UNITS, STROBE LIGHT, LARGEST SUSPENSION ETC.
7. "OVER BUMPER" DIMENSION DOES NOT TAKE INTO ACCOUNT OPTIONS THAT MAY ADD TO THE TOTAL LENGTH OF THE BUS, SUCH AS MIRRORS, LIGHTS AND CROSSING ARMS.

THIS DRAWING AND ALL INFORMATION PROVIDED WITH IT ARE THE PROPERTY OF THOMAS BUILT BUSES, INC. ANY REPRODUCTION OR DISTRIBUTION OF THIS MATERIAL OR ANY PART WITHOUT WRITTEN PERMISSION OF THOMAS BUILT BUSES, INC. IS STRICTLY PROHIBITED. COPYRIGHT THOMAS BUILT BUSES, INC.

SIDE	ROW	SPACING	KNEE ROOM
LEFT		28.8	27.6
RIGHT		28.1	26.9

THOMAS BUILT BUSES,INC
HIGH POINT,NC

TITLE PLAN AND ELEVATION BODY 161TS

DRN: 07-06-16 BY: K. Whisnant
SIZE S
DWG. NO. 645246
SCALE 3/8"=12"

Program Version: 16.3.21.1

CAD DRAWING - DO NOT MAKE MANUAL CHANGES
CAD DRAWING - DO NOT MAKE MANUAL CHANGES
CAD DRAWING - DO NOT MAKE MANUAL CHANGES

SEATING CAPACITY: 16 + 4 WC + DRIVER





CAUTION! - LEFT SIDE BARRIER IS NOT IN STANDARD LOCATION, SEE SEATING PLAN.

CAUTION! - RIGHT SIDE BARRIER IS NOT IN STANDARD LOCATION, SEE SEATING PLAN.





NOTES:
UNIT EQUIPPED WITH OVERHEAD TRACK REINFORCEMENT



Model: Saf-T-Liner C2
Quote Number: 318231
Locality: KY

GENERAL NOTES

1. SOME ITEMS, SUCH AS CV MIRRORS, ROOF LUGGAGE RACKS, AND OTHER ITEMS, ARE SHOWN IN ONE VIEW ONLY FOR CLARITY.
2. THIS DRAWING IS A REPRESENTATION ONLY AND MAY NOT HAVE ALL ITEMS REQUIRED. PLEASE REFER TO ORDER!
3. THE CLEARANCE BETWEEN BOTTOM OF BUS OR BOTTOM OF UNDERBODY COMPARTMENTS AND GROUND WILL VARY ACCORDING TO TIRE SIZE, BUS LOAD, AND SUSPENSION TYPE.
4. THE MAXIMUM WIDTH AT BELT LINE OVER GUARD RAILS IS 96".
5. THE NOMINAL BUS HEIGHT IS BASED ON A STANDARD BODY AND LARGEST SIZE TIRES.
6. THE MAXIMUM BUS HEIGHT IS BASED ON BODY WITH OPTIONS SUCH AS A/C UNITS, STROBE LIGHT, LARGEST SUSPENSION ETC.
7. "OVER BUMPER" DIMENSION DOES NOT TAKE INTO ACCOUNT OPTIONS THAT MAY ADD TO THE TOTAL LENGTH OF THE BUS, SUCH AS MIRRORS, LIGHTS AND CROSSING ARMS.

THIS DRAWING AND ALL INFORMATION PROVIDED WITH IT ARE THE PROPERTY OF THOMAS BUILT BUSES, INC. ANY REPRODUCTION OR DISTRIBUTION OF THIS MATERIAL OR ANY PART WITHOUT WRITTEN PERMISSION OF THOMAS BUILT BUSES, INC. IS STRICTLY PROHIBITED. COPYRIGHT THOMAS BUILT BUSES, INC.

SIDE	ROW	SPACING	KNEE ROOM
LEFT		27.8	26.6
RIGHT		28.3	27.1

THOMAS BUILT BUSES,INC
HIGH POINT,NC

TITLE
PLAN AND ELEVATION
BODY 251TS

DRN: 06-13-16 BY: K. Whisnant
SIZE S
DWG. NO. 643543
SCALE 3/8"=12"

Program Version: 16.3.21.1

SEATING CAPACITY: 52 + DRIVER





CAUTION! - LEFT SIDE BARRIER IS NOT IN STANDARD LOCATION, SEE SEATING PLAN.

CAUTION! - RIGHT SIDE BARRIER IS NOT IN STANDARD LOCATION, SEE SEATING PLAN.







Model: Saf-T-Liner C2
Quote Number: 317791
Locality: KY

GENERAL NOTES

1. SOME ITEMS, SUCH AS CV MIRRORS, ROOF LUGGAGE RACKS, AND OTHER ITEMS, ARE SHOWN IN ONE VIEW ONLY FOR CLARITY.
2. THIS DRAWING IS A REPRESENTATION ONLY AND MAY NOT HAVE ALL ITEMS REQUIRED. PLEASE REFER TO ORDER!
3. THE CLEARANCE BETWEEN BOTTOM OF BUS OR BOTTOM OF UNDERBODY COMPARTMENTS AND GROUND WILL VARY ACCORDING TO TIRE SIZE, BUS LOAD, AND SUSPENSION TYPE.
4. THE MAXIMUM WIDTH AT BELT LINE OVER GUARD RAILS IS 96".
5. THE NOMINAL BUS HEIGHT IS BASED ON A STANDARD BODY AND LARGEST SIZE TIRES.
6. THE MAXIMUM BUS HEIGHT IS BASED ON BODY WITH OPTIONS SUCH AS A/C UNITS, STROBE LIGHT, LARGEST SUSPENSION ETC.
7. "OVER BUMPER" DIMENSION DOES NOT TAKE INTO ACCOUNT OPTIONS THAT MAY ADD TO THE TOTAL LENGTH OF THE BUS, SUCH AS MIRRORS, LIGHTS AND CROSSING ARMS.

THIS DRAWING AND ALL INFORMATION PROVIDED WITH IT ARE THE PROPERTY OF THOMAS BUILT BUSES, INC. ANY REPRODUCTION OR DISTRIBUTION OF THIS MATERIAL OR ANY PART WITHOUT WRITTEN PERMISSION OF THOMAS BUILT BUSES, INC. IS STRICTLY PROHIBITED. COPYRIGHT THOMAS BUILT BUSES, INC.

SIDE	ROW	SPACING	KNEE ROOM
LEFT		29.1	27.9
RIGHT		28.7	27.5

THOMAS BUILT BUSES,INC
HIGH POINT,NC

TITLE PLAN AND ELEVATION BODY 251TS

DRN: 06-13-16 BY: K. Whisnant
SIZE S
DWG. NO. 643551
SCALE 3/8"=12"

Program Version: 16.3.21.1

CAD DRAWING - DO NOT MAKE MANUAL CHANGES

SEATING CAPACITY: 52 + DRIVER PROPANE





CAUTION! - LEFT SIDE BARRIER IS NOT IN STANDARD LOCATION, SEE SEATING PLAN.

CAUTION! - RIGHT SIDE BARRIER IS NOT IN STANDARD LOCATION, SEE SEATING PLAN.







Model: Saf-T-Liner C2
Quote Number: 317809
Locality: KY

GENERAL NOTES

1. SOME ITEMS, SUCH AS CV MIRRORS, ROOF LUGGAGE RACKS, AND OTHER ITEMS, ARE SHOWN IN ONE VIEW ONLY FOR CLARITY.
2. THIS DRAWING IS A REPRESENTATION ONLY AND MAY NOT HAVE ALL ITEMS REQUIRED. PLEASE REFER TO ORDER!
3. THE CLEARANCE BETWEEN BOTTOM OF BUS OR BOTTOM OF UNDERBODY COMPARTMENTS AND GROUND WILL VARY ACCORDING TO TIRE SIZE, BUS LOAD, AND SUSPENSION TYPE.
4. THE MAXIMUM WIDTH AT BELT LINE OVER GUARD RAILS IS 96".
5. THE NOMINAL BUS HEIGHT IS BASED ON A STANDARD BODY AND LARGEST SIZE TIRES.
6. THE MAXIMUM BUS HEIGHT IS BASED ON BODY WITH OPTIONS SUCH AS A/C UNITS, STROBE LIGHT, LARGEST SUSPENSION ETC.
7. "OVER BUMPER" DIMENSION DOES NOT TAKE INTO ACCOUNT OPTIONS THAT MAY ADD TO THE TOTAL LENGTH OF THE BUS, SUCH AS MIRRORS, LIGHTS AND CROSSING ARMS.

THIS DRAWING AND ALL INFORMATION PROVIDED WITH IT ARE THE PROPERTY OF THOMAS BUILT BUSES, INC. ANY REPRODUCTION OR DISTRIBUTION OF THIS MATERIAL OR ANY PART WITHOUT WRITTEN PERMISSION OF THOMAS BUILT BUSES, INC. IS STRICTLY PROHIBITED. COPYRIGHT THOMAS BUILT BUSES, INC.

SIDE	ROW	SPACING	KNEE ROOM
LEFT		29.2	28.0
RIGHT		28.7	27.5

THOMAS BUILT BUSES,INC
HIGH POINT,NC

TITLE PLAN AND ELEVATION BODY 251TS

DRN: 06-14-16 BY: K. Whisnant
SIZE S
DWG. NO. 643580
SCALE 3/8"=12"

Program Version: 16.3.21.1

CAD DRAWING - DO NOT MAKE MANUAL CHANGES

CAD DRAWING - DO NOT MAKE MANUAL CHANGES

SEATING CAPACITY: 16 + 4 WC + DRIVER





CAUTION! - LEFT SIDE BARRIER IS NOT IN STANDARD LOCATION, SEE SEATING PLAN.

CAUTION! - RIGHT SIDE BARRIER IS NOT IN STANDARD LOCATION, SEE SEATING PLAN.





NOTES:
UNIT EQUIPPED WITH OVERHEAD TRACK REINFORCEMENT



Model: Saf-T-Liner C2
Quote Number: 317810
Locality: KY

GENERAL NOTES

1. SOME ITEMS, SUCH AS CV MIRRORS, ROOF LUGGAGE RACKS, AND OTHER ITEMS, ARE SHOWN IN ONE VIEW ONLY FOR CLARITY.
2. THIS DRAWING IS A REPRESENTATION ONLY AND MAY NOT HAVE ALL ITEMS REQUIRED. PLEASE REFER TO ORDER!
3. THE CLEARANCE BETWEEN BOTTOM OF BUS OR BOTTOM OF UNDERBODY COMPARTMENTS AND GROUND WILL VARY ACCORDING TO TIRE SIZE, BUS LOAD, AND SUSPENSION TYPE.
4. THE MAXIMUM WIDTH AT BELT LINE OVER GUARD RAILS IS 96".
5. THE NOMINAL BUS HEIGHT IS BASED ON A STANDARD BODY AND LARGEST SIZE TIRES.
6. THE MAXIMUM BUS HEIGHT IS BASED ON BODY WITH OPTIONS SUCH AS A/C UNITS, STROBE LIGHT, LARGEST SUSPENSION ETC.
7. "OVER BUMPER" DIMENSION DOES NOT TAKE INTO ACCOUNT OPTIONS THAT MAY ADD TO THE TOTAL LENGTH OF THE BUS, SUCH AS MIRRORS, LIGHTS AND CROSSING ARMS.

THIS DRAWING AND ALL INFORMATION PROVIDED WITH IT ARE THE PROPERTY OF THOMAS BUILT BUSES, INC. ANY REPRODUCTION OR DISTRIBUTION OF THIS MATERIAL OR ANY PART WITHOUT WRITTEN PERMISSION OF THOMAS BUILT BUSES, INC. IS STRICTLY PROHIBITED. COPYRIGHT THOMAS BUILT BUSES, INC.

SIDE	ROW	SPACING	KNEE ROOM
LEFT		28.6	27.4
LEFT		30.2	29.0
RIGHT		29.0	27.8

THOMAS BUILT BUSES,INC
HIGH POINT,NC

TITLE PLAN AND ELEVATION BODY 251TS

DRN: 06-14-16 BY: K. Whisnant
SIZE S
DWG. NO. 643581
SCALE 3/8"=12"

Program Version: 16.3.21.1

CAD DRAWING - DO NOT MAKE MANUAL CHANGES

SEATING CAPACITY: 26 + 4 WC + DRIVER





CAUTION! - LEFT SIDE BARRIER IS NOT IN STANDARD LOCATION, SEE SEATING PLAN.

CAUTION! - RIGHT SIDE BARRIER IS NOT IN STANDARD LOCATION, SEE SEATING PLAN.





NOTES:
UNIT EQUIPPED WITH OVERHEAD TRACK REINFORCEMENT
D200000927 RAFTER CONFIG



Model: Saf-T-Liner C2
Quote Number: 317801
Locality: KY

GENERAL NOTES

1. SOME ITEMS, SUCH AS CV MIRRORS, ROOF LUGGAGE RACKS, AND OTHER ITEMS, ARE SHOWN IN ONE VIEW ONLY FOR CLARITY.
2. THIS DRAWING IS A REPRESENTATION ONLY AND MAY NOT HAVE ALL ITEMS REQUIRED. PLEASE REFER TO ORDER!
3. THE CLEARANCE BETWEEN BOTTOM OF BUS OR BOTTOM OF UNDERBODY COMPARTMENTS AND GROUND WILL VARY ACCORDING TO TIRE SIZE, BUS LOAD, AND SUSPENSION TYPE.
4. THE MAXIMUM WIDTH AT BELT LINE OVER GUARD RAILS IS 96".
5. THE NOMINAL BUS HEIGHT IS BASED ON A STANDARD BODY AND LARGEST SIZE TIRES.
6. THE MAXIMUM BUS HEIGHT IS BASED ON BODY WITH OPTIONS SUCH AS A/C UNITS, STROBE LIGHT, LARGEST SUSPENSION ETC..
7. "OVER BUMPER" DIMENSION DOES NOT TAKE INTO ACCOUNT OPTIONS THAT MAY ADD TO THE TOTAL LENGTH OF THE BUS, SUCH AS MIRRORS, LIGHTS AND CROSSING ARMS.

THIS DRAWING AND ALL INFORMATION PROVIDED WITH IT ARE THE PROPERTY OF THOMAS BUILT BUSES, INC. ANY REPRODUCTION OR DISTRIBUTION OF THIS MATERIAL OR ANY PART WITHOUT WRITTEN PERMISSION OF THOMAS BUILT BUSES, INC. IS STRICTLY PROHIBITED. COPYRIGHT THOMAS BUILT BUSES, INC.

SIDE	ROW	SPACING	KNEE ROOM
LEFT		27.1	25.9
RIGHT		28.4	27.2

THOMAS BUILT BUSES,INC
HIGH POINT,NC

TITLE: PLAN AND ELEVATION BODY 341TS

DRN: 06-14-16 BY: K. Whisnant
SCALE: 3/8"=12"
SIZE: S
DWG. NO. 643608

Program Version: 16.3.21.1

CAD DRAWING - DO NOT MAKE MANUAL CHANGES

SEATING CAPACITY: 66 + DRIVER





CAUTION! - LEFT SIDE BARRIER IS NOT IN STANDARD LOCATION, SEE SEATING PLAN.

CAUTION! - RIGHT SIDE BARRIER IS NOT IN STANDARD LOCATION, SEE SEATING PLAN.





NOTES:
D200000805 - LS DOOR LOC. NO 5 (10" REAR)



Model: Saf-T-Liner C2
Quote Number: 317793
Locality: KY

GENERAL NOTES

1. SOME ITEMS, SUCH AS CV MIRRORS, ROOF LUGGAGE RACKS, AND OTHER ITEMS, ARE SHOWN IN ONE VIEW ONLY FOR CLARITY.
2. THIS DRAWING IS A REPRESENTATION ONLY AND MAY NOT HAVE ALL ITEMS REQUIRED. PLEASE REFER TO ORDER!
3. THE CLEARANCE BETWEEN BOTTOM OF BUS OR BOTTOM OF UNDERBODY COMPARTMENTS AND GROUND WILL VARY ACCORDING TO TIRE SIZE, BUS LOAD, AND SUSPENSION TYPE.
4. THE MAXIMUM WIDTH AT BELT LINE OVER GUARD RAILS IS 96".
5. THE NOMINAL BUS HEIGHT IS BASED ON A STANDARD BODY AND LARGEST SIZE TIRES.
6. THE MAXIMUM BUS HEIGHT IS BASED ON BODY WITH OPTIONS SUCH AS A/C UNITS, STROBE LIGHT, LARGEST SUSPENSION ETC.
7. "OVER BUMPER" DIMENSION DOES NOT TAKE INTO ACCOUNT OPTIONS THAT MAY ADD TO THE TOTAL LENGTH OF THE BUS, SUCH AS MIRRORS, LIGHTS AND CROSSING ARMS.

THIS DRAWING AND ALL INFORMATION PROVIDED WITH IT ARE THE PROPERTY OF THOMAS BUILT BUSES, INC. ANY REPRODUCTION OR DISTRIBUTION OF THIS MATERIAL OR ANY PART WITHOUT WRITTEN PERMISSION OF THOMAS BUILT BUSES, INC. IS STRICTLY PROHIBITED. COPYRIGHT THOMAS BUILT BUSES, INC.

SIDE	ROW	SPACING	KNEE ROOM
LEFT		29.1	27.9
LEFT		30.2	29.0
RIGHT		27.3	26.1
RIGHT		30.2	29.0

THOMAS BUILT BUSES,INC
HIGH POINT,NC

TITLE PLAN AND ELEVATION BODY 340TS

DRN: 06-14-16 BY: K. Whisnant
SCALE 3/8"=12"
SIZE S
DWG. NO. 643599

Program Version: 16.3.21.1

CAD DRAWING - DO NOT MAKE MANUAL CHANGES

CAD DRAWING - DO NOT MAKE MANUAL CHANGES

SEATING CAPACITY: 26 + 4 WC + DRIVER





CAUTION! - LEFT SIDE BARRIER IS NOT IN STANDARD LOCATION, SEE SEATING PLAN.

CAUTION! - RIGHT SIDE BARRIER IS NOT IN STANDARD LOCATION, SEE SEATING PLAN.





NOTES:
UNIT EQUIPPED WITH OVERHEAD TRACK REINFORCEMENT
D200000927 RAFTER CONFIG



Model: Saf-T-Liner C2
Quote Number: 317895
Locality: KY

GENERAL NOTES

1. SOME ITEMS, SUCH AS CV MIRRORS, ROOF LUGGAGE RACKS, AND OTHER ITEMS, ARE SHOWN IN ONE VIEW ONLY FOR CLARITY.
2. THIS DRAWING IS A REPRESENTATION ONLY AND MAY NOT HAVE ALL ITEMS REQUIRED. PLEASE REFER TO ORDER!
3. THE CLEARANCE BETWEEN BOTTOM OF BUS OR BOTTOM OF UNDERBODY COMPARTMENTS AND GROUND WILL VARY ACCORDING TO TIRE SIZE, BUS LOAD, AND SUSPENSION TYPE.
4. THE MAXIMUM WIDTH AT BELT LINE OVER GUARD RAILS IS 96".
5. THE NOMINAL BUS HEIGHT IS BASED ON A STANDARD BODY AND LARGEST SIZE TIRES.
6. THE MAXIMUM BUS HEIGHT IS BASED ON BODY WITH OPTIONS SUCH AS A/C UNITS, STROBE LIGHT, LARGEST SUSPENSION ETC.
7. "OVER BUMPER" DIMENSION DOES NOT TAKE INTO ACCOUNT OPTIONS THAT MAY ADD TO THE TOTAL LENGTH OF THE BUS, SUCH AS MIRRORS, LIGHTS AND CROSSING ARMS.

THIS DRAWING AND ALL INFORMATION PROVIDED WITH IT ARE THE PROPERTY OF THOMAS BUILT BUSES, INC. ANY REPRODUCTION OR DISTRIBUTION OF THIS MATERIAL OR ANY PART WITHOUT WRITTEN PERMISSION OF THOMAS BUILT BUSES, INC. IS STRICTLY PROHIBITED. COPYRIGHT THOMAS BUILT BUSES, INC.

SIDE	ROW	SPACING	KNEE ROOM
LEFT		27.1	25.9
RIGHT		28.4	27.2

THOMAS BUILT BUSES,INC
HIGH POINT,NC

TITLE PLAN AND ELEVATION BODY 341TS

DRN: 06-15-16 BY: K. Whisnant
SIZE S
DWG. NO. 643730
SCALE 3/8"=12"

Program Version: 16.3.21.1

CAD DRAWING - DO NOT MAKE MANUAL CHANGES

CAD DRAWING - DO NOT MAKE MANUAL CHANGES

SEATING CAPACITY: 66 + DRIVER PROPANE





CAUTION! - LEFT SIDE BARRIER IS NOT IN STANDARD LOCATION, SEE SEATING PLAN.

CAUTION! - RIGHT SIDE BARRIER IS NOT IN STANDARD LOCATION, SEE SEATING PLAN.





NOTES:
D200000805 - LS DOOR LOC. NO 5 (10" REAR)



Model: Saf-T-Liner C2
Quote Number: 317813
Locality: KY

GENERAL NOTES

1. SOME ITEMS, SUCH AS CV MIRRORS, ROOF LUGGAGE RACKS, AND OTHER ITEMS, ARE SHOWN IN ONE VIEW ONLY FOR CLARITY.
2. THIS DRAWING IS A REPRESENTATION ONLY AND MAY NOT HAVE ALL ITEMS REQUIRED. PLEASE REFER TO ORDER!
3. THE CLEARANCE BETWEEN BOTTOM OF BUS OR BOTTOM OF UNDERBODY COMPARTMENTS AND GROUND WILL VARY ACCORDING TO TIRE SIZE, BUS LOAD, AND SUSPENSION TYPE.
4. THE MAXIMUM WIDTH AT BELT LINE OVER GUARD RAILS IS 96".
5. THE NOMINAL BUS HEIGHT IS BASED ON A STANDARD BODY AND LARGEST SIZE TIRES.
6. THE MAXIMUM BUS HEIGHT IS BASED ON BODY WITH OPTIONS SUCH AS A/C UNITS, STROBE LIGHT, LARGEST SUSPENSION ETC.
7. "OVER BUMPER" DIMENSION DOES NOT TAKE INTO ACCOUNT OPTIONS THAT MAY ADD TO THE TOTAL LENGTH OF THE BUS, SUCH AS MIRRORS, LIGHTS AND CROSSING ARMS.

THIS DRAWING AND ALL INFORMATION PROVIDED WITH IT ARE THE PROPERTY OF THOMAS BUILT BUSES, INC. ANY REPRODUCTION OR DISTRIBUTION OF THIS MATERIAL OR ANY PART WITHOUT WRITTEN PERMISSION OF THOMAS BUILT BUSES, INC. IS STRICTLY PROHIBITED. COPYRIGHT THOMAS BUILT BUSES, INC.

SIDE	ROW	SPACING	KNEE ROOM
LEFT		29.1	27.9
LEFT		30.2	29.0
RIGHT		27.2	26.0
RIGHT		30.2	29.0

THOMAS BUILT BUSES,INC
HIGH POINT,NC

TITLE PLAN AND ELEVATION BODY 340TS

DRN: 06-14-16 BY: K. Whisnant
SCALE 3/8"=12"
SIZE S
DWG. NO. 643598

Program Version: 16.3.21.1

CAD DRAWING - DO NOT MAKE MANUAL CHANGES

SEATING CAPACITY: 72 + DRIVER





CAUTION! - LEFT SIDE BARRIER IS NOT IN STANDARD LOCATION, SEE SEATING PLAN.

CAUTION! - RIGHT SIDE BARRIER IS NOT IN STANDARD LOCATION, SEE SEATING PLAN.





NOTES:
D200000805 - LS DOOR LOC. NO 5 (10" REAR)



Model: Saf-T-Liner C2
Quote Number: 317800
Locality: KY

GENERAL NOTES

1. SOME ITEMS, SUCH AS CV MIRRORS, ROOF LUGGAGE RACKS, AND OTHER ITEMS, ARE SHOWN IN ONE VIEW ONLY FOR CLARITY.
2. THIS DRAWING IS A REPRESENTATION ONLY AND MAY NOT HAVE ALL ITEMS REQUIRED. PLEASE REFER TO ORDER!
3. THE CLEARANCE BETWEEN BOTTOM OF BUS OR BOTTOM OF UNDERBODY COMPARTMENTS AND GROUND WILL VARY ACCORDING TO TIRE SIZE, BUS LOAD, AND SUSPENSION TYPE.
4. THE MAXIMUM WIDTH AT BELT LINE OVER GUARD RAILS IS 96".
5. THE NOMINAL BUS HEIGHT IS BASED ON A STANDARD BODY AND LARGEST SIZE TIRES.
6. THE MAXIMUM BUS HEIGHT IS BASED ON BODY WITH OPTIONS SUCH AS A/C UNITS, STROBE LIGHT, LARGEST SUSPENSION ETC.
7. "OVER BUMPER" DIMENSION DOES NOT TAKE INTO ACCOUNT OPTIONS THAT MAY ADD TO THE TOTAL LENGTH OF THE BUS, SUCH AS MIRRORS, LIGHTS AND CROSSING ARMS.

THIS DRAWING AND ALL INFORMATION PROVIDED WITH IT ARE THE PROPERTY OF THOMAS BUILT BUSES, INC. ANY REPRODUCTION OR DISTRIBUTION OF THIS MATERIAL OR ANY PART WITHOUT WRITTEN PERMISSION OF THOMAS BUILT BUSES, INC. IS STRICTLY PROHIBITED. COPYRIGHT THOMAS BUILT BUSES, INC.

SIDE	ROW	SPACING	KNEE ROOM
LEFT		29.1	27.9
LEFT		25.5	24.3
RIGHT		26.1	24.9
RIGHT		25.8	24.6

THOMAS BUILT BUSES,INC
HIGH POINT,NC

TITLE PLAN AND ELEVATION BODY 340TS

DRN: 06-14-16 BY: K. Whisnant
SCALE 3/8"=12"
SIZE S
DWG. NO. 643605

Program Version: 16.3.21.1

CAD DRAWING - DO NOT MAKE MANUAL CHANGES

SEATING CAPACITY: 72 + DRIVER PROPANE





CAUTION! - LEFT SIDE BARRIER IS NOT IN STANDARD LOCATION, SEE SEATING PLAN.

CAUTION! - RIGHT SIDE BARRIER IS NOT IN STANDARD LOCATION, SEE SEATING PLAN.





NOTES:
D200000805 - LS DOOR LOC. NO 5 (10" REAR)



Model: Saf-T-Liner C2
Quote Number: 317815
Locality: KY

GENERAL NOTES

1. SOME ITEMS, SUCH AS CV MIRRORS, ROOF LUGGAGE RACKS, AND OTHER ITEMS, ARE SHOWN IN ONE VIEW ONLY FOR CLARITY.
2. THIS DRAWING IS A REPRESENTATION ONLY AND MAY NOT HAVE ALL ITEMS REQUIRED. PLEASE REFER TO ORDER!
3. THE CLEARANCE BETWEEN BOTTOM OF BUS OR BOTTOM OF UNDERBODY COMPARTMENTS AND GROUND WILL VARY ACCORDING TO TIRE SIZE, BUS LOAD, AND SUSPENSION TYPE.
4. THE MAXIMUM WIDTH AT BELT LINE OVER GUARD RAILS IS 96".
5. THE NOMINAL BUS HEIGHT IS BASED ON A STANDARD BODY AND LARGEST SIZE TIRES.
6. THE MAXIMUM BUS HEIGHT IS BASED ON BODY WITH OPTIONS SUCH AS A/C UNITS, STROBE LIGHT, LARGEST SUSPENSION ETC.
7. "OVER BUMPER" DIMENSION DOES NOT TAKE INTO ACCOUNT OPTIONS THAT MAY ADD TO THE TOTAL LENGTH OF THE BUS, SUCH AS MIRRORS, LIGHTS AND CROSSING ARMS.

THIS DRAWING AND ALL INFORMATION PROVIDED WITH IT ARE THE PROPERTY OF THOMAS BUILT BUSES, INC. ANY REPRODUCTION OR DISTRIBUTION OF THIS MATERIAL OR ANY PART WITHOUT WRITTEN PERMISSION OF THOMAS BUILT BUSES, INC. IS STRICTLY PROHIBITED. COPYRIGHT THOMAS BUILT BUSES, INC.

SIDE	ROW	SPACING	KNEE ROOM
LEFT		29.1	27.9
LEFT		25.5	24.3
RIGHT		26.2	25.0
RIGHT		25.8	24.6

THOMAS BUILT BUSES,INC
HIGH POINT,NC

TITLE PLAN AND ELEVATION BODY 340TS

DRN: 06-14-16 BY: K. Whisnant
SCALE 3/8"=12"
SIZE S
DWG. NO. 643595

Program Version: 16.3.21.1

CAD DRAWING - DO NOT MAKE MANUAL CHANGES

CAD DRAWING - DO NOT MAKE MANUAL CHANGES

SEATING CAPACITY: 70 + DRIVER



CAUTION! - LEFT SIDE BARRIER IS NOT IN STANDARD LOCATION, SEE SEATING PLAN.

CAUTION! - RIGHT SIDE BARRIER IS NOT IN STANDARD LOCATION, SEE SEATING PLAN.

EQUIPPED WITH 23K SUSPENSION





NOTES:
UNIT EQUIPPED WITH PLYWOOD FLOOR
EFX UNIT
23K REAR SUSPENSION



Model: MVP-EF
Quote Number: 318169
Locality: KY

GENERAL NOTES

1. SOME ITEMS, SUCH AS CV MIRRORS, ROOF LUGGAGE RACKS, AND OTHER ITEMS, ARE SHOWN IN ONE VIEW ONLY FOR CLARITY.
2. THIS DRAWING IS A REPRESENTATION ONLY AND MAY NOT HAVE ALL ITEMS REQUIRED. PLEASE REFER TO ORDER!
3. THE CLEARANCE BETWEEN BOTTOM OF BUS OR BOTTOM OF UNDERBODY COMPARTMENTS AND GROUND WILL VARY ACCORDING TO TIRE SIZE, BUS LOAD, AND SUSPENSION TYPE.
4. THE MAXIMUM WIDTH AT BELT LINE OVER GUARD RAILS IS 96".
5. THE NOMINAL BUS HEIGHT IS BASED ON A STANDARD BODY AND LARGEST SIZE TIRES.
6. THE MAXIMUM BUS HEIGHT IS BASED ON BODY WITH OPTIONS SUCH AS A/C UNITS, STROBE LIGHT, LARGEST SUSPENSION ETC.
7. "OVER BUMPER" DIMENSION DOES NOT TAKE INTO ACCOUNT OPTIONS THAT MAY ADD TO THE TOTAL LENGTH OF THE BUS, SUCH AS MIRRORS, LIGHTS AND CROSSING ARMS.

THIS DRAWING AND ALL INFORMATION PROVIDED WITH IT ARE THE PROPERTY OF THOMAS BUILT BUSES, INC. ANY REPRODUCTION OR DISTRIBUTION OF THIS MATERIAL OR ANY PART WITHOUT WRITTEN PERMISSION OF THOMAS BUILT BUSES, INC. IS STRICTLY PROHIBITED.
COPYRIGHT THOMAS BUILT BUSES, INC.

SIDE	ROW	SPACING	KNEE ROOM
LEFT		30.1	28.9
LEFT		28.2	27.0
LEFT		30.2	29.0
RIGHT		27.6	26.4
RIGHT		27.4	26.2

THOMAS BUILT BUSES,INC
HIGH POINT,NC

TITLE: PLAN AND ELEVATION BODY 1318S

DRN: 06-14-16 BY: K. Whisnant
SCALE: 3/8"=12"
SIZE: S
DWG. NO. 643663

Program Version: 16.3.21.1

CAD DRAWING - DO NOT MAKE MANUAL CHANGES

CAD DRAWING - DO NOT MAKE MANUAL CHANGES

SEATING CAPACITY: 74 + DRIVER



CAUTION! - LEFT SIDE BARRIER IS NOT IN STANDARD LOCATION, SEE SEATING PLAN.

CAUTION! - RIGHT SIDE BARRIER IS NOT IN STANDARD LOCATION, SEE SEATING PLAN.

EQUIPPED WITH 23K SUSPENSION





NOTES:
UNIT EQUIPPED WITH PLYWOOD FLOOR
EFX UNIT
23K REAR SUSPENSION



Model: MVP-EF
Quote Number: 317905
Locality: KY

GENERAL NOTES

1. SOME ITEMS, SUCH AS CV MIRRORS, ROOF LUGGAGE RACKS, AND OTHER ITEMS, ARE SHOWN IN ONE VIEW ONLY FOR CLARITY.
2. THIS DRAWING IS A REPRESENTATION ONLY AND MAY NOT HAVE ALL ITEMS REQUIRED. PLEASE REFER TO ORDER!
3. THE CLEARANCE BETWEEN BOTTOM OF BUS OR BOTTOM OF UNDERBODY COMPARTMENTS AND GROUND WILL VARY ACCORDING TO TIRE SIZE, BUS LOAD, AND SUSPENSION TYPE.
4. THE MAXIMUM WIDTH AT BELT LINE OVER GUARD RAILS IS 96".
5. THE NOMINAL BUS HEIGHT IS BASED ON A STANDARD BODY AND LARGEST SIZE TIRES.
6. THE MAXIMUM BUS HEIGHT IS BASED ON BODY WITH OPTIONS SUCH AS A/C UNITS, STROBE LIGHT, LARGEST SUSPENSION ETC.
7. "OVER BUMPER" DIMENSION DOES NOT TAKE INTO ACCOUNT OPTIONS THAT MAY ADD TO THE TOTAL LENGTH OF THE BUS, SUCH AS MIRRORS, LIGHTS AND CROSSING ARMS.

THIS DRAWING AND ALL INFORMATION PROVIDED WITH IT ARE THE PROPERTY OF THOMAS BUILT BUSES, INC. ANY REPRODUCTION OR DISTRIBUTION OF THIS MATERIAL OR ANY PART WITHOUT WRITTEN PERMISSION OF THOMAS BUILT BUSES, INC. IS STRICTLY PROHIBITED. COPYRIGHT THOMAS BUILT BUSES, INC.

SIDE	ROW	SPACING	KNEE ROOM
LEFT		30.1	28.9
LEFT		26.1	24.9
RIGHT		27.6	26.4
RIGHT		27.4	26.2

THOMAS BUILT BUSES,INC
HIGH POINT,NC

TITLE PLAN AND ELEVATION BODY 1318S

DRN: 06-14-16 BY: K. Whisnant
SCALE 3/8"=12"
SIZE S
DWG. NO. 643628

Program Version: 16.3.21.1

CAD DRAWING - DO NOT MAKE MANUAL CHANGES

SEATING CAPACITY: 78 + DRIVER



CAUTION! - LEFT SIDE BARRIER IS NOT IN STANDARD LOCATION, SEE SEATING PLAN.

CAUTION! - RIGHT SIDE BARRIER IS NOT IN STANDARD LOCATION, SEE SEATING PLAN.

EQUIPPED WITH 23K SUSPENSION





NOTES:
UNIT EQUIPPED WITH PLYWOOD FLOOR
EFX UNIT
23K REAR SUSPENSION



Model: MVP-EF
Quote Number: 317898
Locality: KY

GENERAL NOTES

1. SOME ITEMS, SUCH AS CV MIRRORS, ROOF LUGGAGE RACKS, AND OTHER ITEMS, ARE SHOWN IN ONE VIEW ONLY FOR CLARITY.
2. THIS DRAWING IS A REPRESENTATION ONLY AND MAY NOT HAVE ALL ITEMS REQUIRED. PLEASE REFER TO ORDER!
3. THE CLEARANCE BETWEEN BOTTOM OF BUS OR BOTTOM OF UNDERBODY COMPARTMENTS AND GROUND WILL VARY ACCORDING TO TIRE SIZE, BUS LOAD, AND SUSPENSION TYPE.
4. THE MAXIMUM WIDTH AT BELT LINE OVER GUARD RAILS IS 96".
5. THE NOMINAL BUS HEIGHT IS BASED ON A STANDARD BODY AND LARGEST SIZE TIRES.
6. THE MAXIMUM BUS HEIGHT IS BASED ON BODY WITH OPTIONS SUCH AS A/C UNITS, STROBE LIGHT, LARGEST SUSPENSION ETC.
7. "OVER BUMPER" DIMENSION DOES NOT TAKE INTO ACCOUNT OPTIONS THAT MAY ADD TO THE TOTAL LENGTH OF THE BUS, SUCH AS MIRRORS, LIGHTS AND CROSSING ARMS.

THIS DRAWING AND ALL INFORMATION PROVIDED WITH IT ARE THE PROPERTY OF THOMAS BUILT BUSES, INC. ANY REPRODUCTION OR DISTRIBUTION OF THIS MATERIAL OR ANY PART WITHOUT WRITTEN PERMISSION OF THOMAS BUILT BUSES, INC. IS STRICTLY PROHIBITED.
COPYRIGHT THOMAS BUILT BUSES, INC.

SIDE	ROW	SPACING	KNEE ROOM
LEFT		30.0	28.8
LEFT		28.0	26.8
LEFT		28.8	27.6
RIGHT		27.6	26.4
RIGHT		25.7	24.5

THOMAS BUILT BUSES,INC
HIGH POINT,NC

TITLE: PLAN AND ELEVATION BODY 1408S

DRN: 06-15-16 BY: K. Whisnant
SCALE: 3/8"=12"
SIZE: S
DWG. NO.: 643731

Program Version: 16.3.21.1

SEATING CAPACITY: 78 + DRIVER





CAUTION! - LEFT SIDE BARRIER IS NOT IN STANDARD LOCATION, SEE SEATING PLAN.

CAUTION! - RIGHT SIDE BARRIER IS NOT IN STANDARD LOCATION, SEE SEATING PLAN.



EQUIPPED WITH ALLISON TRANSMISSION



NOTES:
UNIT EQUIPPED WITH PLYWOOD FLOOR



Model: Saf-T-Liner HDX
Quote Number: 318132
Locality: KY

GENERAL NOTES

1. SOME ITEMS, SUCH AS CV MIRRORS, ROOF LUGGAGE RACKS, AND OTHER ITEMS, ARE SHOWN IN ONE VIEW ONLY FOR CLARITY.
2. THIS DRAWING IS A REPRESENTATION ONLY AND MAY NOT HAVE ALL ITEMS REQUIRED. PLEASE REFER TO ORDER!
3. THE CLEARANCE BETWEEN BOTTOM OF BUS OR BOTTOM OF UNDERBODY COMPARTMENTS AND GROUND WILL VARY ACCORDING TO TIRE SIZE, BUS LOAD, AND SUSPENSION TYPE.
4. THE MAXIMUM WIDTH AT BELT LINE OVER GUARD RAILS IS 96".
5. THE NOMINAL BUS HEIGHT IS BASED ON A STANDARD BODY AND LARGEST SIZE TIRES.
6. THE MAXIMUM BUS HEIGHT IS BASED ON BODY WITH OPTIONS SUCH AS A/C UNITS, STROBE LIGHT, LARGEST SUSPENSION ETC.
7. "OVER BUMPER" DIMENSION DOES NOT TAKE INTO ACCOUNT OPTIONS THAT MAY ADD TO THE TOTAL LENGTH OF THE BUS, SUCH AS MIRRORS, LIGHTS AND CROSSING ARMS.

THIS DRAWING AND ALL INFORMATION PROVIDED WITH IT ARE THE PROPERTY OF THOMAS BUILT BUSES, INC. ANY REPRODUCTION OR DISTRIBUTION OF THIS MATERIAL OR ANY PART WITHOUT WRITTEN PERMISSION OF THOMAS BUILT BUSES, INC. IS STRICTLY PROHIBITED. COPYRIGHT THOMAS BUILT BUSES, INC.

SIDE	ROW	SPACING	KNEE ROOM
LEFT		30.1	28.9
LEFT		27.5	26.3
LEFT		26.2	25.0
RIGHT		27.6	26.4

THOMAS BUILT BUSES,INC
HIGH POINT,NC

TITLE PLAN AND ELEVATION BODY 140YS

DRN: 06-15-16 BY: K. Whisnant
SCALE 3/8"=12"
SIZE S
DWG. NO. 643742

Program Version: 16.3.21.1

SEATING CAPACITY: 84 + DRIVER





CAUTION! - LEFT SIDE BARRIER IS NOT IN STANDARD LOCATION, SEE SEATING PLAN.

CAUTION! - RIGHT SIDE BARRIER IS NOT IN STANDARD LOCATION, SEE SEATING PLAN.



EQUIPPED WITH ALLISON TRANSMISSION



NOTES:
UNIT EQUIPPED WITH PLYWOOD FLOOR



Model: Saf-T-Liner HDX
Quote Number: 317901
Locality: KY

GENERAL NOTES

1. SOME ITEMS, SUCH AS CV MIRRORS, ROOF LUGGAGE RACKS, AND OTHER ITEMS, ARE SHOWN IN ONE VIEW ONLY FOR CLARITY.
2. THIS DRAWING IS A REPRESENTATION ONLY AND MAY NOT HAVE ALL ITEMS REQUIRED. PLEASE REFER TO ORDER!
3. THE CLEARANCE BETWEEN BOTTOM OF BUS OR BOTTOM OF UNDERBODY COMPARTMENTS AND GROUND WILL VARY ACCORDING TO TIRE SIZE, BUS LOAD, AND SUSPENSION TYPE.
4. THE MAXIMUM WIDTH AT BELT LINE OVER GUARD RAILS IS 96".
5. THE NOMINAL BUS HEIGHT IS BASED ON A STANDARD BODY AND LARGEST SIZE TIRES.
6. THE MAXIMUM BUS HEIGHT IS BASED ON BODY WITH OPTIONS SUCH AS A/C UNITS, STROBE LIGHT, LARGEST SUSPENSION ETC.
7. "OVER BUMPER" DIMENSION DOES NOT TAKE INTO ACCOUNT OPTIONS THAT MAY ADD TO THE TOTAL LENGTH OF THE BUS, SUCH AS MIRRORS, LIGHTS AND CROSSING ARMS.

THIS DRAWING AND ALL INFORMATION PROVIDED WITH IT ARE THE PROPERTY OF THOMAS BUILT BUSES, INC. ANY REPRODUCTION OR DISTRIBUTION OF THIS MATERIAL OR ANY PART WITHOUT WRITTEN PERMISSION OF THOMAS BUILT BUSES, INC. IS STRICTLY PROHIBITED. COPYRIGHT THOMAS BUILT BUSES, INC.

SIDE	ROW	SPACING	KNEE ROOM
LEFT		26.0	24.8
LEFT		26.7	25.5
LEFT		25.5	24.3
RIGHT		26.2	25.0

THOMAS BUILT BUSES,INC
HIGH POINT,NC

TITLE PLAN AND ELEVATION BODY 141YS

DRN: 06-15-16 BY: K. Whisnant
SCALE 3/8"=12"
SIZE S
DWG. NO. 643734

Program Version: 16.3.21.1