



BLUE BIRD<sup>®</sup>



A NAVISTAR COMPANY



# *Kentucky School Bus Purchasing Guide 2014*





PA-1

PA-1

**KENTUCKY DEPARTMENT OF EDUCATION  
2014 SCHOOL BUS PURCHASE AUTHORIZATION  
TYPE A, TYPE C, AND TYPE D SCHOOL BUSES**

The Board of Education \_\_\_\_\_, Kentucky, on \_\_\_\_\_, 20\_\_\_\_, in a legally called and constituted meeting, did vote to purchase school buses through the Kentucky State Contract price procedure. This Board of Education took this official action in order to authorize the Chief State School Officer to procure 2014 school buses. This action, as spread upon the minutes of the meeting of this Board of Education on the above date, should be construed as evidence of obligation of this Board of Education to purchase the above school buses through State Price Contract agreements established in accordance with statutory authority.

Signed \_\_\_\_\_, Chairman  
\_\_\_\_\_, Secretary  
\_\_\_\_\_, Superintendent  
Of \_\_\_\_\_, Board of Education  
Date \_\_\_\_\_.

**BODY SIDE NUMBERS:** Indicate the body side number the Board of Education wants painted on the body side of each school bus. Match body side number to individual item numbers. Example: Item 1 - Side number - 5, 6, 7, 8

---

---

---

---

ATTACH ADDITIONAL INFORMATION IF NECESSARY



2014

PA-1

**TYPE A AND TYPE C SCHOOL BUSES**

BOARD OF EDUCATION

Item #	No. To Be Purchased	Capacity	Engine & Chassis Manufacturer	HP	Trans.	Brakes	Fuel Tank Location	Wheel base	Body Manufacturer	Rear axle overhang	FOB KY Price
1		24	6.6 GM, GENERAL MOTORS CORP.	155	AUTO	H	Center rear	139"	COLLINS	82"	58,798
2		22	6.6 GM, GENERAL MOTORS CORP.	155	AUTO	H	Center rear	139"	THOMAS	74"	59,822
3		34	CUMMINS ISB, BLUEBIRD	200	2500PTS	AB	Center rear	169"	BLUEBIRD	96"	77,990
4		34	MAXFORCE DT, INTERNATIONAL	215	2500PTS	AB	Right side	169"	IC CORP	93"	82,021
5		34	CUMMINS ISB, FREIGHTLINER	220	2500PTS	AB	Center rear	158"	THOMAS	99"	80,756
6		52	CUMMINS ISB, BLUEBIRD	200	2500PTS	AB	Center rear	217"	BLUEBIRD	132"	80,890
7		52	MAXFORCE DT, INTERNATIONAL	215	2500PTS	AB	Center rear	217"	IC CORP	128"	85,286
8		52	CUMMINS ISB, FREIGHTLINER	220	2500PTS	AB	Center rear	219"	THOMAS	128"	82,556
9		66	CUMMINS ISB, BLUEBIRD	220	2500PTS	AB	Center rear	273"	BLUEBIRD	139"	80,940
10		66	MAXFORCE DT, INTERNATIONAL	215	2500PTS	AB	Center rear	276"	IC CORP	141"	85,967
11		66	CUMMINS ISB, FREIGHTLINER	220	2500PTS	AB	Center rear	279"	THOMAS	148"	83,204
12		66	CUMMINS ISB, BLUEBIRD	250	3000PTS	AB	Center rear	273"	BLUEBIRD	139"	85,075
13		66	MAXFORCE DT, INTERNATIONAL	230	3000PTS	AB	Center rear	276"	IC CORP	141"	89,471
14		66	CUMMINS ISB, FREIGHTLINER	220	3000PTS	AB	Center rear	279"	THOMAS	148"	87,110
15		72	CUMMINS ISB, BLUEBIRD	220	2500PTS	AB	Center rear	273"	BLUEBIRD	160"	81,400
16		72	CUMMINS ISB, BLUEBIRD	250	3000PTS	AB	Center rear	273"	BLUEBIRD	160"	85,375
17		72	MAXFORCE DT, INTERNATIONAL	230	2500PTS	AB	Center rear	276"	IC CORP	158"	86,078
18		72	MAXFORCE DT, INTERNATIONAL	230	3000PTS	AB	Center rear	276"	IC CORP	158"	90,473
19		72	CUMMINS ISB, FREIGHTLINER	220	2500PTS	AB	Center rear	279"	THOMAS	148"	83,483
20		72	CUMMINS ISB, FREIGHTLINER	220	3000PTS	AB	Center rear	279"	THOMAS	148"	87,873

**KEY: Engines**

MAXFORCE DT 466CID TURBO ELECTRONIC I-6, DIESEL  
 CUMMINS ISB 410CID TURBO ELECTRONIC I-6, DIESEL  
 6.6 GM 400CID TURBO ELECTRONIC V8, DIESEL

**Transmissions and Brakes**

AUTO Type A automatic  
 2500PTS Allison 5 speed automatic  
 3000PTS Allison severe service automatic  
 AB Air brakes

**Fuel Tank Location**

Center Rear- Behind the rear axle between the frame rails  
 Right side- Attached to the right frame rail between the axles  
 Center -Between the frame rails, between the axles



**2014**

PA - 1

**TYPE D NON-CONVENTIONAL SCHOOL BUSES**

BOARD OF EDUCATION

**FORWARD CONTROL**

Item #	No. To Be Purchased	Capacity	Engine & Manufacturer	HP	Trans.	Brakes	Fuel Tank Location	Wheel base	Body Manufacturer	Rear axle overhang	FOB KY Price
21		70	CUMMINS ISB, BLUEBIRD	250	3000PTS	AB	Center rear	232"	BLUEBIRD	153"	98,520
22		70	CUMMINS ISB, FREIGHTLINER	260	3000PTS	AB	Center rear	212"	THOMAS	155"	96,579
23		74	CUMMINS ISB, BLUEBIRD	250	3000PTS	AB	Center rear	232"	BLUEBIRD	153"	98,990
24		74	CUMMINS ISB, FREIGHTLINER	260	3000PTS	AB	Center rear	212"	THOMAS	155"	96,731
25		78	CUMMINS ISB, BLUEBIRD	250	3000PTS	AB	Center rear	232"	BLUEBIRD	160"	99,520
26		78	CUMMINS ISB, FREIGHTLINER	260	3000PTS	AB	Center rear	231"	THOMAS	155"	97,534

**REAR ENGINE**

Item #	No. To Be Purchased	Capacity	Engine & Manufacturer	HP	Trans.	Brakes	Fuel Tank Location	Wheel base	Body Manufacturer	Rear axle overhang	FOB KY Price
27		78	MAXFORCE DT, INTERNATIONAL	230	3000PTS	AB	Center	276"	IC CORP	120"	106,992
28		78	CUMMINS ISB, FREIGHTLINER	260	3000PTS	AB	Center	267"	THOMAS	115"	104,217
29		78	MAXFORCE DT, INTERNATIONAL	260	3000PTS	AB	Center	276"	IC CORP	120"	107,912
30		78	CUMMINS ISB, FREIGHTLINER	280	3000PTS	AB	Center	267"	THOMAS	115"	105,044
31		84	CUMMINS ISB, FREIGHTLINER	280	3000PTS	AB	Center	277"	THOMAS	115"	107,470

**KEY: Engines**

MAXFORCE DT 466CID TURBO ELECTRONIC I-6, DIESEL  
 CUMMINS ISB 410CID TURBO ELECTRONIC I-6, DIESEL  
 6.6 GM 400CID TURBO ELECTRONIC V8, DIESEL

**Transmissions and Brakes**

AUTO Type A automatic  
 2500PTS Allison 5 speed automatic  
 3000PTS Allison severe service automatic  
 AB Air brakes

**Fuel Tank Location**

Center Rear- Behind the rear axle between the frame rails  
 Right side- Attached to the right frame rail between the axles  
 Center -Between the frame rails, between the axles



PA-2

PA-2

**KENTUCKY DEPARTMENT OF EDUCATION  
2014 SCHOOL BUS PURCHASE AUTHORIZATION  
(HANDICAPPED UNITS)**

The Board of Education \_\_\_\_\_, Kentucky, on \_\_\_\_\_, 20\_\_\_\_, in a legally called and constituted meeting, did vote to purchase school buses through the Kentucky State Contract price procedure.

This Board of Education took this official action in order to authorize the Chief State School Officer to procure 2014 school buses. This action, as spread upon the minutes of the meeting of this Board of Education on the above date, should be construed as evidence of obligation of this Board of Education to purchase the above school buses through State Price Contract agreements established in accordance with statutory authority.

Signed \_\_\_\_\_, Chairman  
\_\_\_\_\_, Secretary  
\_\_\_\_\_, Superintendent  
Of \_\_\_\_\_, Board of Education  
Date \_\_\_\_\_.

**BODY SIDE NUMBERS:** Indicate the body side number the Board of Education wants painted on the body side of each school bus. Match body side number to individual item numbers. Example: Item 1 - Side number - 5, 6, 7, 8

---

---

---

---

ATTACH ADDITIONAL INFORMATION IF NECESSARY



(For actual capacity see enclosed floor plans) 2014



PA-2

TYPE A AND TYPE C HANDICAP EQUIPPED SCHOOL BUSES

BOARD OF EDUCATION

Item #	No. To Be Purchased	Shell Capacity	Engine & Manufacturer	HP	Trans.	Brakes	Fuel Tank Location	Wheel base	Body Manufacturer	Rear axle overhang	FOB KY Price
34		24	6.6 GM <b>Lift behind the rear axle</b>	155	AUTO	H	Center rear	139"	COLLINS	82"	64,606
35		24	6.6 GM <b>Lift behind the rear axle</b>	155	AUTO	H	Center rear	159"	THOMAS	74"	65,254
36		34	CUMMINS ISB, BLUEBIRD	200	2500PTS	AB	Center rear	189"	BLUEBIRD	125"	85,995
37		34	MAXFORCE DT, INTERNATIONAL	215	2500PTS	AB	Right side	169"	IC CORP	93"	87,713
38		34	CUMMINS ISB, FREIGHTLINER	220	2500PTS	AB	Center rear	158"	THOMAS	99"	85,066
39		52	CUMMINS ISB, BLUEBIRD	200	2500PTS	AB	Center rear	217"	BLUEBIRD	132"	86,525
40		52	MAXFORCE DT, INTERNATIONAL	215	2500PTS	AB	Center rear	217"	IC CORP	128"	90,045
41		52	CUMMINS ISB, FREIGHTLINER	220	2500PTS	AB	Center rear	219"	THOMAS	128"	87,333
42		66	CUMMINS ISB, BLUEBIRD	220	2500PTS	AB	Center rear	273"	BLUEBIRD	153"	88,240
43		66	MAXFORCE DT, INTERNATIONAL	215	2500PTS	AB	Center rear	276"	IC CORP	149"	91,941
44		66	CUMMINS ISB, FREIGHTLINER	230	2500PTS	AB	Center rear	279"	THOMAS	158"	89,198
45		66	CUMMINS ISB, BLUEBIRD	250	3000PTS	AB	Center rear	273"	BLUEBIRD	153"	93,225
46		66	MAXFORCE DT, INTERNATIONAL	230	3000PTS	AB	Center rear	276"	IC CORP	149"	96,661
47		66	CUMMINS ISB, FREIGHTLINER	220	3000PTS	AB	Center rear	279"	THOMAS	158"	94,043

**KEY: Engines:**

MAXFORCE DT 466CID TURBO ELECTRONIC I-6, DIESEL  
 CUMMINS ISB 410CID TURBO ELECTRONIC I-6, DIESEL  
 6.6 GM 400CID TURBO ELECTRONIC V8, DIESEL

**Transmission and Brakes:**

AUTO Type A automatic  
 2500PTS Allison 5 speed automatic  
 3000PTS Allison severe service automatic  
 H Hydraulic Brakes AB Air brakes

**Fuel Tank Location:**

Center Rear Behind the rear axle between the frame rail  
 Right Side Attached to right frame rail between the axles  
 Center Between the frame rails, between the axles



Central States Bus Sales, Inc.

2450 Cassens Drive, St. Louis MO 63026  
636-343-6050 • FAX: 636-326-2501 • 800-825-8273  
[www.centralstatesbus.com](http://www.centralstatesbus.com)

July 31, 2013

## 2014 School Bus Optional Equipment Information

RFB-758-1300000170

### Contact Information:

Mark Parsons  
Kentucky Sales Manager  
Phone: 502-216-2544  
Fax: 615-466-4038  
[mparsons@centralstatesbus.com](mailto:mparsons@centralstatesbus.com)

Chuck Harvill  
General Manager  
877-307-0322  
615-466-4038  
[charvill@centralstatesbus.com](mailto:charvill@centralstatesbus.com)

Jeff A. Reitz  
President/CEO  
800-825-8273  
636-326-2501  
[jreitz@centralstatesbus.com](mailto:jreitz@centralstatesbus.com)

**Central States Bus Sales, Inc. service includes a Mobile Service Truck to perform repairs at your facility.**

**5 year Transmission Warranty with Trans Synd Transmission Fluid: INCLUDED**

### Radios

- |   |          |
|---|----------|
| A. Radio, AM/FM/PA CD                         | \$595.00 |
| B. Radio, AM/FM/PA CD (with external speaker) | \$650.00 |

Featuring:



EIDorado  
National



RICON

# **SEATS**

## **CE White Safety Seat Options**

One (1) 39" CE White Child Safety Restraint Seat In place of standard 39" HB Seat	\$800.00 each
One (1) 30" CE White Child Safety Restraint Seat In place of standard 30" HB Seat	\$605.00 each

## **Track Mounted Seats and Barriers**

One (1) Track Mounted Barrier (30823) Specify LH or RH side	\$225.00 each
One (1) 30-inch Track Mounted Seats with Belts (mounts in wheelchair track)	\$550.00 each

## **Wheel Chair Positions**

One (1) additional W/C position Add FF630-4C (Requires Seat Plan Change)	\$600.00 each
---	---------------

## **ADDITIONAL WARRANTY OPTIONS**

3-Year Warranty (Option 31300-26)	\$905.00
5-Year Warranty (Option 31300-24)	\$1,425.00

# REI Digital Cameras

## Digital Camera Information

### REI DIGITAL BUS WATCH WITH ONE CAMERA AND 320 GB HARD DRIVE

(Expandable up to four Cameras)	\$1,225.00
Additional Camera (each)	\$240.00
Installation cost for a single camera system on a new bus Prior to delivery or at customer's location	\$240.00
Installation cost for an additional in-bus video system camera On a new bus prior to delivery or at customer's location	\$45.00
In-bus video system sensor harness (Records brakes, directional and warning lights)	\$55.00
In-bus video system sensor harness (Records brakes, directional and warning lights) Installation	\$25.00
GPS Sensor (for speed)	\$150.00
GPS Sensor (for speed) Installation	\$50.00
Inertia Sensor	\$135.00
Inertia Sensor Installation	\$50.00
Additional in-bus Video System Camera	\$130.00
500 GB Hard Drive Upgrade (add this price to base system price)	\$130.00
320 GB Hard Drive Spare (add this price to base system price)	\$220.00
500 GB Hard Drive Spare (add this price to base system price)	\$380.00
In-Bus Video System Lock Box	\$125.00

# **Air Conditioning**

## **A/C System, 34 Passenger Shell Size**

ACC Model RW44FW4457571616 80,000 BTU'S

Air Conditioning system, 34 passenger shell size \$7,595.00

## **A/C System, 52-66 Passenger Shell Size**

ACC Model RW44FW4457571616 106,000 BTU'S

Air Conditioning system, 52-66 passenger shell size \$8,350.00

## **A/C System, 70-84 Passenger Shell Size**

ACC Model RW51FW5160602121 120,000 BTU'S

Air Conditioning system, 70-84 passenger shell size \$8,720.00

## A/C Detail

### MODEL RW44FW4457571616 80,000 BTU'S. A/C System, 34 Passenger Shell Size

APPLICATION: 2014 BLUE BIRD  
ENGINE: CUMMINS 6.7L ISB-10

EACH CONSISTING OF:

The ACC system will meet or exceed all specification requirements of the Kentucky State School bus bid for 2013.

This system will include the following components:

2-23044 Series Evaporators In-Wall mounted up to 50K BTU'S.  
2-25057 Series Condensers Skirt mounted up to 78K BTU'S.  
2-TM16 Compressors  
1-Compressor Engine Mount Kit

### MODEL RW44FW4457571616 106,000 BTU'S. A/C System, 52-66 Passenger Shell Size

APPLICATION: 2014 BLUE BIRD  
ENGINE: CUMMINS ISB-10 OR ISC-10

EACH CONSISTING OF:

The ACC system will meet or exceed all specification requirements of the Kentucky State School bus bid for 2013.

This system will include the following components:

2-23045 Series Evaporators In-Wall mounted up to 63K BTU'S.  
2-25057 Series Condensers Skirt mounted up to 78K BTU'S.  
2-TM16 Compressors  
2-Digital Controls (separate controls for each system)  
1-Compressor Engine Mount Kit

### MODEL RW51FW5160602121 120,000 BTU'S. A/C System, 70-84 Passenger Shell Size

APPLICATION: 2014 BLUE BIRD  
ENGINE: ALL

EACH CONSISTING OF:

The ACC system will meet or exceed all specification requirements of the Kentucky State School bus bid for 2013.

This system will include the following components:

2-23051 Series Evaporators In-Wall mounted up to 60K BTU'S.  
2-25060 Series Condensers Skirt mounted up to 100K BTU'S.  
2-TM21 Compressors  
2-Digital Controls (separate controls for each system)  
1-Compressor Engine Mount Kit

## LUGGAGE

Please note that all luggage box options are subject to engineering compatibility.

CAPACITY	OPTION	COST
52 passenger Conventional, type C	Left Rear Storage Box 19x25x55"	\$525.00
52 passenger Front Engine, type D	Left Center Storage Box 22x25x55"	\$525.00
66 passenger Conventional, type C	Right Center Storage Box 22x25x97"	\$850.00
66 passenger Conventional, type C	Left Rear Storage Box 19x25x74"	\$800.00
70 Passenger Front Engine, type D	Left Center Storage Box 22x25x55"	\$520.00
70 Passenger Conventional, type C	Right Center Storage Box 22x25x97"	\$850.00
70 Passenger Conventional, type C	Left Rear Storage Box 19x25x74"	\$800.00
70 Passenger Front Engine, type D	Left Center Storage Box 22x25x55"	\$525.00
70 Passenger Front Engine, type D	Right Center Storage Box 22x25x97"	\$850.00
70 Passenger Front Engine, type D	Left Rear Storage Box 19x25x74"	\$800.00
74 Passenger Front Engine, type D	Right Center Storage Box, Two Boxes 22x25x97" and 22x25x55"	\$1,825.00
74 Passenger Front Engine, type D	Left Center Storage Box 22x25x55"	\$520.00
74 Passenger Front Engine, type D	Left Rear Storage Box 19x25x74"	\$800.00
74 Passenger Front Engine, type D	Right Rear Storage Box 19x25x75"	\$800.00
78 Passenger Front Engine, type D	Right Center Storage Box, Two Boxes 22x25x97" and 22x25x55"	\$1,825.00
78 Passenger Front Engine, type D	Left Center Storage Box 22x25x55"	\$525.00
78 Passenger Front Engine, type D	Left Rear Storage Box 19x25x74"	\$800.00
78 Passenger Front Engine, type D	Right Rear Storage Box 19x25x75"	\$795.00

**BLUEBIRD CORPORATION**  
 Address purchase order to:  
**Central States Bus Sales, Inc.**  
 2450 Cassens Dr.  
 Fenton, MO 63026

**Central States Bus Sales, Inc.**  
*"The Bus Experts"*

**Floor Plans**


**RFB-758-1300000170**

RFB-758-1300000170


PA-1 ITEM#3

Quote ID: 107069

Body Plan / Seat Plan Information




Body Plan ID: 5010775




SP: 17969 BBCV 1910, 34 CAP

Seat Plan ID: 17969




Quote ID: 106958


Body Plan / Seat Plan Information



Body Plan ID: 5010305



SP: 2389 BBCV 2610, 52 CAP




Seat Plan ID: 2389

RFB-758-1300000170


PA-1 ITEM #9

Quote ID: 106981


Body Plan / Seat Plan Information



Body Plan ID: 5010293



SP: 15158 BBCV 3201, 66 CRP




Seat Plan ID: 15158

Quote ID: 106999

Body Plan / Seat Plan Information

Body Plan ID: 5010293



Seat Plan ID: 15158


SP: 15158 BBCV 3201, 66 CAP




Quote ID: 107068

Body Plan / Seat Plan Information

Body Plan  
ID: 5010768



Seat Plan ID: 17957



Quote ID: 107068


Seat Plan Spacing Chart

RFB-758-1300000170


PA-1 ITEM #16

Quote  
ID: 107055


Body Plan / Seat Plan Information



Body Plan  
ID: 5010768



SP: 17957 BBCV 3310, 72 CAP




Seat Plan  
ID: 17957

RFB-758-1300000170

PA-1 ITEM #21


Quote ID: 107005 Body Plan / Seat Plan Information

Body Plan ID: 5010767



Seat Plan ID: 17956


SP: 17956 T3FE 3909, 70 CAP




RFB-758-1300000170

PA-1 ITEM #23


Quote  
ID: 107073 Body Plan / Seat Plan Information



Body Plan  
ID: 5010770



SP: 17960 T3FE 3909, 74 CAP




Seat Plan  
ID: 17960


RFB-758-1300000170

PA-1 ITEM #25


Quote ID: 107074 Body Plan / Seat Plan Information



Body Plan ID: 5010425



SP: 17066 T3FE 4004, 78 CAP




Seat Plan ID: 17066

RFB-758-1300000170


PA-2 ITEM #36

Quote ID: 106951

Body Plan / Seat Plan Information



Body Plan ID: 5010306



SP: 10585 BBCV 2311, 22 CAP




Seat Plan ID: 10585




Quote ID: 106976


Body Plan / Seat Plan Information



Body Plan ID: 5010308



SP: 15269 BBCV 2610, 20 CAP



Seat Plan ID: 15269




RFB-758-130000170


PA-2 ITEM #42

Quote ID: 106982

Body Plan / Seat Plan Information



Body Plan ID: 5010309



SP: 10440 BBCV 3303, 28 CRP



Seat Plan ID: 10440




RFB-758-1300000170


PA-2 ITEM #45

Quote ID: 107001

Body Plan / Seat Plan Information



Body Plan ID: 5010309



SP: 10440 BBCV 3303, 28 CAP



Seat Plan ID: 10440





**BLUEGRASS INTERNATIONAL TRUCKS and BUSES, INC.**

101 TRIPORT CIRCLE  
 GEORGETOWN, KY 40324  
 T 502.570.5230 F 502.863.3229  
[mcahill@bluegrasstrucks.com](mailto:mcahill@bluegrasstrucks.com)

July 23, 2013

Mr. Dave Mangum  
 Kentucky Department Education  
 Pupil Transportation Branch  
 500 Mero Street  
 Frankfort, KY 40601

Dear Mr. Mangum,

The information listed below is a firm quote for each item as ordered with a new IC Corporation bus order for the 2014 contract buying year. These prices are good for the term of the school bus purchase contract.

Type/Capacity	Description and Codes	2014 Option Price
Type C & D	<b>Extended Vehicle Coverage – 5 Years/150,000 miles – includes body</b>	<b>STANDARD</b>
Type C & D	<b>3 years/unlimited miles Towing Warranty - \$550 maximum per incident/only with warrantable Navistar failure resulting in non-drivable or unsafe operating condition/towed to nearest dealer (40JZB)</b>	<b>\$550.00</b>
Type C & D	<b>Carwell Ten Year Rust-Through warranty per KY Specifications (includes initial application &amp; yearly follow-up applications at school location for 9 more years)(Used extensively in New York)</b>	<b>STANDARD</b>
Type C & D	<b>UCRA (Universal Child Restraint Anchorage) 39" seat includes attachment points for two child seats (per 39" seat) (Request new seat plan)</b>	<b>\$57.00</b>
Type C & D	<b>Hidden Hinges on Emergency Exit Doors (with grease fittings)</b>	<b>STANDARD</b>
Type C & D	<b>39" IMMI Child Restraint Seat (instead of regular 39" seat)</b>	<b>\$789.00</b>
Type C & D	<b>30" IMMI Child Restraint Seat (instead of regular 30" seat)</b>	<b>\$685.00</b>
Type C 34-52 passenger	<b>AM/FM/P.A. with four interior speakers and outside speaker (49DDA/49AWG)</b>	<b>\$380.00</b>
Type C 34-52 passenger	<b>AM/FM/CD/P.A. radio with four interior speakers and outside speaker (49BEJ, 49AWG)</b>	<b>\$407.00</b>



**BLUEGRASS INTERNATIONAL TRUCKS and BUSES, INC.**

101 TRIPORT CIRCLE  
 GEORGETOWN, KY 40324  
 T 502.570.5230 F 502.863.3229  
[mcahill@bluegrasstrucks.com](mailto:mcahill@bluegrasstrucks.com)

Type/Capacity	Description and Codes	2014 Option Price
Type C 66-72 passenger	AM/FM/P.A. with six interior speakers and outside speaker <b>(49DDA/49AWG/49AWS)</b>	<b>\$414.00</b>
Type C 66-72 passenger	AM/FM/CD/P.A. radio with six interior speakers and outside speaker <b>(49BEJ, 49AWG/49AWS)</b>	<b>\$442.00</b>
Type D 66-78 passenger	AM/FM/P.A. Radio with six interior speakers and outside speaker <b>(49DDA,49AWS/49AWE)</b>	<b>\$410.00</b>
Type D 66-78 passenger	AM/FM/CD/P.A. radio with six interior speakers and outside speaker <b>(49BEJ/49AWS/49AWE)</b>	<b>\$442.00</b>
Type A	AM/FM/CD Radio with 4 interior speakers	<b>\$275.00</b>
Type A	AM/FM/CD/P.A. with 4 interior speakers & outside speaker	<b>\$380.00</b>
Type C – ALL Sizes	<b>16 ply Goodyear tires instead of 14 ply</b>	<b>\$1,236.00</b>
Type C & D	<b>Deduct for customer pick-up at factory in Tulsa, OK (IC Corporation)</b>	<b>-\$1300.00</b>
Type C Special Needs	<b>30" track-mounted seat</b> for use in Type C lift buses (mounts in wheelchair track) (request new seat plan)	<b>\$375.00 Each</b>
Type C Special Needs	<b>30" track-mounted barrier</b> for use in Type C lift buses (mounts in wheelchair track) (request new seat plan)	<b>\$225.00</b>
Type C Special Needs	<b>Delete a wheelchair position</b> from a standard seat plan type C lift bus (request new seat plan)	<b>-\$200.00 Deduct</b>
Type C Special Needs	<b>Add a wheelchair position</b> to a standard seat plan type C lift bus (request new seat plan)	<b>\$750.00</b>
Type C & D	<b>12V Power Source for GPS</b>	<b>\$35.00</b>
Type C & D	<b>State specification approved 2010 Emission Inline 6 Cylinder Engine w/SCR Technology</b>	<b>No Charge</b>



**BLUEGRASS INTERNATIONAL TRUCKS and BUSES, INC.**

101 TRIPORT CIRCLE  
 GEORGETOWN, KY 40324  
 T 502.570.5230 F 502.863.3229  
[mcahill@bluegrasstrucks.com](mailto:mcahill@bluegrasstrucks.com)

Type/Capacity	Description and Codes	2014 Option Price
Special Needs	Sure-Lok GO2 Oxygen Cylinder Holder	\$249.00

**Luggage Compartments**

Model	Option	Cost
52 passenger conventional, type C	Left Center Luggage Box 54"x24"x18" (47ERY)	\$513.00
66 passenger conventional, type C	Left Center Luggage Box 114"x24"x18" (47EVS)	\$956.00
66 passenger conventional, type C	Right Center Luggage Box 114"x24"x18" (47EVU)	\$956.00
72 passenger conventional, type C	Left Center Luggage Box 114"x24"x18" (47EVS)	\$956.00
72 passenger conventional, type C	Right Rear Luggage Box 36"x24"x18" (47EPK)	\$393.00
72 passenger conventional, type C	Right Center Luggage Box 114"x24"x18" (47EVU)	\$956.00
78 passenger rear engine, type D	Left Side Luggage Boxes, Two Boxes 66"x24"x18" (47ESU) & 114"x20"x18" (47EVN)	\$1,428.00
78 passenger rear engine, type D	Right Side Luggage Boxes, Two Boxes 66"x24"x18" (47ESX) & 79"x20"x18" (47ETL)	\$1,233.00
78 passenger rear engine, type D	Center Pass-Thru Luggage Box 114" (47DSC/47ARY/04EBP/04VBX)	\$3,447.00

**Please Note: Air Conditioning could limit the availability of under floor luggage boxes!**

**Air Conditioning: All systems are ductless free-blow systems.**

24 passenger , Type A, 70,000 BTU system	\$5,262.00
34 passenger, Type C, 80,000 BTU system	\$8,817.00
52-72 passenger, Type C, 106,000 BTU system	\$9,297.00
78 passenger, Type D, 120,000 BTU system	\$11,099.00



**BLUEGRASS INTERNATIONAL TRUCKS and BUSES, INC.**

101 TRIPORT CIRCLE  
GEORGETOWN, KY 40324  
T 502.570.5230 F 502.863.3229  
[mcahill@bluegrasstrucks.com](mailto:mcahill@bluegrasstrucks.com)

**2014 Kentucky Bus Bid Pricing – Digital Video Systems**

<b><u>REI Digital Video Recording Camera System With 1 Camera</u></b>	<b>\$1,694.00 ea</b>
✓ HD420-1-320 fanless DVR with camera, cable and software	INCLUDED
✓ Color camera equipped with microphone and high-resolution day/night option featuring ultra-bright infrared LED lamps for low light operation (Exterior cameras are not included)	INCLUDED
✓ Hard Drive, 320 GB - 2.5" removable mobile-rated hard drive module with exclusive USB security lockout	INCLUDED
✓ Security cap, rear	INCLUDED
✓ Specially designed system to stand up to the constant vibration, G-force shock, humidity temperature extremes, dust and dirt common in buses	INCLUDED
✓ Four channel system (expandable to four cameras)	INCLUDED
✓ Three-year warranty (24-7 technical support)	INCLUDED
<b><u>REI Digital Video Recording Camera System With 2 Cameras</u></b>	<b>\$1,919.00 ea</b>
✓ HD420-2-320 fanless DVR with camera, cable and software	INCLUDED
✓ Color cameras equipped with microphone and high-resolution day/night option featuring ultra-bright infrared LED lamps for low light operation (Exterior cameras are not included)	INCLUDED
✓ Hard Drive, 320 GB - 2.5" removable mobile-rated hard drive module with exclusive USB security lockout	INCLUDED
✓ Security cap, rear	INCLUDED
✓ Specially designed system to stand up to the constant vibration, G-force shock, humidity temperature extremes, dust and dirt common in buses	INCLUDED
✓ Four channel system (expandable to four cameras)	INCLUDED
✓ Three-year warranty (24-7 technical support)	INCLUDED



**BLUEGRASS INTERNATIONAL TRUCKS and BUSES, INC.**

101 TRIPORT CIRCLE  
GEORGETOWN, KY 40324  
T 502.570.5230 F 502.863.3229  
[mcahill@bluegrasstrucks.com](mailto:mcahill@bluegrasstrucks.com)

**REI SD Card Video Recording System With 1 Camera** **\$1,228.00 ea**

- ✓ SD40-1-320 fanless DVR with camera, cable and software INCLUDED
- ✓ Color camera equipped with microphone and high-resolution day/night option featuring ultra-bright infrared LED lamps for low light operation (Exterior cameras are not included) INCLUDED
- ✓ SD Card, 32 GB INCLUDED
- ✓ Security cap, rear INCLUDED
- ✓ Specially designed system to stand up to the constant vibration, G-force shock, humidity temperature extremes, dust and dirt common in buses INCLUDED
- ✓ Four channel system (expandable to four cameras) INCLUDED
- ✓ Three-year warranty (24-7 technical support) INCLUDED

**REI SD Card Video Recording System With 2 Cameras** **\$1,438.00 ea**

- ✓ SD40-2-32 fanless DVR with camera, cable and software INCLUDED
- ✓ Color camera equipped with microphone and high-resolution day/night option featuring ultra-bright infrared LED lamps for low light operation (Exterior cameras are not included) INCLUDED
- ✓ SD Card, 32 GB INCLUDED
- ✓ Security cap, rear INCLUDED
- ✓ Specially designed system to stand up to the constant vibration, G-force shock, humidity temperature extremes, dust and dirt common in buses INCLUDED
- ✓ Four channel system (expandable to four cameras) INCLUDED
- ✓ Three-year warranty (24-7 technical support) INCLUDED

**OPTIONAL EQUIPMENT FOR ALL RECORDING SYSTEMS**

**Sensor Harness and Installation** (Any system) **\$113.00 ea.**

- ✓ Records brakes, directional lights, and Warning Lights

**Event Marker Cable (Panic Button)** (Any system) **\$105.00 ea.**



**BLUEGRASS INTERNATIONAL TRUCKS and BUSES, INC.**

101 TRIPORT CIRCLE  
GEORGETOWN, KY 40324  
T 502.570.5230 F 502.863.3229  
[mcahill@bluegrasstrucks.com](mailto:mcahill@bluegrasstrucks.com)

**New DR40 Economy Digital Video System from REI**

<b><u>REI DR40 Basic DVR Recording System With 1 Camera</u></b>	<b>\$1,363.00 ea</b>
✓ DR40-1-320 fanless DVR with camera, cable and software	INCLUDED
✓ Color camera equipped with microphone and high-resolution day/night option featuring ultra-bright infrared LED lamps for low light operation	INCLUDED
✓ Hard Drive, 320 GB - 2.5" removable mobile-rated hard drive module with exclusive USB security lockout ( <b>Note: Does not interchange with HD400 or HD 420 Hard Drive</b> )	INCLUDED
✓ Security cap, rear	INCLUDED
✓ Specially designed system to stand up to the constant vibration, G-force shock, humidity temperature extremes, dust and dirt common in buses	INCLUDED
✓ Four channel system (expandable to four cameras)	INCLUDED
✓ Three-year warranty (24-7 technical support)	INCLUDED
<b><u>REI DR40 Basic DVR Recording System With 2 Cameras</u></b>	<b>\$1,573.00 ea</b>
✓ DR40-2-320 fanless DVR with camera, cable and software	INCLUDED
✓ Color cameras equipped with microphone and high-resolution day/night option featuring ultra-bright infrared LED lamps for low light operation	INCLUDED
✓ Hard Drive, 320 GB - 2.5" removable mobile-rated hard drive module with exclusive USB security lockout ( <b>Note: Does not interchange with HD400 or HD 420 Hard Drive</b> )	INCLUDED
✓ Security cap, rear	INCLUDED
✓ Specially designed system to stand up to the constant vibration, G-force shock, humidity temperature extremes, dust and dirt common in buses	INCLUDED
✓ Four channel system (expandable to four cameras)	INCLUDED
✓ Three-year warranty (24-7 technical support)	INCLUDED

**Please Note:**

**Buses with Air Conditioning may require additional mounting hardware and/or Lock Box due to limited availability for placement of the recording equipment, so additional charges may be necessary.**



**BLUEGRASS INTERNATIONAL TRUCKS and  
BUSES, INC.**

**101 TRIPORT CIRCLE  
GEORGETOWN, KY 40324  
T 502.570.5230 F 502.863.3229  
[mcahill@bluegrasstrucks.com](mailto:mcahill@bluegrasstrucks.com)**

**Delivery Credits**

The assigned delivery credit (amount to be deducted from the invoice if the district picks up the bus at the Tulsa, OK plant) for IC Bus is \$1300.00.

The assigned delivery credit (amount to be deducted from the invoice if the district picks up the bus at the Hutchinson, KS plant) for Collins is \$1100.00.

**Note: Please address purchase order for all options to:**


Mark Cahill, Bus Sales Manager  
Bluegrass International Trucks and Buses, Inc.  
101 Triport Circle  
Georgetown, KY 40324

If you have any questions, please contact me via e-mail or at the number listed above.

Sincerely,

*Mark Cahill*

Mark Cahill  
Bus Sales Manager



DH416

COLLINS SEATING PLAN


24 Passengers

4 39 inch SB RH Seats at 29 inch Hip to Knee

4 39 inch SB LH Seats at 28 inch Hip to Knee

Approved By: \_\_\_\_\_ Date: \_\_\_\_\_

	COLLINS BUS CORP. P.O. BOX 2946 HUTCHINSON, KS. 67504-2946 FORM: F-7.3.06 REVISION 0	THIS DRAWING AND ALL INFORMATION THEREON IS THE PROPERTY OF COLLINS IND. INC.	DRAWN BY DEL
			DATE 04/05/12
TITLE CHEVY DH416 SB			DRAWING NO. DH416C_439_439



## DE416WR

### COLLINS SEATING PLAN

8 Passengers & 2 W/C Position(s)

3 30 inch SB RH Seats at 26 inch Hip to Knee

1 30 inch SB LH Seats at 28 inch Hip to Knee

Approved By: \_\_\_\_\_ Date: \_\_\_\_\_



COLLINS BUS CORP.  
P.O. BOX 2946  
HUTCHINSON, KS.  
67504-2946

FORM: F-7.3.06 REVISION 0

THIS DRAWING AND ALL  
INFORMATION THEREON  
IS THE PROPERTY OF  
COLLINS IND. INC.

DRAWN  
BY

DEL


DATE

07/25/12

TITLE CHEVY DE416WR SB

DRAWING  
NO.

DE416WRC\_330\_L330L1



DR.	DATE	CHG	REV	REFERENCE
MRF	18AUG06	UPDATE TO UG	F	
MRF	23AUG06	ADD APT DIM	C	

49TCR/49001

**INTERNATIONAL TRUCK AND ENGINE CORPORATION**  
 INTERNATIONAL CONFIDENTIAL PROPRIETARY

REFERENCE: 493604011


L INEAR MEASURE:  APPROX. MASS (WEIGHT):  
 UNLESS SPECIFIED DIM TOLERANCES ARE:  F IN/100 PART

ONE PLACE: 1.XX ±0.5  
 TWO PLACE: 1.XX ±0.25  
 THREE PLACE: 1.XXX ±0.10  
 ANGLES: ±1°

NAME: BODY PLAN PB10500  
 CONTROL: C 50

DATE: 17AUG09  
 APPROVED: [Signature]  
 PART NO.: DX0025A001  
 SHEET: 01

THIS UNIT CONFORMS TO APPLICABLE FMVSS  
 THIS DOCUMENT IS IN ACCORDANCE WITH 49CFR 541.204-1004  
 AS AMENDED BY THE REVISIONS IN THIS DESIGN  
 IDENTIFICATION NO. T2000L04M-2205



CHK	DATE	OWNER	REV	REFERENCE
JIT	08AUG06	UPDATE TO UG:ADD BTR NOTE	E	

49TMZ/49001  
REVISE ONLY ON LERPROF SYSTEM

INTERNATIONAL TRUCK AND ENGINE CORPORATION  
INTERNATIONAL CONFIDENTIAL PROPRIETARY

REFERENCE 493393013

L INEAR MEASURE:  mm  in

APPROX. MASS (WEIGHT)  APPROX. ROUGH PART

PLEASE SPECIFY DIM TOLERANCES HERE

FINISH PART

ONE PLACE	TWO PLACE	THREE PLACE	ANGLES
±.X1	±.XX	±.XXX	±°
±.5	±.03	±.010	

THREE HOLE PROJECTION

INTERNAL CONTROL

NAME BODY PLAN PB10500

CONTROL E 50

VERSION E

DATE 14MAY99

CHECKED

DATE

APPROVED

DATE

PHYS. NO. CODE

PART TYPE CODE

SCALE NONE

SIZE 4

PART NO. DX0166A001

SHEET 01

FRAME

THIS UNIT CONFORMS TO APPLICABLE FMVSS

THIS DOCUMENT IS IN ACCORDANCE WITH ASME Y14.5M-1994 AS AMENDED BY THE INTERNATIONAL TRUCK ENGINE CORPORATION AND TOLERANCE ACCESS-2000





LEFT SIDE FUEL FILL  
OPTION CANNOT BE USED  
WITH THIS BODY PLAN.

BODY PLAN

WHEELBASE 276"

PB10500, 34 FT. 2 IN., CAP 72, SEAT SIZE 39/39, SEAT SPACING VARIES, SIDE EMERG DOOR



CHK	DATE	CHANGE	REV	REFERENCE
KKB		UPDATED RHAND SEAT SPACING	A	
KLC		ADDED BTR NOTE	B	

50JTT/49001

INTERNATIONAL TRUCK AND ENGINE CORPORATION  
INTERNATIONAL CONFIDENTIAL PROPRIETARY

REFERENCE: BLUE-68A

L INEAR MEASURE:  mm  IN

APPROX. MASS (WEIGHT):

UNLESS SPECIFIED DIM TOLERANCES ARE:

FINISH PART

ONE PLACE	(.X)	+1.5	+0.05	THIRD ANGLE PROJECTION	INTERNAL CONTROL
TWO PLACE	(.XX)	+0.8	+0.03		
THREE PLACE	(.XXX)	+0.25	+0.010		

ANGLES: ±1°

NAME: BODY PLAN PB10500

CONTROL: E 50

NAME (TRANSLATION): E

DRAWN: UCOKKBS

MATERIAL:

DATE: 11OCT10

APPROVE/REV: DATE

APPROVED: P/PS NON CODE PART TYPE CODE SCALE NONE SIZE 4

DATE: PART NO. DX5936A001 SHEET 01

RELEASE NO. 38

THIS UNIT CONFORMS TO APPLICABLE FMVSS

THIS DOCUMENT IS IN ACCORDANCE WITH ASME Y14.5M-1994 AS AMENDED BY THE INTERNATIONAL TRUCK DIVISION DIMENSIONING AND TOLERANCING ADDENDUM-2000.



8 7 6 5 4 3 2 1


BODY PLAN

WHEELBASE 170"

PB10500, 19 FT. 11 IN., CAP 14, SEAT SIZE 30/30, SEAT SPACING VARIES, LIFT-FRONT, 2-WC

35 GAL RSM TANK OPTION WILL  
REDUCE SERVICEABILITY OF  
SENDING UNIT.

CHK	DATE	CHANGE	REV	REFERENCE
MAC	22NOV1996	66 WAS 96.75	A	



\* NOTE:  
SEE SHEET 2 & 3 FOR  
WC-TRACK INSTALLATION

\* 100" : TOTAL TRACK  
LENGTH (APPROXIMATELY)

\* NOTE:  
IT IS THE SELLING DEALER'S RESPONSIBILITY TO  
ENSURE THAT ANY WHEELCHAIR TIE-DOWN SYSTEM  
SPECIFIED AND DEPICTED ON THIS DRAWING MEETS  
ALL DESTINATION STATE SPECIFICATIONS AND TO  
ALSO ENSURE THAT THE WHEELCHAIRS CAN BE  
PLACED AND REMOVED WITH RESPECT TO: SEATS,  
K/O'S, SIDE EMERG DOORS, HEATERS, LIFTS,  
WHEELHOUSES, ETC.  
POSSESSION OF THIS PRINT DOES NOT IN ANY WAY  
OBLIGATE IC CORP. TO BUILD THE UNIT SHOWN.  
WC TRACK SHOWN IS FOR REFERENCE ONLY.

THIS UNIT CONFORMS TO APPLICABLE FMVSS  
THIS DOCUMENT IS IN ACCORDANCE WITH ASME Y14.5M-1994  
AS AMENDED BY THE INTERNATIONAL TRUCK DIVISION  
DIMENSIONING AND TOLERANCING ADDENDUM-2000.

50ETN/49001

INTERNATIONAL TRUCK AND ENGINE CORPORATION  
INTERNATIONAL\*CONFIDENTIAL PROPRIETARY

REFERENCE	BLUE 19	APPROX. MASS (WEIGHT)	E 50
LINEAR MEASURE	mm <input type="checkbox"/> in <input checked="" type="checkbox"/>	ROUGH PART	E
UNLESS SPECIFIED DIM TOLERANCES ARE		FINISH PART	E
ONE PLACE 1.X1	+1.5 -0.00	THIRD ANGLE PROJECTION	INTERNAL CONTROL
TWO PLACE 1.XX	+0.8 -0.03		
THREE PLACE 1.XXX	+0.25 -0.010		
ANGLES	+/-		
NAME	BODY PLAN PB10500	CONTROL	E 50
NAME TRANSLATION		VERSION	E
DRAWN	UGOMACH	MATERIAL	
DATE	01DEC08	APPROVED	
DATE		DATE	
APPROVED	PTR NO. CODE	PART NO. CODE	SCALE NONE
DATE			SIZE 4
RELEASE NO.		PART NO.	SHEET 01
			FRAME

DX4732A001

40

8 7 6 5 4 3 2 1





## THOMAS BUILT BUSES

Address purchase order to:  
 Janet Eisenback, Order Coordinator  
 Whyne Supply/Thomas Built Buses  
 P. O. Box 35900  
 Louisville, KY 40232-5900

### 2013–2014 KENTUCKY SCHOOL BUS OPTION PRICING



MA 758 1300000172

DESCRIPTION		BODY	PRICE
	Adjustable pedals	C2 / HDX	NC
1H	Webasto Heater & 7 day Timer	C2	\$ 810
2H	Webasto Heater & 7 day Timer	FC/HDX	\$ 1,500
1A	GPS / Cell adapter	C2 / HDX / FC	\$ 35
1W	2 Year Extended Body & Chassis Bumper to Bumper Warranty **	C2 / HDX / FC	\$ 650
2U	Cummins Engine Upgrade for 220hp / 520 torque to 250hp / 660 torque	C2	\$ 750
5W	Complete Engine Warranty for Cummins, "NEC", 7 year total or 150,000 Miles <i>(vs standard 5yr unlimited mileage)</i>	All	\$ 1,950
6W	Cummins Major Component Engine Warranty "BMC", 7 year total or 150,000 Miles <i>(list of components will be provided upon request)</i>	All	\$ 600
7W	Cummins Major Component Engine Warranty "BMC", 10 year total or 150,000 Miles <i>(list of components will be provided upon request)</i>	All	\$ 800
8W	2 Year Towing* **	C2	\$ 200
9W	2 Year Towing* **	HDX	\$ 430
10W	2 Year Towing* **	FC	\$ 340
11W	3 Year Towing* ***	FC	\$ 520
	<i>*Up to \$450 per occurrence. Warranty is to be used for required towing repairs that inhibit the mobility of the vehicle. Maintenance and routine repairs do not apply if vehicle can travel without assistance.</i>		
	<i>** Adds 1 additional year to standard warranty, for a 2 year total coverage. *** adds 2 additional, for 3 year total</i>		

The assigned delivery cost (the amount to be deducted if the bus is picked up at the High Point NC plant) for Thomas Bus is \$500

# SEATING CAPACITY: 70 + DRIVER



Forward Control 70 passenger EFX



LEFT BARRIER FRONT MOUNTING HOLE TO FIRST SEAT FRONT MOUNTING HOLE = 11.7

RIGHT BARRIER FRONT MOUNTING HOLE TO FIRST SEAT FRONT MOUNTING HOLE = 8.3

## EQUIPPED WITH 23K SUSPENSION



NOTES:  
 UNIT EQUIPPED WITH PLYWOOD FLOOR  
 \*\*\*23K REAR SUSPENSION\*\*\*

Model: MVP-EF  
 Units Ordered: 10  
 Order Numbers: N/A - 9  
 Quote Number: 267624  
 Locality: KY  
 Build Date: N/A

### GENERAL NOTES

- SOME ITEMS SUCH AS MIRRORS, ROOF LUGGAGE BASKETS, AND OTHER ITEMS, ARE SHOWN IN ONE VIEW.
- THIS DRAWING IS A REPRESENTATION ONLY AND MAY PLEASE REFER TO ORDER.
- THE CLEARANCE BETWEEN BOTTOM OF BUS OR BOTTOM OF UNDERBODY COMPARTMENTS AND GROUND WILL BEYOND RELATED TO TIRE SIZE, BUS LOAD, AND SUSPENSION TYPE.
- THE MAXIMUM WIDTH AT BELT LINE OVER GUARD.
- THE NOMINAL BUS HEIGHT IS BASED ON A STANDARD BODY (AND LARGEST SIZE TIRE) BASED ON BODY WITH OPTIONAL BUSH AS A/C UNIT, STROBE LIGHT, AND OTHER OPTIONS.
- OVER BUMPER DIMENSION DOES NOT TAKE INTO ACCOUNT OPTIONS THAT MAY ADD TO THE TOTAL LENGTH OF THE BUS, SUCH AS MIRRORS, LIGHTS, AND CROSSING ARMS.

THIS DRAWING AND ALL INFORMATION PROVIDED WITH IT ARE THE PROPERTY OF THOMAS BUILT BUSES, INC. ANY REPRODUCTION OR DISTRIBUTION OF THIS MATERIAL OR ANY PART THEREOF WITHOUT WRITTEN PERMISSION OF THOMAS BUILT BUSES, INC. IS STRICTLY PROHIBITED. COPYRIGHT 2004 THOMAS BUILT BUSES, INC.



LOC	HOW	SPACING	SEAT
LEFT		28.6	28.7
LEFT		28.6	28.4
RIGHT		27.5	26.3

TITLE: **PLAN AND ELEVATION BODY 1318S**

DRN 07-12-13 BY Thomas B. DATE: 08/14/14  
 SCALE: 3/8"=12" S 515898  
 Program Version: 11x4.1

# SEATING CAPACITY: 74 + DRIVER



Forward Control 74 passenger EFX




LEFT BARRIER FRONT MOUNTING HOLE TO FIRST SEAT FRONT MOUNTING HOLE = 11.8

RIGHT BARRIER FRONT MOUNTING HOLE TO FIRST SEAT FRONT MOUNTING HOLE = 8.2

## EQUIPPED WITH 23K SUSPENSION



NOTES:  
 UNIT EQUIPPED WITH PLYWOOD FLOOR  
 \*\*FRONT  
 \*\*\*23K REAR SUSPENSION\*\*\*



Model: MVP-EF  
 Units Ordered: 10  
 Order Numbers: N/A - 9  
 Quote Number: 267625  
 Locality: KY  
 Build Date: N/A



**GENERAL NOTES**  
 1. SOME ITEMS, SUCH AS MIRRORS, ROOF LUGGAGE RACKS, AND OTHER ITEMS, ARE SHOWN IN ONE VIEW ONLY.  
 2. THIS DRAWING IS A REPRESENTATION ONLY AND MAY NOT GIVE ALL DETAILS REQUIRED.  
 3. THE CLEARANCE BETWEEN BOTTOM OF BUS OR BOTTOM OF ENGINE COMPARTMENT AND GROUND WILL VARY DEPENDING ON TIRE SIZE, BUS LOAD, AND SUSPENSION.  
 4. THE MAXIMUM WIDTH AT BELT LINE OVER GUARD.  
 5. THE NOMINAL BUS HEIGHT IS BASED ON A STANDARD BODY AND AXLES. SEE THE SEATING CAPACITY AS AN INDICATION OF THE MAXIMUM AS AXLES, STROBE LIGHT, AND OTHER DIMENSIONS DOES NOT TAKE INTO ACCOUNT DIMENSIONS THAT MAY ADD TO THE TOTAL HEIGHT OF THE BUS, SUCH AS MIRRORS, LIGHTS AND CROSSING ARMS.

SIZE	HOW	SPACING	PSL
LEFT		30.1	26.8
LEFT		26.1	24.9
RIGHT		27.5	26.3

**THOMAS BUILT BUSES, INC.**  
 HIGH POINT, NC  
 TITLE: **PLAN AND ELEVATION BODY 1318S**  
 DRN 07-12-13 BY: Thomas B. B. DWG: 45  
 SCALE: 3/8" = 12" S 515917  
 Program Version: 13.41.1

# SEATING CAPACITY: 78 + DRIVER


Forward Control 78 passenger EFX




LEFT BARRIER FRONT MOUNTING HOLE TO FIRST SEAT FRONT MOUNTING HOLE = 11.6

RIGHT BARRIER FRONT MOUNTING HOLE TO FIRST SEAT FRONT MOUNTING HOLE = 7.2

## EQUIPPED WITH 23K SUSPENSION



NOTES:  
 UNIT EQUIPPED WITH PLYWOOD FLOOR  
 \*\*\*23K SUSPENSION\*\*\*



Model: MVP-EF  
 Units Ordered: 10  
 Order Numbers: N/A - 9  
 Quote Number: 267626  
 Locality: KY  
 Build Date: N/A

**GENERAL NOTES**

- SOME ITEMS, SUCH AS CIV MIRRORS, ROOF LUGGAGE RACKS AND OTHER ITEMS ARE SHOWN IN ONE VIEW ONLY FOR CLARITY. REPRESENTATION ONLY AND MAY NOT HAVE ALL ITEMS REQUIRED.
- PLEASE REFER TO DRAWING FOR TIRE SIZE, BUS LOAD AND SUSPENSION TYPE.
- THE CLEARANCE BETWEEN BOTTOM OF BUS OR BOTTOM OF JACK RACK COMPARTMENTS AND GROUND WILL VARY DEPENDING ON TYPE.
- THE MAXIMUM WIDTH AT BELT LINE OVER GUARD RAIL.
- THE NOMINAL BUS HEIGHT IS BASED ON A STANDARD BODY AND LARGER SEAT PANS.
- THE MAXIMUM BUS HEIGHT IS BASED ON BODY WITH OPTIONS SUCH AS JACK UNITS, STORAGE LIGHT.
- COVER SURFACE DIMENSION DOES NOT TAKE INTO ACCOUNT THE HEIGHT OF ANY DEVICE WHICH MAY ADD TO THE TOTAL HEIGHT OF THE BUS, SUCH AS MIRRORS, LIGHTS AND CROSSING ARMS.

THIS DRAWING AND ALL INFORMATION PROVIDED WITH IT ARE THE PROPERTY OF THOMAS BUILT BUSES, INC. ANY REPRODUCTION OR DISTRIBUTION OF THIS MATERIAL OR ANY PART WITHOUT THE WRITTEN PERMISSION OF THOMAS BUILT BUSES, INC. IS STRICTLY PROHIBITED. COPYRIGHT © 2014 THOMAS BUILT BUSES, INC.

LOC	ROW	SPACING	2008
LEFT		28.8	28.8
LEFT		28.5	27.3
RIGHT		25.9	24.7
RIGHT		28.1	26.9

THOMAS BUILT BUSES, INC.  
 HIGH POINT, NC  
 TITLE: PLAN AND ELEVATION BODY 1408S  
 DRN 07-11-13 BY Thomas B. B...  
 SCALE 3/8"=12" S 515841












# SEATING CAPACITY: 22 + DRIVER

Minotour 22 passenger straight seated



LEFT BARRIER FRONT MOUNTING HOLE TO FIRST SEAT FRONT MOUNTING HOLE = 10.1

RIGHT BARRIER FRONT MOUNTING HOLE TO FIRST SEAT FRONT MOUNTING HOLE = 10.1



Model: Minotour DRW  
 Units Ordered: 10  
 Order Numbers: N/A - 9  
 Quote Number: 267610  
 Locality: KY  
 Build Date: N/A

**GENERAL NOTES**

- SOME ITEMS, SUCH AS CV MIRRORS, ROOF LUGGAGE RACKS AND OTHER ITEMS, ARE SHOWN IN ONE VIEW ONLY FOR CLARITY.
- THIS DRAWING IS A REPRESENTATION ONLY AND MAY NOT HAVE ALL ITEMS REQUIRED. PLEASE REFER TO ORDER.
- THE CLEARANCE BETWEEN BOTTOM OF BUS OR BOTTOM OF UNDERBODY COMPARTMENTS AND GROUND WILL VARY ACCORDING TO TIRE SIZE, BUS LOAD AND SUSPENSION TYPE.
- THE MAXIMUM WIDTH AT BELT LINE OVER GUARD RAILS IS 67".
- THE NOMINAL BUS HEIGHT IS BASED ON A STANDARD BODY AND LARGEST SIZE TIRES.
- THE MAXIMUM BUS HEIGHT IS BASED ON BODY WITH OPTIONS SUCH AS AC UNITS, STROBE LIGHT, LARGER SUSPENSION ETC.
- OVERALL DIMENSIONS DOES NOT TAKE INTO ACCOUNT OPTIONS THAT MAY ADD TO THE TOTAL HEIGHT OF THE BUS, SUCH AS MIRRORS, LIGHTS AND CROSSING ARMS.

THIS DRAWING AND ALL INFORMATION PROVIDED WITH IT ARE THE PROPERTY OF THOMAS BUILT BUSES INC. ANY REPRODUCTION OR DISTRIBUTION OF THIS MATERIAL OR ANY PART WITHOUT WRITTEN PERMISSION OF THOMAS BUILT BUSES, INC. IS STRICTLY PROHIBITED. COPYRIGHT 2008 THOMAS BUILT BUSES, INC.

SIDE	ROW	SPACING	SEAT WIDTH
LEFT		28.5"	27.3"
RIGHT		30.3"	29.1"

**THOMAS BUILT BUSES, INC.**  
HIGH POINT, NC



TITLE: **PLAN AND ELEVATION BODY 041MS**

DRW 07.11.13 BY: Thomas B. B. DATE: 2008.50

SCALE: 3/8"=12" S 515850



# SEATING CAPACITY: 34 + DRIVER

Conventional 34 passenger C2




LEFT BARRIER FRONT MOUNTING HOLE TO FIRST SEAT FRONT MOUNTING HOLE = 11.1

RIGHT BARRIER FRONT MOUNTING HOLE TO FIRST SEAT FRONT MOUNTING HOLE = 8.4



MAXIMUM HEIGHT (SEE NOTE 6)  
134.0"

NOMINAL HEIGHT (SEE NOTE 5)  
123.0"



Model: Saf-T-Liner C2  
Units Ordered: 10  
Order Numbers: N/A - 9  
Quote Number: 267612  
Locality: KY  
Build Date: N/A

**GENERAL NOTES**

- SOME ITEMS, SUCH AS MIRRORS, ROOF LUGGAGE RACKS AND OTHER ITEMS ARE SHOWN IN ONE VIEW ONLY FOR CLARITY.
- THIS DRAWING IS A REPRESENTATION ONLY AND MAY NOT HAVE ALL ITEMS REQUIRED.
- PLEASE REFER TO ORDER.
- THE CLEARANCE BETWEEN BOTTOM OF BUS OR BOTTOM OF UNDERBODY COMPARTMENTS AND GROUND WILL VARY ACCORDING TO TIRE SIZE, BUS LOAD AND SUSPENSION TYPE.
- THE MAXIMUM WIDTH AT BELT LINE OVER GUARD RAILS IS 108.0".
- THE NOMINAL BUS HEIGHT IS BASED ON A STANDARD BODY AND LARGEST BUS TIRES.
- THE MAXIMUM BUS HEIGHT IS BASED ON BODY WITH OPTIONS SUCH AS AN ENT. STORAGE LIGHT.
- OTHER BARRIER DIMENSIONS DOES NOT TAKE INTO ACCOUNT OPTIONS THAT MAY ADD TO THE TOTAL LENGTH OF THE BUS SUCH AS MIRRORS, LIGHTS AND CROSSING ARMS.



THIS DRAWING AND ALL INFORMATION PROVIDED WITH IT ARE THE PROPERTY OF THOMAS BUILT BUSES, INC. ANY REPRODUCTION OR DISTRIBUTION OF THIS MATERIAL OR ANY PART WITHOUT WRITTEN PERMISSION OF THOMAS BUILT BUSES, INC. IS STRICTLY PROHIBITED. COPYRIGHT 2004 THOMAS BUILT BUSES, INC.

SIZE	HOW	SPACING	QTY.
LEFT		28.7	27.5
RIGHT		28.1	26.9

**THOMAS BUILT BUSES, INC**  
HIGH POINT, NC  
TITLE: **PLAN AND ELEVATION BODY 161TS**  
DRN 07-12-13 BY Thomas B. B. DATE: MVB  
SCALE: 3/8"=12" S 515894




# SEATING CAPACITY: 52 + DRIVER

Conventional 52 passenger C2



LEFT BARRIER FRONT MOUNTING HOLE TO FIRST SEAT FRONT MOUNTING HOLE = 11.0

RIGHT BARRIER FRONT MOUNTING HOLE TO FIRST SEAT FRONT MOUNTING HOLE = 9.3



Model: Saf-T-Liner C2  
 Units Ordered: 10  
 Order Numbers: N/A - 9  
 Quote Number: 267615  
 Locality: KY  
 Build Date: N/A

**GENERAL NOTES**

- SOME ITEMS, SUCH AS CY MIRRORS, ROOF LUGGAGE RACKS AND OTHER ITEMS ARE SHOWN IN ONE VIEW ONLY.
- THIS DRAWING IS A REPRESENTATION ONLY AND MAY NOT HAVE ALL DIMENSIONS REQUIRED.
- PLEASE CONTACT US TO OBTAIN THE LATEST REVISIONS.
- PLEASE CONTACT US TO OBTAIN THE LATEST REVISIONS.
- PLEASE CONTACT US TO OBTAIN THE LATEST REVISIONS.
- PLEASE CONTACT US TO OBTAIN THE LATEST REVISIONS.
- PLEASE CONTACT US TO OBTAIN THE LATEST REVISIONS.
- PLEASE CONTACT US TO OBTAIN THE LATEST REVISIONS.

THIS DRAWING AND ALL INFORMATION PROVIDED WITH IT ARE THE PROPERTY OF THOMAS BUILT BUSES, INC. ANY REPRODUCTION OR DISTRIBUTION OF THIS MATERIAL OR ANY PART THEREOF WITHOUT THE WRITTEN PERMISSION OF THOMAS BUILT BUSES, INC. IS STRICTLY PROHIBITED. COPYRIGHT 2004 THOMAS BUILT BUSES, INC.



SIZE	ROW	SPACING	SEAT
LEFT		29.2	28.0
RIGHT		28.7	27.5

THOMAS BUILT BUSES, INC.  
 HIGH POINT, NC  
 TITLE: **PLAN AND ELEVATION BODY 251TS**  
 DRN 07-11-13 BY Thomas B. DATE: 07-11-13  
 SCALE: 3/8"=12" S 515851  
 Program Version: 134.1






# SEATING CAPACITY: 66 + DRIVER

Conventional 66/3000 passenger C2



LEFT BARRIER FRONT MOUNTING HOLE TO FIRST SEAT FRONT MOUNTING HOLE = 10.9

RIGHT BARRIER FRONT MOUNTING HOLE TO FIRST SEAT FRONT MOUNTING HOLE = 7.8



Model: Saf-T-Liner C2  
 Units Ordered: 10  
 Order Numbers: N/A - 9  
 Quote Number: 267636  
 Locality: KY  
 Build Date: N/A

- GENERAL NOTES**
- SOME ITEMS SUCH AS OVERHEAD ROOF LUGGAGE RACKS AND OTHER ITEMS ARE SHOWN IN ONE VIEW ONLY FOR CLARITY.
  - THIS DRAWING IS A REPRESENTATION ONLY AND MAY PLEASE REFER TO ORDER.
  - IF SEAT SPACINGS BETWEEN BOTTOM OF BUS OR BOTTOM OF UNDERBODY COMPARTMENTS AND GROUND WILL VARY ACCORDING TO TIRE SIZE, BUS LOAD AND SUSPENSION TYPE.
  - THE MAXIMUM WIDTH AT BELT LINE OVER GUARD RAILS IS 10.0.
  - THE NOMINAL BUS HEIGHT IS BASED ON A STANDARD BODY AND LARGEST SIZE TIRES.
  - THE MAXIMUM BUS HEIGHT IS BASED ON BODY WITH OPTIONS SUCH AS A/C UNITS, STROBE LIGHT, AIR BRAKES, ETC.
  - "OVER BUMPER" DIMENSION DOES NOT TAKE INTO ACCOUNT OPTIONS THAT MAY ADD TO THE TOTAL LENGTH OF THE BUS, SUCH AS MIRRORS, LIGHTS AND CROSSING ARMS.



THIS DRAWING AND ALL INFORMATION PROVIDED WITH IT ARE THE PROPERTY OF THOMAS BUILT BUSES, INC. ANY REPRODUCTION OR DISTRIBUTION OF THIS MATERIAL OR ANY PART WITHOUT WRITTEN PERMISSION OF THOMAS BUILT BUSES, INC. IS STRICTLY PROHIBITED. COPYRIGHT 2014 THOMAS BUILT BUSES, INC.

SIZE	HOW	SPACING	SEAT	BACK
LEFT		29.0	27.9	
LEFT		30.3	29.1	
RIGHT		27.3	26.1	
RIGHT		30.3	29.1	

**THOMAS BUILT BUSES, INC**  
 HIGH POINT, NC  
 TITLE: **PLAN AND ELEVATION BODY 340TS**  
 DRW: 07-11-13 BY: Thomas B. B. DATE: 07/11/13  
 SCALE: 3/8" = 12" S 515856  
 Program Version: 13.4.1




# SEATING CAPACITY: 72 + DRIVER

Conventional 72/2500 passenger C2



LEFT BARRIER FRONT MOUNTING HOLE TO FIRST SEAT FRONT MOUNTING HOLE = 10.9

RIGHT BARRIER FRONT MOUNTING HOLE TO FIRST SEAT FRONT MOUNTING HOLE = 7.7



Model: Saf-T-Liner C2  
 Units Ordered: 10  
 Order Numbers: N/A - 9  
 Quote Number: 267639  
 Locality: KY  
 Build Date: N/A

**GENERAL NOTES**

- SOME ITEMS, SUCH AS CV MIRRORS, ROOF LUGGAGE RACKS, AND OTHER ITEMS, ARE SHOWN IN ONE VIEW OR ANOTHER.
- THIS DRAWING IS A REPRESENTATION ONLY AND MAY NOT HAVE ALL ITEMS REQUIRED. PLEASE REFER TO ORDER.
- THE CLEARANCE BETWEEN BOTTOM OF BUS OR BOTTOM OF JNC, RIGHT COMPARTMENTS AND GROUND WILL VARY ACCORDING TO TIRE SIZE, BUS LOAD, AND SUSPENSION TYPE.
- THE MAXIMUM WIDTH AT BELT LINE OVER GUARD RAILS IS 100".
- THE NOMINAL BUS HEIGHT IS BASED ON A STANDARD BODY AND LARGEST SEAT LINE.
- THE MAXIMUM BUS HEIGHT IS BASED ON BODY WITH OPTIONS SUCH AS ANTS, STROBE LIGHT, AND LIGHT BARS.
- COVER HEIGHT DIMENSION DOES NOT TAKE INTO ACCOUNT OPTIONS THAT MAY ADD TO THE TOTAL LENGTH OF THE BUS, SUCH AS MIRRORS, LIGHTS AND CROSSING ARMS.

THIS DRAWING AND ALL INFORMATION PROVIDED WITH IT ARE THE PROPERTY OF THOMAS BUILT BUSES, INC. ANY REPRODUCTION OR DISTRIBUTION OF THIS MATERIAL OR ANY PART THEREOF WITHOUT PERMISSION OF THOMAS BUILT BUSES, INC. IS STRICTLY PROHIBITED. COPYRIGHT 2008 THOMAS BUILT BUSES, INC.

SIDE	ROW	SPACING	SEAT
LEFT		29.0	21.5
LEFT		26.2	25.0
RIGHT		26.1	24.9

**THOMAS BUILT BUSES, INC.**  
 HIGH POINT, NC

TITLE **PLAN AND ELEVATION BODY 340TS**

DRN 07.11.13 BY Thomas B. B. 2008 55  
 SCALE 3/8"=1' S 515848



**THOMAS BUILT BUSES**

Address purchase order to:  
Janet Eisenback, Order Coordinator  
Wayne Supply/Thomas Built Buses  
P. O. Box 35900  
Louisville, KY 40232-5900

**2013-2014 KENTUCKY SCHOOL BUS OPTION PRICING**  
MA 758 1300000172

**Carrier Air Conditioning:**

**Minotour**

<b>22 / 24 passenger</b>	<b>70,000 BTU system</b>	<b>\$5,527</b>
--------------------------	--------------------------	----------------

**C2 Saf-T-Liner**

<b>34 passenger</b>	<b>90,000 BTU system</b>	<b>\$9,170</b>
---------------------	--------------------------	----------------

<b>52 passenger</b>	<b>110,000 BTU system</b>	<b>\$9,651</b>
---------------------	---------------------------	----------------

<b>66 &amp; 72 passenger</b>	<b>120,000 BTU system</b>	<b>\$9,770</b>
------------------------------	---------------------------	----------------

**Forward Control**

<b>70 - 78passenger</b>	<b>120,000 BTU system</b>	<b>\$10,306</b>
-------------------------	---------------------------	-----------------

**Rear Engine**

<b>78 &amp; 84passenger</b>	<b>130,000 BTU system</b>	<b>\$10,984</b>
-----------------------------	---------------------------	-----------------

**THOMAS BUILT BUSES**

Address purchase order to:  
 Janet Eisenback, Order Coordinator  
 Whayne Supply/Thomas Built Buses  
 P. O. Box 35900  
 Louisville, KY 40232-5900

**2013–2014 KENTUCKY SCHOOL BUS OPTION PRICING**  
 MA 758 1300000172

<b>CAPACITY</b>	<b>OPTION</b>	<b>COST</b>
52 passenger <b>C2 Saf-T-Liner</b> , type C	Center Storage Box 22x25x60"	<b>\$790.00</b>
66 & 72 passenger <b>C2 Saf-T-Liner</b> , type C	Right Center Storage Box 22x25x100"	<b>\$960.00</b>
66 & 72 passenger <b>C2 Saf-T-Liner</b> , type C	Left Center Storage Box 22x25x100"	<b>\$960.00</b>
66 & 72 passenger <b>C2 Saf-T-Liner</b> , type C	2 <sup>nd</sup> Left Center Storage Box 22x25x30"	<b>\$395.00</b>

78 passenger <b>Rear Engine</b> , type D	Left Center Boxes 22x56" & 22x84"	<b>\$1,680.00</b>
78 passenger <b>Rear Engine</b> , type D	Right Center Boxes 22x56" & 22x84"	<b>\$1,680.00</b>
78 & 84 passenger <b>Rear Engine</b> , type D	Center Pass Through 125"	<b>\$3,930.00</b>

70 passenger <b>Front Engine</b> , type D	Right Center Storage Box 22x84"	<b>\$920.00</b>
70 passenger <b>Front Engine</b> , type D	Left Center Storage Box 22x56"	<b>\$770.00</b>
74 passenger <b>Front Engine</b> , type D	Right Center Storage Box 22x84"	<b>\$920.00</b>
74 passenger <b>Front Engine</b> , type D	Left Center Storage Box 22x84"	<b>\$920.00</b>
78 passenger <b>Front Engine</b> , type D	Left Center Storage Box 22x98"	<b>\$920.00</b>
78 passenger <b>Front Engine</b> , type D	Right Center Storage Box 22x98"	<b>\$920.00</b>

## THOMAS BUILT BUSES

Address purchase order to:  
Janet Eisenback, Order Coordinator  
Whayne Supply/Thomas Built Buses  
P. O. Box 35900  
Louisville, KY 40232-5900

2012-2013 KENTUCKY SCHOOL BUS OPTION PRICING  
MA 758 1300000172

<b>AM/FM RADIO w/ CD PLAYER</b>			
1a	PANASONIC/MITO – AM/FM/CD PLAYER – with 4 flush-mounted speakers	Type A/C 22, 34 – 52	\$ 620
1b	PANASONIC/MITO – AM/FM/ CD PLAYER – with 6 flush-mounted speakers	Type C 66 & 72 D-EF66	\$ 650
1c	PANASONIC/MITO – AM/FM/ CD PLAYER – with 8 flush-mounted speakers	Type D ER / FC 70 - 84	\$ 690
<b>AM/FM w/ CD PLAYER &amp; PA SYSTEM</b>			
2a	PANASONIC/MITO– AM/FM/CD PLAYER – with 4 flush-mounted speakers, Outside Speaker, chassis mounted	Type A/C 22, 34 – 52	\$ 710
2b	PANASONIC/MITO– AM/FM/CD PLAYER – with 6 flush-mounted speakers, Outside Speaker, chassis mounted	Type C 66 & 72 D-EF 66	\$ 740
2c	PANASONIC/MITO – AM/FM/CD PLAYER – with 8 flush-mounted speakers, Outside speaker, chassis mounted	Type D ER / FC 70 - 84	\$ 810
<b>ADDITIONAL WHEELCHAIR POSITION</b>			
4	Add 1 FF630-4C wheelchair position to Lift Bus	All*	\$ 720
<b>DELETE WHEELCHAIR POSITION</b>			
5	Delete 1 wheelchair position and add seats	All*	\$280 Credit
<b>ADD TRACK MOUNTED SEATS IN A WHEELCHAIR POSITION</b>			
6	Add 2 track mounted seats in to a designated wheelchair position	All*	\$730 (per set of 2)
7	IMMI XChange – 39" Child Safety Restraint Seat with lap belts in lieu of Std. 39" Seat – (replaces standard) *	All*	\$ 750
8	IMMI XChange – 30" Child Safety Restraint Seat with lap belts in lieu of Std. 30" Seat – (replaces standard)*	All*	\$ 690

*\* PLEASE NOTE: Adding or deleting a wheelchair position and/or adding IMMI seats will require seating plan adjustment. Please submit requested change to TBB for review and to have a new seat plan generated. Some configurations may not be available.*

## Seon Design Inc. / Thomas Built Buses

Address purchase order to:  
 Janet Eisenback, Order Coordinator  
 Whayne Supply/Thomas Built Buses  
 P. O. Box 35900  
 Louisville, KY 40232-5900

### 2012–2013 KENTUCKY SCHOOL BUS OPTION PRICING MA 758 1300000172

#### Camera Systems

TL2	Trooper TL2	\$	985
TL4	Trooper TL4	\$	1,085
<p>Above Seon DVR Camera Systems include, lock box, 320gb hard drive, 1 day/night camera w/ audio - 6 mm lens for C2 or HDX models, 3.6 mm lens for Minotours. (Unless noted, camera will be installed in front facing rear of bus.) USB used for viewing. Basic reader software (V-Max included for TL &amp; MX series)</p>			

#### Camera Heads

SQ606A2D	Dome Camera Head w/IR - High resolution	\$	205
<p>Additional Camera locations  <u>Please note location for each additional camera head ordered. When installing on competitors' buses locations may need to be slightly adjusted to accommodate correct viewing and construction interference.</u></p>			
Location 2	Rear of bus facing forward - 50' cable for C2 models or 75' for type D. (Please note length required)		
Location 3	Step well / Center of bus toward door		
Location 4	Driver & stepwell / above drivers head toward stepwell		
Location 5	Stop Arm		
Location 6	Mid ship / Above side emergency door (or center of bus)		
CA9xxE20	Exterior Stop Arm Camera	\$	249

# Seon Design Inc. / Thomas Built Buses

Address purchase order to:

Janet Eisenback, Order Coordinator  
Whayne Supply/Thomas Built Buses  
P. O. Box 35900  
Louisville, KY 40232-5900

## 2012–2013 KENTUCKY SCHOOL BUS OPTION PRICING MA 758 1300000172

### Accessories

TL-H160g	320 GB Hard Drive for new systems (TL)	\$	208
TRLMK	LCD Monitor (LCD Monitor Kit 5.6" c/w battery, charger & case)	\$	296
SC-BP	Bench test power supply	\$	137
GPS4	GPS Antenna	\$	135
VMTM	V-Max Live GPS Tracking System (1 yr)	\$	260

### Installations

New System Install	Basic System Installation,(TL2 & TL4) does not include removal of pre existing systems. (Quote Required)	\$	299
Acc. Install	Accessory Installation for GPS	\$	49
Camera Install	Installation for each additional Camera Head	\$	69



\* Additional systems, parts and components pricing available upon request.

\* Please call with any questions or quote requirements.

Thank You,  
JE



# SEATING CAPACITY: 10 + 2 WC + DRIVER

Minotour 24 passenger Special Needs




LEFT BARRIER FRONT MOUNTING HOLE TO FIRST SEAT FRONT MOUNTING HOLE = 1.7  
CAUTION! - RIGHT SIDE BARRIER IS NOT IN STANDARD LOCATION, SEE SEATING PLAN.

10.5" MIN CLR. FROM REAR WALL AT FLR TO SEATBACK



NOTES:  
\* INDICATES P/O WINDOW - REWARD FACING HANDLE  
UNIT EQUIPPED WITH OVERHEAD TRACK REINFORCEMENT  
UNIT EQUIPPED WITH PLYWOOD FLOOR  
THIS UNIT BUILT WITH ALUMINUM BODY



Model: Minotour DRW  
Units Ordered: 10  
Order Numbers: N/A - 9  
Quote Number: 267611  
Locality: KY  
Build Date: N/A

**GENERAL NOTES**

- SOME ITEMS, SUCH AS CV MIRRORS, ROOF LUGGAGE RACKS AND OTHER ITEMS, ARE SHOWN IN ONE VIEW ONLY FOR CLARITY.
- THIS DRAWING IS A REPRESENTATION ONLY AND MAY NOT HAVE ALL ITEMS REQUIRED. PLEASE RECALL TO ORDER.
- THE CLEARANCE BETWEEN BOTTOM OF BUS OR BOTTOM OF UNDERBODY COMPARTMENTS AND GROUND WILL VARY ACCORDING TO TIRE SIZE, BUS LOAD AND SUSPENSION TYPE.
- THE MAXIMUM WIDTH AT BELT LINE OVER GUARD RAILS.
- THE NOMINAL BUS HEIGHT IS BASED ON A STANDARD BODY AND LARGEST SIZE TIRES.
- THE MAXIMUM BUS HEIGHT IS BASED ON BODY WITH OPTIONS SUCH AS AC UNIT, STORAGE LIGHT, LARGER SUSPENSION, ETC.
- OVER SUSPENSION DOES NOT TAKE INTO ACCOUNT OPTIONS THAT MAY ADD TO THE TOTAL LENGTH OF THE BUS, SUCH AS MIRRORS, LIGHTS AND CROSSING ARMS.

THIS DRAWING AND ALL INFORMATION PROVIDED WITH IT ARE THE PROPERTY OF THOMAS BUILT BUSES, INC. ANY REPRODUCTION OR DISTRIBUTION OF THIS MATERIAL OR ANY PART WITHOUT WRITTEN PERMISSION OF THOMAS BUILT BUSES, INC. IS STRICTLY PROHIBITED. COPYRIGHT 2004 THOMAS BUILT BUSES, INC.

ROW	SPACING	SEAT	SEAT
LEFT	28.1	26.9	



**THOMAS BUILT BUSES, INC**  
HIGH POINT, NC

TITLE: **PLAN AND ELEVATION BODY 051MS**



DRN 07-15-13 BY Thomas B. B. DATE 02/20/13  
SCALE 3/8"=12" S 515864

# SEATING CAPACITY: 12 + 2 WC + DRIVER


Conventional 34 passenger C2 Special Needs



LEFT BARRIER FRONT MOUNTING HOLE TO FIRST SEAT FRONT MOUNTING HOLE = 2.7  
CAUTION! - RIGHT SIDE BARRIER IS NOT IN STANDARD LOCATION, SEE SEATING PLAN.



NOTES:  
UNIT EQUIPPED WITH OVERHEAD TRACK REINFORCEMENT



Model: Saf-T-Liner C2  
Units Ordered: 10  
Quote Number: N/A - 9  
Quote Number: 267614  
Locality: KY  
Build Date: N/A

**GENERAL NOTES**

- SOME ITEMS, SUCH AS CV MIRRORS, ROOF LUGGAGE RACKS, AND OTHER ITEMS, ARE SHOWN IN ONE VIEW ONLY.
- THIS DRAWING IS A REPRESENTATION ONLY AND MAY NOT HAVE ALL ITEMS REQUIRED.
- PLEASE REFER TO ORDER.
- PLEASE MAINTAIN CLEARANCE BETWEEN BOTTOM OF BUS OR BOTTOM OF UNDERBODY COMPARTMENTS AND GROUND WILL VARY DEPENDING ON TIRE SIZE, BUS LOAD AND SUSPENSION TYPE.
- THE MAXIMUM WIDTH AT BELT LINE OVER GUARD.
- THE NOMINAL BUS HEIGHT IS BASED ON A STANDARD BODY AND STANDARD SEAT HEIGHTS.
- THE MAXIMUM BUS HEIGHT IS BASED ON BODY WITH OPTIONS SUCH AS AC UNITS, STROBE LIGHT.
- LANE CHANGING DIMENSIONS DOES NOT TAKE INTO ACCOUNT OPTIONS THAT MAY ADD TO THE TOTAL LENGTH OF THE BUS, SUCH AS MIRRORS, LIGHTS AND CROSSING ARMS.

THIS DRAWING AND ALL INFORMATION PROVIDED WITH IT ARE THE PROPERTY OF THOMAS BUILT BUSES, INC. ANY REPRODUCTION OR DISTRIBUTION OF THIS MATERIAL OR ANY PART WITHOUT WRITTEN PERMISSION OF THOMAS BUILT BUSES, INC. IS STRICTLY PROHIBITED. COPYRIGHT 2004 THOMAS BUILT BUSES, INC.

SIZE	ROW	SPACE	ROWS
LEFT		27.2	26.0

**THOMAS BUILT BUSES, INC.**  
HIGH POINT, NC



TITLE  
**PLAN AND ELEVATION  
BODY 161TS**

DRN 07-15-13 BY Thomas B. B. DATE 02/05/14  
SCALE 3/8"=12" S 315901





# SEATING CAPACITY: 26 + 4 WC + DRIVER

Conventional 66/2500 passenger C2 Special Needs




LEFT BARRIER FRONT MOUNTING HOLE TO FIRST SEAT FRONT MOUNTING HOLE = 5.7

CAUTION! - RIGHT SIDE BARRIER IS NOT IN STANDARD LOCATION. SEE SEATING PLAN.



NOTES:  
 UNIT EQUIPPED WITH OVERHEAD TRACK REINFORCEMENT



Model: Saf-T-Liner C2  
 Units Ordered: 10  
 Order Numbers: N/A - 9  
 Quote Number: 267635  
 Locality: KY  
 Build Date: N/A

- GENERAL NOTES**
- SOME ITEMS, SUCH AS CV MIRRORS, ROOF LUGGAGE RACKS, AND OTHER ITEMS, ARE SHOWN IN ONE VIEW ONLY FOR CLARITY.
  - THIS DRAWING IS A REPRESENTATION ONLY AND MAY NOT HAVE THE LATEST REVISIONS. PLEASE REFER TO ORDER #.
  - THE CLEARANCE BETWEEN BOTTOM OF BUS OR BOTTOM OF UNDERBODY COMPARTMENTS AND GROUND WILL VARY ACCORDING TO THE SIZE, BUS LOAD, AND SUSPENSION TYPE.
  - THE MAXIMUM WIDTH AT BELT LINE OVER GUARD RAILS IS NOMINAL. BUS HEIGHT IS BASED ON A STANDARD BODY AND LARGEST SIZE TIRE BASED ON BODY WITH OPTIONS SUCH AS A/C UNITS, STROBE LIGHT, LARGEST SUSPENSION TYPE.
  - OVER BUMPER DIMENSIONS DOES NOT TAKE INTO ACCOUNT OPTIONS THAT MAY ADD TO THE TOTAL LENGTH OF THE BUS, SUCH AS MIRRORS, LIGHTS AND CROSSING ARMS.

THIS DRAWING AND ALL INFORMATION PROVIDED WITH IT ARE THE PROPERTY OF THOMAS BUILT BUSES, INC. ANY REPRODUCTION OR DISTRIBUTION OF THIS MATERIAL OR ANY PART WITHOUT WRITTEN PERMISSION OF THOMAS BUILT BUSES, INC. IS STRICTLY PROHIBITED. COPYRIGHT 2004 THOMAS BUILT BUSES, INC.

SEC	HOW	SPACING	ROW
LEFT		27.2	26.0
RIGHT		29.0	27.8

**THOMAS BUILT BUSES, INC**  
 HIGH POINT, NC  
**PLAN AND ELEVATION**  
**BODY 341TS**  
 DRN 07-12-13 BY Thomas B. BYE  
 SCALE 3/8"=1' S  
 545912

