# 2018 School Health Profiles Report Weighted Principal Survey Results

1. Percentage of schools that ever used the School Health Index or other self-assessment tool to assess school policies, activities, and programs in the following areas.

		Hi	gh Schools		Mic	ldle Schools			r/Senior High Schools	1	A	All Schools	
		Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a.	Physical education and physical activity	70.8	64.0 - 76.8	89	79.6	74.6 - 83.9	123	69.6	57.9 - 79.2	20	75.6	71.8 - 79.0	232
b.	Nutrition	70.9	70.9 64.1 - 76.8 89		74.1	68.5 - 79.0	124	69.6	57.9 - 79.2	20	72.6	68.6 - 76.2	233
c.	Tobacco-use prevention	67.9	60.7 - 74.4	90	65.4	59.1 - 71.3	125	60.5	46.3 - 73.1	20	65.9	61.4 - 70.1	235
d.	Chronic health conditions (e.g., asthma, food allergies)	56.4	48.9 - 63.5	89	49.5	42.6 - 56.4	124	44.7	30.1 - 60.4	20	51.5	46.7 - 56.4	233
e.	Unintentional injury and violence prevention (safety)	57.5	50.2 - 64.5	89	56.5	49.2 - 63.5	123	50.6	34.1 - 66.9	20	56.3	51.3 - 61.2	232
f.	Sexual health, including HIV, other STD, and pregnancy prevention	61.2	54.4 - 67.5	90	51.4	44.7 - 58.0	123	50.6	34.1 - 66.9	20	54.9	50.2 - 59.4	233

# 2018 School Health Profiles Report Weighted Principal Survey Results

2. Percentage of schools with a School Improvement Plan that includes health-related objectives on the following topics.

		H	igh Schools		Mic	ldle Schools			/Senior Hig Schools	h	A	All Schools	
			95% Confidence			95% Confidence			95% Confidence			95% Confidence	
		Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
a.	Health education	52.5	44.7 - 60.2	91	49.7	43.7 - 55.7	126	-	-	16	50.3	45.7 - 55.0	233
b.	Physical education	49.2	41.3 - 57.2	91	50.8	44.7 - 56.9	125	-	-	16	50.2	45.5 - 54.9	232
c.	Physical activity	47.1	39.5 - 54.8	91	46.4	40.2 - 52.7	124	-	-	16	45.6	41.0 - 50.3	231
d.	School meal programs	42.1	34.7 - 50.0	90	37.1	31.8 - 42.7	123	-	-	16	38.0	33.8 - 42.4	229
e.	Foods and beverages available at school outside the school meal programs	38.5	31.2 - 46.3	91	33.2	28.1 - 38.8	124	-	-	17	35.3	31.0 - 39.7	232
f.	Health services	43.8	36.5 - 51.3	91	45.5	40.2 - 51.0	123	-	-	17	43.6	39.5 - 47.8	231
g.	Counseling, psychological, and social services	52.3	44.6 - 59.8	90	56.9	50.9 - 62.7	124	-	-	17	53.5	49.1 - 57.9	231
h.	Physical environment	48.8	41.1 - 56.6	90	49.6	43.5 - 55.7	123	-	-	17	48.3	43.6 - 52.9	230
i.	Social and emotional climate	66.8	58.9 - 73.8	90	65.0	59.8 - 70.0	124	-	-	17	65.7	61.4 - 69.7	231
j.	Family engagement			81.6	75.7 - 86.3	124	-	-	17	76.6	72.1 - 80.6	231	
k.	Community involvement			77.1	71.6 - 81.8	124	-	-	17	74.9	70.6 - 78.8	231	
1.	Employee wellness	38.0	30.7 - 45.9	90	34.4	29.0 - 40.3	125	-	-	18	34.3	30.1 - 38.8	233

Page 2 of 63

<sup>-</sup> Results are suppressed due to insufficient number of respondents in subgroup.

# 2018 School Health Profiles Report Weighted Principal Survey Results

3. Percentage of schools that reviewed health and safety data as part of school's improvement planning process.\*

H	igh Schools		Mie	ddle Schools		Junior/Se	enior High Scl	iools	A	All Schools		
	95%			95%			95%			95%		
	Confidence			Confidence			Confidence			Confidence		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	
61.5				46.9 - 60.3	114	45.3	30.3 - 61.2	20	55.6	50.7 - 60.5	215	

## 2018 School Health Profiles Report Weighted Principal Survey Results

4. Percentage of schools that did the following activities during the past year.

		Hi	igh Schools		Mic	ddle Schools		Junio	or/Senior High Schools	h	A	All Schools	
		Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a.	Reviewed district's local wellness policy	93.4	89.4 - 96.0	91	95.5	92.0 - 97.5	127	91.3	77.6 - 97.0	21	94.4	92.0 - 96.1	239
b.	Helped revise district's local wellness policy	70.1	62.2 - 76.9	90	70.7	64.8 - 76.0	127	76.3	63.1 - 85.8	21	71.0	66.6 - 75.0	238
c.	Communicated to school staff about district's local wellness policy	82.5	75.3 - 87.9	90	80.7	75.4 - 85.2	127	81.3	70.9 - 88.6	21	81.4	77.5 - 84.7	238
d.	Communicated to parents and families about district's local wellness policy	72.5	64.8 - 79.1	90	73.0	67.2 - 78.0	127	81.3	70.9 - 88.6	21	73.6	69.4 - 77.4	238
e.	Communicated to students about district's local wellness policy	72.2	65.2 - 78.3	90	71.8	65.5 - 77.4	126	81.3	70.9 - 88.6	21	72.8	68.5 - 76.8	237
f.	Measured school's compliance with district's local wellness policy	83.5	78.1 - 87.8	90	79.3	73.7 - 84.1	126	76.3	63.1 - 85.8	21	80.5	76.8 - 83.8	237
g.	Developed an action plan that describes steps to meet requirements of district's local wellness policy	59.7	51.8 - 67.0	89	70.5	63.7 - 76.5	127	56.7	44.7 - 68.0	21	65.4	60.7 - 69.9	237

## 2018 School Health Profiles Report Weighted Principal Survey Results

5. Percentage of schools that currently have someone who oversees or coordinates school health and safety programs and activities.

	<b>High Schools</b>		Mi	ddle Schools		Junior/Se	enior High Scl	ools	A	All Schools		
	95%			95%			95%			95%		
	Confidence			Confidence			Confidence			Confidence		
Perce	nt Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	
91.0	Percent Interval N 91.0 85.3 - 94.7 91		96.2	92.8 - 98.0	126	90.0	74.4 - 96.5	21	93.8	91.0 - 95.7	238	

# 2018 School Health Profiles Report Weighted Principal Survey Results

6. Percentage of schools that have one or more than one group (e.g., a school health council, committee, team) that offers guidance on the development of policies or coordinates activities on health topics.

H	igh Schools		Mi	ddle Schools		Junior/Se	enior High Scl	ools	A	All Schools		
	95%			95%			95%			95%		
	Confidence			Confidence			Confidence			Confidence		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	
53.5	Totolia Interval			57.1 - 69.8	124	52.2	36.9 - 67.2	21	59.0	54.4 - 63.4	233	

## 2018 School Health Profiles Report Weighted Principal Survey Results

7. Percentage of schools that have a school health council, committee, or team that did the following activities during the past year.\*

		High Schools		Mie	ddle Schools		Junio	or/Senior Hig Schools	h	A	All Schools		
			95% Confidence			95% Confidence			95% Confidence			95% Confidence	
		Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
a.	Identified student health needs based on a review of relevant data	85.9	76.2 - 92.1	43	73.1	65.2 - 79.7	75	90.4	68.5 - 97.6	11	78.5	73.0 - 83.2	129
b.	Recommended new or revised health and safety policies and activities to school administrators or the school improvement team	84.3	74.7 - 90.7	43	76.0	67.6 - 82.8	75	62.6	41.1 - 80.1	11	77.4	71.3 - 82.5	129
c.	Sought funding or leveraged resources to support health and safety priorities for students and staff	68.4	56.7 - 78.1	43	52.6	43.6 - 61.5	74	55.0	36.0 - 72.7	11	57.7	51.0 - 64.2	128
d.	Communicated the importance of health and safety policies and activities to district administrators, school administrators, parent-teacher groups, or community members	90.5	81.8 - 95.3	43	80.7	75.2 - 85.2	74	81.8	58.3 - 93.5	11	83.8	79.5 - 87.4	128
e.	Reviewed health-related curricula or instructional materials	74.8	63.9 - 83.3	43	81.4	74.8 - 86.6	75	90.4	68.5 - 97.6	11	80.2	74.9 - 84.5	129
f.	Assessed the availability of physical activity opportunities for students	86.7	76.6 - 92.9	38	89.7	84.0 - 93.5	75	89.5	66.0 - 97.4	10	88.8	84.3 - 92.2	123
g.	Developed a written plan for implementing a Comprehensive School Physical Activity Program (a multi-component approach that provides opportunities for students to be physically active before, during, and after school)	54.8	42.8 - 66.3	42	51.7	44.0 - 59.4	73	54.6	31.4 - 75.9	11	52.9	46.6 - 59.2	126

<sup>\*</sup>Among schools that have one or more than one group that offers guidance on the development of policies or coordinates activities on health topics. N = Unweighted number of observations

# **2018 School Health Profiles Report** Weighted Principal Survey Results

8. Percentage of schools that have any clubs that give students opportunities to learn about people different from them, such as students with disabilities, homeless youth, or people from different cultures.

H	igh Schools		Mi	ddle Schools		Junior/Se	enior High Scl	hools	A	All Schools	
	95%			95%			95%			95%	
	Confidence			Confidence			Confidence			Confidence	
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
81.3				47.9 - 61.0	125	52.2	36.3 - 67.7	21	64.0	59.5 - 68.2	237

# 2018 School Health Profiles Report Weighted Principal Survey Results

9. Percentage of schools that offer each of the following activities for students to learn about people different from them, such as students with disabilities, homeless youth, or people from different cultures.

		Hi	gh Schools		Mic	ddle Schools		Junio	r/Senior Hig Schools	h	A	All Schools	
			95%			95%			95%			95%	
			Confidence			Confidence			Confidence			Confidence	
		Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
a.	Lessons in class	92.3	86.9 - 95.6	91	92.6	88.1 - 95.4	126	90.8	76.2 - 96.8	21	92.3	89.3 - 94.5	238
b.	Special events sponsored by the school or community organizations (e.g., multicultural week, family night)	64.1	57.0 - 70.7	89	65.3	59.3 - 70.8	123	52.8	39.8 - 65.4	21	63.7	59.4 - 67.8	233

# **2018 School Health Profiles Report** Weighted Principal Survey Results

10. Percentage of schools that have a student-led club that aims to create a safe, welcoming, and accepting school environment for all youth, regardless of sexual orientation or gender identity.

H	igh Schools		Mic	ddle Schools		Junior/Se	enior High Scl	ıools	A	All Schools		
	95%			95%			95%			95%		
	Confidence			Confidence			Confidence			Confidence		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	
53.6				8.7 - 17.7	124	31.9	23.5 - 41.6	21	29.0	25.4 - 32.9	235	

N = Unweighted number of observations Page 10 of 63

## 2018 School Health Profiles Report Weighted Principal Survey Results

11. Percentage of schools that engage in the following practices related to lesbian, gay, bisexual, trangender, or questioning (LGBTQ) youth.

		H	igh Schools		Mic	ddle Schools		Junio	or/Senior High Schools	h	A	Il Schools	
		Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a.	Identify "safe spaces" (e.g., a counselor's office, designated classroom, or student organization) where LGBTQ youth can receive support from administrators, teachers, or other school staff	75.9	68.2 - 82.3	89	69.7	63.2 - 75.6	125	81.0	68.8 - 89.2	21	73.0	68.4 - 77.1	235
b.	Prohibit harassment based on a student's perceived or actual sexual orientation or gender identity	98.9	95.5 - 99.7	89	92.0	88.1 - 94.7	125	95.0	80.7 - 98.8	21	94.7	92.3 - 96.4	235
c.	Encourage staff to attend professional development on safe and supportive school environments for all students, regardless of sexual orientation or gender identity	70.2	62.0 - 77.3	90	60.1	53.4 - 66.3	125	74.1	54.5 - 87.3	20	64.9	60.0 - 69.5	235
d.	Facilitate access to providers not on school property who have experience in providing health services, including HIV/STD testing and counseling, to LGBTQ youth	62.6	54.6 - 70.1	90	50.8	44.0 - 57.4	124	57.0	41.5 - 71.2	21	55.6	50.7 - 60.4	235
e.	Facilitate access to providers not on school property who have experience in providing social and psychological services to LGBTQ youth	65.8	58.9 - 72.1	90	56.6	50.0 - 63.0	124	57.0	38.5 - 73.7	21	59.9	55.2 - 64.5	235

## 2018 School Health Profiles Report Weighted Principal Survey Results

12. Percentage of schools in which all staff received professional development on preventing, identifying, and responding to student bullying and sexual harassment, including electronic aggression, during the past year.

H	igh Schools		Mi	ddle Schools		Junior/Se	nior High Sc	hools	A	All Schools		
	95%			95%			95%			95%		
	Confidence			Confidence			Confidence			Confidence		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	
96.6	Interval			90.1 - 96.6	125	100.0	†	21	95.6	93.1 - 97.2	236	

# **2018 School Health Profiles Report** Weighted Principal Survey Results

13. Percentage of schools that have a designated staff member to whom students can confidentially report student bullying and sexual harassment, including electronic aggression.

Н	igh Schools		Mi	ddle Schools		Junior/Se	enior High Scl	iools	A	All Schools		
	95%			95%			95%			95%		
	Confidence Confidence						Confidence			Confidence		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	
94.6	89.9 - 97.2	90	98.5			91.0	77.0 - 96.9	21	96.4	94.2 - 97.8	236	

## 2018 School Health Profiles Report Weighted Principal Survey Results

14. Percentage of schools that use electronic, paper, or oral communication to publicize and disseminate policies, rules, or regulations on bullying and sexual harassment, including electronic aggression.

H	igh Schools		Mi	ddle Schools		Junior/Se	nior High Sc	hools	A	All Schools		
	95%			95%			95%			95%		
	Confidence			Confidence			Confidence			Confidence		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	
97.9	97.9 94.2 - 99.2 91 97.5 9			94.3 - 98.9	126	100.0	†	21	97.8	95.9 - 98.9	238	

# 2018 School Health Profiles Report Weighted Principal Survey Results

15. Percentage of schools that taught a required physical education course in each of the following grades.\*

		H	igh Schools		Mic	idle Schools		Junio	or/Senior Hig Schools	h	A	All Schools	
		<b>D</b>	95% Confidence	<b>N</b> T	ъ.	95% Confidence	<b>N</b> T	D	95% Confidence	<b>N</b> T	D.	95% Confidence	
		Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
a.	Sixth grade	§	§	§	80.0	74.2 - 84.8	113	-	-	12	80.2	75.0 - 84.6	125
b.	Seventh grade	§	§	§	78.5	72.8 - 83.3	124	74.9	60.9 - 85.1	20	78.0	72.8 - 82.5	144
c.	Eighth grade	§	§	§	77.2	71.4 - 82.2	125	70.2	50.5 - 84.5	20	76.2	70.6 - 81.1	145
d.	Ninth grade	95.5	90.9 - 97.8	89	-	-	2	94.7	79.9 - 98.8	20	95.5	91.4 - 97.6	111
e.	Tenth grade	23.5	17.3 - 31.2	85	§	§	§	20.2	9.3 - 38.4	20	22.8	17.1 - 29.7	105
f.	Eleventh grade	17.4	11.9 - 24.7	84	§	§	§	15.8	6.5 - 33.4	20	17.1	12.1 - 23.6	104
g.	Twelfth grade	17.7	12.1 - 25.1	84	§	§	§	15.8	6.5 - 33.4	20	17.3	12.2 - 23.8	104

<sup>\*</sup>Among schools with students in that grade.

<sup>-</sup> Results are suppressed due to insufficient number of respondents in subgroup.

<sup>§</sup> Grade is not applicable for type of school.

N = Unweighted number of observations

# **2018 School Health Profiles Report** Weighted Principal Survey Results

16. Percentage of schools in which physical education teachers or specialists received professional development on physical education or physical activity during the past year.

H	igh Schools		Mie	ddle Schools		Junior/Se	enior High Scl	iools	A	All Schools	
	95%			95%			95%			95%	
	Confidence			Confidence			Confidence			Confidence	
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
91.8	86.3 - 95.3	87	80.9			85.5	77.8 - 90.8	21	85.3	81.9 - 88.1	226

## 2018 School Health Profiles Report Weighted Principal Survey Results

17. Percentage of schools that provide those who teach physical education with the following materials.

		Hi	igh Schools		Mic	ddle Schools			r/Senior High Schools	h	A	Il Schools	
			95% Confidence			95% Confidence			95% Confidence			95% Confidence	
		Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
a.	Goals, objectives, and expected outcomes for physical education	97.8	94.1 - 99.2	89	95.2	92.1 - 97.1	125	95.0	80.7 - 98.8	21	96.1	94.0 - 97.5	235
b.	A chart describing the annual scope and sequence of instruction for physical education	88.5	82.9 - 92.4	87	78.9	73.2 - 83.6	124	90.0	74.4 - 96.5	21	83.3	79.5 - 86.5	232
c.	Plans for how to assess student performance in physical education	92.0	86.4 - 95.4	88	85.9	81.1 - 89.6	124	90.5	75.6 - 96.7	21	88.5	85.2 - 91.1	233
d.	A written physical education curriculum	93.2	88.0 - 96.3	87	83.4	77.7 - 87.8	123	95.0	80.7 - 98.8	21	87.9	84.3 - 90.8	231
e.	Resources for fitness testing	94.4	89.4 - 97.1	89	88.3	83.9 - 91.6	124	95.0	80.7 - 98.8	21	91.1	88.2 - 93.3	234
f.	Physical activity monitoring devices, such as pedometers or heart rate monitors, for physical education	66.3	59.3 - 72.7	88	63.6	57.1 - 69.5	124	76.5	62.5 - 86.4	21	65.7	61.3 - 69.9	233

## 2018 School Health Profiles Report Weighted Principal Survey Results

18. Percentage of schools in which students participate in physical activity breaks in classrooms during the school day outside of physical education.

H	igh Schools		Mic	ddle Schools		Junior/Se	nior High Scl	nools	A	All Schools		
	95%			95%			95%			95%		
	Confidence Confidence						Confidence			Confidence		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	
23.7	18.9 - 29.3	92	66.2	2.002.7.00		38.3	25.6 - 52.7	21	48.4	44.4 - 52.4	239	

N = Unweighted number of observations

Page 18 of 63

## 2018 School Health Profiles Report Weighted Principal Survey Results

19. Percentage of schools that offer opportunities for all students to participate in intramural sports programs or physical activity clubs.

H	igh Schools		Mic	ddle Schools		Junior/Se	enior High Scl	iools	A	All Schools		
	95%			95%			95%			95%		
	Confidence			Confidence			Confidence			Confidence		
Percent	Interval	N	Percent				Interval	N	Percent	Interval	N	
57.7	50.2 - 64.9	91	68.5				32.4 - 61.5	21	62.7	58.1 - 67.0	238	

## 2018 School Health Profiles Report Weighted Principal Survey Results

20. Percentage of schools that offer interscholastic sports to students.

H	igh Schools		Mic	ddle Schools		Junior/Se	enior High Scl	nools	A	All Schools		
	95%			95%			95%			95%		
	Confidence			Confidence			Confidence			Confidence		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	
83.5	78.1 - 87.8	92	89.1	84.1 - 92.6	126	90.0	74.4 - 96.5	21	87.2	83.8 - 89.9	239	

# **2018 School Health Profiles Report Weighted Principal Survey Results**

21. Percentage of schools that offer opportunities for students to participate in physical activity through organized physical activities or access to facilities or equipment for physical activity during the following times.

	Hi	igh Schools		Mic	ldle Schools		Junio	r/Senior Hig Schools	h	A	All Schools	
		95% Confidence			95% Confidence			95% Confidence			95% Confidence	
	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
a. Before the school day	43.3	36.4 - 50.4	92	21.5	16.6 - 27.4	124	29.0	15.2 - 48.3	21	30.1	26.1 - 34.5	237
b. After the school day	78.3	71.4 - 83.9	91	73.5	68.0 - 78.4	124	80.5	69.0 - 88.4	21	75.9	71.9 - 79.4	236

## 2018 School Health Profiles Report Weighted Principal Survey Results

22. Percentage of schools that have a joint use agreement for shared use of the following school or community facilities.

		Hi	gh Schools		Mic	ldle Schools		Junio	r/Senior Hig Schools	h	A	All Schools	
			95% Confidence			95% Confidence			95% Confidence			95% Confidence	
		Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
a.	Physical activity or sports facilities	51.4	43.7 - 59.1	92	59.4	53.1 - 65.4	126	57.3	40.5 - 72.5	21	56.3	51.6 - 60.9	239
b.	Kitchen facilities and equipment	22.4	17.3 - 28.5	91	22.6	17.6 - 28.6	124	25.6	12.7 - 45.1	20	22.8	19.1 - 27.0	235

## 2018 School Health Profiles Report Weighted Principal Survey Results

23. Percentage of schools that have adopted a policy prohibiting tobacco use.

H	igh Schools		Mie	ddle Schools		Junior/Se	enior High Scl	ools	A	All Schools		
	95%			95%			95%			95%		
	Confidence			Confidence			Confidence			Confidence		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	
97.6	93.4 - 99.1	90	93.5	10100110			74.4 - 96.5	21	94.6	91.9 - 96.5	236	

# 2018 School Health Profiles Report Weighted Principal Survey Results

24. (Students) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits the use of each type of tobacco for students during any school-related activity.

		Hi	igh Schools		Mic	idle Schools		Junio	or/Senior Hig Schools	h	A	All Schools	
		Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a.	Cigarettes	96.0	91.1 - 98.3	84	93.4	89.1 - 96.0	122	89.5	73.2 - 96.4	20	93.9	91.0 - 95.9	226
b.	Smokeless tobacco (e.g., chewing tobacco, snuff, dip, snus)	97.4	92.9 - 99.0	83	93.4	89.1 - 96.0	122	89.5	73.2 - 96.4	20	94.4	91.6 - 96.3	225
c.	Cigars	96.1	91.3 - 98.3	83	93.4	89.1 - 96.0	122	89.5	73.2 - 96.4	20	94.0	91.1 - 95.9	225
d.	Pipes	94.9	89.9 - 97.5	83	93.4	89.1 - 96.0	122	89.5	73.2 - 96.4	20	93.6	90.6 - 95.6	225
e.	Electronic vapor products (e.g., e-cigarettes, vape pipes, hookah pens)	97.4	92.9 - 99.0	83	92.5	88.1 - 95.4	122	89.0	72.1 - 96.2	19	93.9	91.0 - 95.9	224

# 2018 School Health Profiles Report Weighted Principal Survey Results

24. (Faculty/Staff) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits the use of each type of tobacco for faculty/staff during any school-related activity.

		Hi	gh Schools		Mic	dle Schools			r/Senior Hig Schools	h	A	All Schools	
		Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a.	Cigarettes	89.6	83.2 - 93.7	80	85.0	79.6 - 89.1	122	89.5	73.2 - 96.4	20	87.0	83.2 - 90.0	222
b.	Smokeless tobacco (e.g., chewing tobacco, snuff, dip, snus)	89.6	83.2 - 93.7	80	85.7	80.5 - 89.7	121	89.5	73.2 - 96.4	20	87.4	83.7 - 90.3	221
c.	Cigars	88.3	81.7 - 92.8	80	85.7	80.5 - 89.7	121	89.5	73.2 - 96.4	20	86.9	83.2 - 89.9	221
d.	Pipes	87.1	80.2 - 91.8	80	85.7	80.5 - 89.7	121	89.5	73.2 - 96.4	20	86.5	82.8 - 89.6	221
e.	Electronic vapor products (e.g., e-cigarettes, vape pipes, hookah pens)	87.1	80.3 - 91.8	80	82.1	76.7 - 86.5	120	89.0	72.1 - 96.2	19	84.4	80.5 - 87.7	219

# 2018 School Health Profiles Report Weighted Principal Survey Results

24. (Visitors) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits the use of each type of tobacco for visitors during any school-related activity.

		Hi	gh Schools		Mic	ddle Schools		Junio	or/Senior Hig Schools	h	A	All Schools	
		Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a.	Cigarettes	90.9	84.8 - 94.7	80	84.0	78.5 - 88.3	121	89.5	73.2 - 96.4	20	86.8	83.1 - 89.9	221
b.	Smokeless tobacco (e.g., chewing tobacco, snuff, dip, snus)	90.9	84.8 - 94.7	80	83.1	77.5 - 87.6	121	89.5	73.2 - 96.4	20	86.3	82.5 - 89.4	221
c.	Cigars	89.6	83.2 - 93.7	80	84.0	78.5 - 88.3	121	89.5	73.2 - 96.4	20	86.4	82.6 - 89.5	221
d.	Pipes	88.4	81.8 - 92.8	80	84.0	78.5 - 88.3	121	89.5	73.2 - 96.4	20	86.0	82.1 - 89.1	221
e.	Electronic vapor products (e.g., e-cigarettes, vape pipes, hookah pens)	87.1	80.3 - 91.8	80	80.4	74.2 - 85.3	120	89.0	72.1 - 96.2	19	83.4	79.2 - 86.9	219

# **2018 School Health Profiles Report** Weighted Principal Survey Results

25. (Students) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits tobacco use during each of the following times for students.

	Н	igh Schools		Mic	ldle Schools		Junio	or/Senior Hig Schools	h	A	All Schools	
		95% Confidence			95% Confidence			95% Confidence			95% Confidence	
	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
a. During school hours	97.4	92.9 - 99.0	83	93.4	89.1 - 96.0	122	89.5	73.2 - 96.4	20	94.4	91.6 - 96.3	225
b. During non-school hours	90.9	84.7 - 94.8	81	89.9	85.0 - 93.4	121	79.5	68.8 - 87.3	20	89.3	85.9 - 92.0	222

# **2018 School Health Profiles Report** Weighted Principal Survey Results

25. (Faculty/Staff) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits tobacco use during each of the following times for faculty/staff.

		H	igh Schools		Mic	dle Schools		Junio	or/Senior Hig Schools	h	A	Il Schools	
			95% Confidence			95% Confidence			95% Confidence			95% Confidence	
		Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
a.	During school hours	88.4	81.8 - 92.8	80	82.6	76.8 - 87.1	122	89.5	73.2 - 96.4	20	85.2	81.2 - 88.4	222
b.	During non-school hours	80.2	72.2 - 86.4	79	73.7	67.5 - 79.0	120	79.5	68.8 - 87.3	20	76.4	72.0 - 80.3	219

N = Unweighted number of observations

Page 28 of 63

# **2018 School Health Profiles Report** Weighted Principal Survey Results

25. (Visitors) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits tobacco use during each of the following times for visitors.

	Н	igh Schools		Mie	ddle Schools		Junio	or/Senior Hig Schools	h	A	All Schools	
		95% Confidence			95% Confidence			95% Confidence			95% Confidence	
	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
a. During school hours	89.6	83.2 - 93.7	80	82.5	76.8 - 87.1	122	89.5	73.2 - 96.4	20	85.5	81.6 - 88.7	222
b. During non-school hours	81.6	73.7 - 87.5	79	72.1	66.0 - 77.5	121	79.5	68.8 - 87.3	20	76.0	71.6 - 79.8	220

# **2018 School Health Profiles Report** Weighted Principal Survey Results

26. (Students) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits tobacco use in each of the following locations for students.

		Hi	gh Schools		Mic	dle Schools		Junio	r/Senior High Schools	h	A	All Schools	
			95% Confidence			95% Confidence			95% Confidence			95% Confidence	
		Percent			Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
a.	In school buildings	97.4	92.9 - 99.0	83	93.4	89.1 - 96.0	122	89.5	73.2 - 96.4	20	94.4	91.6 - 96.3	225
b.	Outside on school grounds, including parking lots and playing fields	94.8	89.6 - 97.5	83	92.7	88.3 - 95.5	122	89.5	73.2 - 96.4	20	93.1	90.1 - 95.2	225
c.	On school buses or other vehicles used to transport students	97.4 92.9 - 99.0 83		93.4	89.1 - 96.0	122	89.5	73.2 - 96.4	20	94.4	91.6 - 96.3	225	
d.	At off-campus, school-sponsored events	88.9	82.4 - 93.2	88.9 82.4 - 93.2 83 9		87.1 - 94.8	121	84.0	66.2 - 93.4	19	90.1	86.6 - 92.7	223

# **2018 School Health Profiles Report** Weighted Principal Survey Results

26. (Faculty/Staff) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits tobacco use in each of the following locations for faculty/staff.

		Hi	gh Schools		Mic	dle Schools		Junio	or/Senior High Schools	h	A	Il Schools	
			95% Confidence			95% Confidence			95% Confidence			95% Confidence	
		Percent Interval N 93.2 87.6 - 96.4 79		Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	
a.	In school buildings	93.2	87.6 - 96.4	79	93.4	89.1 - 96.0	122	89.5	73.2 - 96.4	20	93.0	89.9 - 95.1	221
b.	Outside on school grounds, including parking lots and playing fields	84.0	76.4 - 89.5	79	79.1	72.9 - 84.3	121	89.5	73.2 - 96.4	20	81.7	77.3 - 85.5	220
c.	On school buses or other vehicles used to transport students	89.3	83.8 - 93.1	78	93.4	89.1 - 96.0	122	89.5	73.2 - 96.4	20	91.7	88.6 - 94.0	220
d.	At off-campus, school-sponsored events	74.0	74.0 66.5 - 80.3 79			72.7 - 84.2	120	84.8	67.7 - 93.7	20	77.9	73.4 - 81.8	219

# **2018 School Health Profiles Report Weighted Principal Survey Results**

26. (Visitors) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits tobacco use in each of the following locations for visitors.

		Hi	gh Schools		Mic	ddle Schools		Junio	or/Senior High Schools	h	A	All Schools	
			95% Confidence			95% Confidence			95% Confidence			95% Confidence	
		Percent Interval N 93.3 87.8 - 96.4 79		Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	
a.	In school buildings	93.3	87.8 - 96.4	79	92.5	88.1 - 95.4	122	89.5	73.2 - 96.4	20	92.5	89.4 - 94.8	221
b.	Outside on school grounds, including parking lots and playing fields	81.6	73.7 - 87.5	79	75.8	69.4 - 81.3	121	89.5	73.2 - 96.4	20	79.0	74.5 - 82.9	220
c.	On school buses or other vehicles used to transport students	89.4 83.0 - 93.6 78		92.5	88.1 - 95.4	122	89.5	73.2 - 96.4	20	91.2	87.9 - 93.7	220	
d.	At off-campus, school-sponsored events	55.2	55.2 47.1 - 63.0 79 5		58.7	51.6 - 65.4	120	52.7	32.5 - 72.1	19	57.0	51.7 - 62.0	218

## 2018 School Health Profiles Report Weighted Principal Survey Results

26N. Percentage of schools that follow a policy that mandates a "tobacco-free environment." A "tobacco-free environment" is one that prohibits tobacco use by students, staff, and visitors in school buildings, at school functions, in school vehicles, on school grounds, and at off-site school events, applicable 24 hours a day and seven days a week.\*

H	igh Schools		Mi	ddle Schools		Junior/Se	enior High Scl	hools	A	All Schools	
	95%			95%			95%			95%	
	Confidence			Confidence			Confidence			Confidence	
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
48.1	40.3 - 56.0	80	45.7	39.0 - 52.5	119	44.5	27.1 - 63.4	18	46.4	41.5 - 51.4	217

## 2018 School Health Profiles Report Weighted Principal Survey Results

27. Percentage of schools that post signs marking a tobacco-free school zone, that is, a specified distance from school grounds where tobacco use is not allowed.

Н	igh Schools		Mic	ddle Schools		Junior/Se	nior High Sc	hools	A	All Schools	
	95%			95%			95%			95%	
	Confidence			Confidence			Confidence			Confidence	
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
82.5	74.4 - 88.5	76	74.6	67.9 - 80.4	110	_	_	18	78.7	73.9 - 82.8	204

<sup>-</sup> Results are suppressed due to insufficient number of respondents in subgroup.  $N = Unweighted \ number \ of \ observations$ 

# 2018 School Health Profiles Report Weighted Principal Survey Results

28. Percentage of schools that never, rarely, sometimes, or always or almost always offer fruits or non-fried vegetables at celebrations when foods and beverages are offered.

		H	igh Schools		Mic	ldle Schools			r/Senior Hig Schools	h	A	Il Schools	
			95% Confidence			95% Confidence			95% Confidence			95% Confidence	
		Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
a.	Foods or beverages are not offered at school celebrations	2.1	0.8 - 5.7	92	3.8	2.0 - 7.2	127	0.0	†	21	2.9	1.7 - 4.9	240
b.	Never	2.1	0.8 - 5.7	92	3.8	2.0 - 7.1	127	5.0	1.2 - 19.3	21	3.3	2.0 - 5.4	240
c.	Rarely	19.2	14.4 - 25.1	92	19.8	15.1 - 25.7	127	10.0	3.5 - 25.6	21	18.7	15.4 - 22.6	240
d.	Sometimes	47.7	41.1 - 54.4	92	51.3	45.3 - 57.3	127	52.2	36.9 - 67.2	21	50.1	45.8 - 54.5	240
e.	Always or almost always	28.9	23.7 - 34.7	92	21.2	16.5 - 26.8	127	32.7	20.5 - 47.7	21	25.0	21.5 - 28.8	240

 $<sup>\</sup>dagger$  Confidence intervals not applicable for 0 percent or 100 percent. N = Unweighted number of observations

# **2018 School Health Profiles Report** Weighted Principal Survey Results

28N. Percentage of schools that offer fruits or non-fried vegetables in vending machines or school stores, and almost always or always at celebrations when foods and beverages are offered.

H	igh Schools		Mic	ddle Schools		Junior/Se	enior High Scl	nools	A	All Schools	
	95%			95%			95%			95%	
	Confidence			Confidence			Confidence			Confidence	
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
8.7	5.6 - 13.5	92	4.0	2.1 - 7.5	123	23.5	13.6 - 37.4	21	7.5	5.5 - 10.1	236

# **2018 School Health Profiles Report Weighted Principal Survey Results**

29. Percentage of schools in which students can purchase snack foods or beverages from one or more vending machines at the school or at a school store, canteen, or snack bar.

H	igh Schools		Mie	ddle Schools		Junior/Se	enior High Scl	iools	A	All Schools		
	95%			95%			95%			95%		
	Confidence			Confidence			Confidence			Confidence		
Percent	Interval	N	Percent				Interval	N	Percent	Interval	N	
65.3	57.3 - 72.5	89	35.5	30.0 - 41.3	123	74.7	55.4 - 87.5	20	49.7	45.3 - 54.1	232	

## 2018 School Health Profiles Report Weighted Principal Survey Results

30. Percentage of schools in which students can purchase the following snack foods or beverages from vending machines or at the school store, canteen, or snack bar.

		H	igh Schools		Mic	ldle Schools		Junio	or/Senior Hig Schools	h	A	All Schools	
			95% Confidence			95% Confidence			95% Confidence			95% Confidence	
		Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
a.	Chocolate candy	17.0	12.2 - 23.2	89	3.8	2.0 - 7.1	120	35.3	19.0 - 56.0	20	11.4	8.8 - 14.7	229
b.	Other kinds of candy	18.1	13.1 - 24.5	89	7.3	4.5 - 11.7	120	40.0	22.1 - 61.0	20	14.2	11.1 - 17.9	229
c.	Salty snacks that are not low in fat (e.g., regular potato chips)	19.2	14.0 - 25.8	89	4.9	2.7 - 8.7	119	45.3	27.7 - 64.1	20	13.7	10.9 - 17.2	228
d.	Low sodium or "no added salt" pretzels, crackers, or chips	43.9	36.9 - 51.1	89	19.3	14.9 - 24.7	120	55.9	38.4 - 72.0	20	31.5	27.6 - 35.8	229
e.	Cookies, crackers, cakes, pastries, or other baked goods that are not low in fat	17.2	12.0 - 24.0	88	2.9	1.4 - 5.9	120	34.7	18.7 - 55.1	20	10.9	8.3 - 14.3	228
f.	Ice cream or frozen yogurt that is not low in fat	15.9	11.0 - 22.4	89	4.8	2.6 - 8.5	119	10.0	3.5 - 25.6	20	9.3	6.9 - 12.5	228
g.	2% or whole milk (plain or flavored)	20.6	14.8 - 27.9	88	9.1	6.0 - 13.4	120	30.8	18.2 - 47.2	19	15.1	12.0 - 18.8	227
h.	Nonfat or 1% (low-fat) milk (plain)	28.3	21.8 - 35.7	88	15.9	12.0 - 20.8	120	41.3	26.0 - 58.5	19	22.6	19.0 - 26.6	227
i.	Water ices or frozen slushes that do not contain juice	10.9	6.9 - 17.0	89	6.6	4.2 - 10.2	120	25.3	15.0 - 39.4	20	9.9	7.5 - 12.8	229
j.	Soda pop or fruit drinks that are not 100% juice	30.3	23.2 - 38.5	89	6.6	4.2 - 10.0	120	38.8	24.1 - 56.0	20	18.1	14.9 - 21.9	229
k.	Sports drinks (e.g., Gatorade)	49.0	41.1 - 57.0	89	9.2	6.2 - 13.4	120	55.0	33.6 - 74.7	20	27.8	23.9 - 32.1	229

N = Unweighted number of observations

Page 38 of 63

# **2018 School Health Profiles Report Weighted Principal Survey Results**

30. Percentage of schools in which students can purchase the following snack foods or beverages from vending machines or at the school store, canteen, or snack bar.

		Hi	gh Schools		Mic	ldle Schools		Junio	r/Senior Higl Schools	h	A	Il Schools	
		Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
1.	Energy drinks (e.g., Red Bull, Monster)	5.7	3.0 - 10.7	89	0.7	0.2 - 3.0	120	4.4	1.0 - 17.2	20	2.9	1.7 - 4.9	229
m.	Plain water, with or without carbonation (e.g., Dasani, Aquafina, Smart Water)	61.8	53.6 - 69.3	89	32.2	27.2 - 37.5	120	74.7	55.4 - 87.5	20	46.8	42.5 - 51.1	229
n.	Calorie-free, flavored water, with or without carbonation (e.g., Dasani Flavors, Aquafina FlavorSplash)	49.3	42.4 - 56.3	87	17.7	13.5 - 22.8	120	46.5	31.7 - 62.0	19	31.6	27.8 - 35.6	226
o.	100% fruit or vegetable juice	35.5	28.7 - 42.9	89	17.9	13.9 - 22.8	119	46.8	29.5 - 64.9	19	26.9	23.1 - 31.0	227
p.	Foods or beverages containing caffeine	34.8	27.6 - 42.8	89	7.3	5.2 - 10.1	120	39.7	23.7 - 58.3	20	20.2	16.9 - 24.0	229
q.	Fruits (not fruit juice)	25.8	19.6 - 33.1	89	9.9	7.0 - 14.0	120	34.2	20.3 - 51.4	20	17.9	14.7 - 21.6	229
r.	Non-fried vegetables (not vegetable juice)	18.0	12.4 - 25.3	89	8.3	5.4 - 12.5	119	20.0	9.2 - 38.1	20	12.9	9.9 - 16.5	228

# 2018 School Health Profiles Report Weighted Principal Survey Results

31. Percentage of schools that have done any of the following activities during the current school year.

		H	igh Schools		Mic	ddle Schools		Junio	or/Senior Hig Schools	h	A	All Schools	
			95% Confidence			95% Confidence			95% Confidence			95% Confidence	
		Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
a.	Priced nutritious foods and beverages at a lower cost while increasing the price of less nutritious foods and beverages	8.0	4.6 - 13.5	89	9.9	6.5 - 14.9	122	0.0	†	21	8.3	5.9 - 11.5	232
b.	Collected suggestions from students, families, and school staff on nutritious food preferences and strategies to promote healthy eating	38.7	31.8 - 46.1	91	37.8	31.7 - 44.3	123	47.2	32.6 - 62.3	21	39.0	34.6 - 43.6	235
c.	Provided information to students or families on the nutrition and caloric content of foods available	59.2	51.9 - 66.2	91	56.1	49.9 - 62.1	123	65.9	49.4 - 79.3	21	58.1	53.6 - 62.5	235
d.	Conducted taste tests to determine food preferences for nutritious items	37.5	31.5 - 43.9	91	37.0	30.5 - 43.9	122	43.3	29.3 - 58.4	21	37.7	33.3 - 42.4	234
e.	Provided opportunities for students to visit the cafeteria to learn about food safety, food preparation, or other nutrition-related topics	18.9	14.2 - 24.7	91	17.0	12.4 - 23.0	123	32.7	20.5 - 47.7	21	19.2	15.7 - 23.1	235
f.	Served locally or regionally grown foods in the cafeteria or classrooms	49.4	41.5 - 57.2	90	47.2	40.8 - 53.8	123	66.5	53.6 - 77.3	21	49.8	45.1 - 54.5	234
g.	Planted a school food or vegetable garden	33.7	27.8 - 40.2	91	21.5	16.5 - 27.7	122	62.3	44.6 - 77.2	21	29.7	25.8 - 34.0	234
h.	Placed fruits and vegetables near the cafeteria cashier, where they are easy to access	84.4	78.0 - 89.2	91	80.1	73.8 - 85.2	123	85.5	69.1 - 93.9	21	82.2	78.0 - 85.7	235

<sup>†</sup> Confidence intervals not applicable for 0 percent or 100 percent.

## 2018 School Health Profiles Report Weighted Principal Survey Results

31. Percentage of schools that have done any of the following activities during the current school year.

		H	igh Schools		Mic	ldle Schools		Junio	r/Senior High Schools	h	A	All Schools	
		Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
i.	Used attractive displays for fruits and vegetables in the cafeteria	73.6	65.9 - 80.0	91	64.5	57.7 - 70.7	123	66.5	49.4 - 80.1	21	67.9	63.1 - 72.4	235
j.	Offered a self-serve salad bar to students	44.3	36.7 - 52.1	90	23.5	18.5 - 29.3	122	27.1	15.1 - 43.8	21	31.3	27.2 - 35.8	233
k.	Labeled healthful foods with appealing names (e.g., crunchy carrots)	39.9	33.4 - 46.8	90	38.3	32.5 - 44.3	123	28.8	17.3 - 43.8	21	38.0	33.8 - 42.3	234
1.	Encouraged students to drink plain water	78.9	72.8 - 84.0	90	82.1	76.2 - 86.8	121	90.8	76.2 - 96.8	21	81.8	77.9 - 85.1	232
m.	Prohibited school staff from giving students food or food coupons as a reward for good behavior or good academic performance	29.5	23.1 - 36.8	89	20.5	16.0 - 25.8	123	32.4	23.6 - 42.7	21	24.8	21.2 - 28.8	233
n.	Prohibited less nutritious foods and beverages (e.g., candy, baked goods) from being sold for fundraising purposes	37.7	31.2 - 44.8	88	32.8	27.2 - 38.9	123	28.8	17.3 - 43.8	21	34.2	30.0 - 38.5	232

## 2018 School Health Profiles Report Weighted Principal Survey Results

32. Percentage of schools that prohibit advertisements for candy, fast food restaurants, or soft drinks in the following locations.

		Hi	gh Schools		Mic	dle Schools		Junio	r/Senior Hig Schools	h	A	Il Schools	
			95% Confidence			95% Confidence			95% Confidence			95% Confidence	
		Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
a.	In the school building	57.6	50.0 - 64.8	92	69.2	62.6 - 75.1	127	70.9	51.3 - 84.9	20	65.2	60.4 - 69.7	239
b.	On school grounds including on the outside of the school building, on playing fields, or other areas of the campus	33.9	27.6 - 40.9	92	56.7	50.9 - 62.4	126	50.8	38.4 - 63.2	20	48.0	43.9 - 52.1	238
c.	On school buses or other vehicles used to transport students	70.7	64.0 - 76.7	92	72.2	66.2 - 77.5	126	95.6	82.8 - 99.0	20	73.7	69.6 - 77.4	238
d.	In school publications (e.g., newsletters, newspapers, web sites, other school publications)	50.6	43.0 - 58.1	91	62.7	56.2 - 68.8	126	75.6	61.0 - 86.0	20	59.5	54.8 - 63.9	237
e.	In curricula or other educational materials (including assignment books, school supplies, book covers, and electronic media)	55.0	48.1 - 61.7	91	65.9	59.5 - 71.8	126	65.6	52.5 - 76.6	20	62.0	57.5 - 66.2	237

# **2018 School Health Profiles Report Weighted Principal Survey Results**

33. Percentage of schools that permit students to have a drinking water bottle with them during the school day.

		Hi	igh Schools		Mic	idle Schools		Junio	or/Senior Hig Schools	h	A	All Schools	
			95% Confidence			95% Confidence			95% Confidence			95% Confidence	
				Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	
a.	Yes, in all locations			59.2	53.0 - 65.2	123	90.5	75.6 - 96.7	21	72.2	68.1 - 76.0	236	
b.	Yes, in certain locations	10.8	6.8 - 16.8	92	33.2	27.4 - 39.5	123	9.5	3.3 - 24.4	21	22.8	19.2 - 26.9	236
c.	No	2.2	0.8 - 6.1	92	7.6	4.8 - 11.8	123	0.0	†	21	4.9	3.2 - 7.4	236

# 2018 School Health Profiles Report Weighted Principal Survey Results

33N. Percentage of schools that permit students to have a drinking water bottle with them in either all locations or certain locations during the school day.

H	igh Schools		Mie	ddle Schools		Junior/Sea	nior High Sc	hools	A	All Schools	
	95%			95%			95%			95%	
	Confidence			Confidence			Confidence			Confidence	
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
07.0	000 000	0.2	00.4	00.2.05.2	100	100.0		0.1	05.1	00 ( 00 0	226
97.8	93.9 - 99.2	92	92.4	88.2 - 95.2	123	100.0	†	21	95.1	92.6 - 96.8	236

## 2018 School Health Profiles Report Weighted Principal Survey Results

34. Percentage of schools that offer a free source of drinking water in the following locations.\*

		Hi	gh Schools		Mic	ddle Schools			r/Senior Hig Schools	h	A	All Schools	
			95% Confidence			95% Confidence			95% Confidence			95% Confidence	
				Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	
a.	Cafeteria during breakfast	93.1	89.3 - 95.7	92	94.4	90.5 - 96.8	125	95.5	82.6 - 99.0	21	94.0	91.6 - 95.8	238
b.	Cafeteria during lunch	94.2	90.8 - 96.4	92	95.9	92.4 - 97.9	126	95.5	82.6 - 99.0	21	95.3	93.1 - 96.8	239
c.	Gymnasium or other indoor physical activity facilities	95.5	91.0 - 97.8	92	95.9	92.4 - 97.9	127	100.0	†	21	96.1	93.8 - 97.6	240
d.	Outdoor physical activity facilities or sports fields	81.3 74.4 - 86.7 91		69.2	63.1 - 74.8	124	74.7	62.1 - 84.2	20	74.1	69.9 - 77.9	235	
e.	Hallways throughout the school	96.6	92.3 - 98.5	92	98.5	95.8 - 99.5	127	100.0	†	21	97.9	96.1 - 98.9	240

<sup>\*</sup>Among schools with that location.

<sup>†</sup> Confidence intervals not applicable for 0 percent or 100 percent.

N = Unweighted number of observations

## 2018 School Health Profiles Report Weighted Principal Survey Results

35. Percentage of schools that have a full-time registered nurse who provides health services to students.

H	igh Schools		Mic	ddle Schools		Junior/Se	enior High Scl	hools	A	All Schools	
	95%			95%			95%			95%	
	Confidence			Confidence			Confidence			Confidence	
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
63.0	55.3 - 70.0	92	54.4	48.7 - 60.0	127	58.1	44.3 - 70.7	21	57.8	53.5 - 62.0	240

## 2018 School Health Profiles Report Weighted Principal Survey Results

36. Percentage of schools that have a part-time registered nurse who provides health services to students.

H	igh Schools		Mi	ddle Schools		Junior/Se	enior High Sci	hools	A	All Schools	
	95%			95%			95%			95%	
	Confidence			Confidence			Confidence			Confidence	
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
40.2	33.3 - 47.5	89	43.0	37.8 - 48.3	124	33.2	20.3 - 49.4	21	41.1	37.0 - 45.2	234

N = Unweighted number of observations Page 47 of 63

## 2018 School Health Profiles Report Weighted Principal Survey Results

37. Percentage of schools that have a school-based health center that offers health services to students.

H	igh Schools		Mie	ddle Schools		Junior/Se	enior High Scl	ools	A	All Schools		
	95%			95%			95%			95%		
	Confidence			Confidence			Confidence			Confidence		
Percent	Interval	N	Percent				Interval	N	Percent	Interval	N	
29.4	24.2 - 35.2	92	20.8	16.4 - 26.1	125	24.6	12.2 - 43.2	21	24.3	20.8 - 28.1	238	

N = Unweighted number of observations

Page 48 of 63

## 2018 School Health Profiles Report Weighted Principal Survey Results

38. Percentage of schools that provide the following services to students.

		High Schools		Mid	ldle Schools			r/Senior Hig Schools	h	A	ll Schools		
			95% Confidence			95% Confidence		<b>.</b>	95% Confidence			95% Confidence	
		Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
a.	HIV testing	2.4	0.8 - 6.4	90	0.9	0.2 - 3.5	124	5.0	1.2 - 19.3	21	1.8	0.9 - 3.6	235
b.	HIV treatment (ongoing medical care for persons living with HIV)	1.3	0.3 - 5.3	90	0.8	0.2 - 3.4	124	0.0	†	21	0.9	0.3 - 2.5	235
c.	STD testing	2.4	0.8 - 6.4	90	0.8	0.2 - 3.4	124	5.0	1.2 - 19.3	21	1.8	0.9 - 3.6	235
d.	STD treatment	2.4				0.2 - 3.4	124	0.0	†	21	1.3	0.6 - 3.0	235
e.	Pregnancy testing	9.5	5.7 - 15.5	87	5.0	2.8 - 8.8	124	15.1	6.3 - 32.0	21	7.5	5.3 - 10.6	232
f.	Provision of condoms	3.5	1.5 - 8.0	89	0.9	0.2 - 3.5	124	0.0	†	21	1.7	0.8 - 3.5	234
g.	Provision of condom-compatible lubricants (i.e., water- or silicone-based)	1.1	0.3 - 4.7	90	0.0	†	124	0.0	†	21	0.4	0.1 - 1.7	235
h.	Provision of contraceptives other than condoms (e.g., birth control pill, birth control shot, intrauterine device [IUD])	2.4	0.8 - 6.4	90	0.8	0.2 - 3.4	123	0.0	†	21	1.3	0.6 - 3.0	234
i.	Prenatal care	2.3	0.8 - 6.2	88	0.9	0.2 - 3.6	123	5.3	1.3 - 19.0	20	1.8	0.9 - 3.6	231

 $<sup>\</sup>dagger$  Confidence intervals not applicable for 0 percent or 100 percent. N = Unweighted number of observations

## 2018 School Health Profiles Report Weighted Principal Survey Results

38. Percentage of schools that provide the following services to students.

		Hi	gh Schools		Mic	dle Schools		Junio	r/Senior High Schools	h	A	All Schools	
		Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
j.	Human papillomavirus (HPV) vaccine administration	6.7	6.7 3.7 - 11.9 90		4.2	2.2 - 7.9	123	10.0	3.5 - 25.6	21	5.7	3.8 - 8.4	234
k.	Assessment for alcohol or other drug use, abuse, or dependency	24.7	19.0 - 31.4	90	16.9	12.2 - 22.9	118	34.1	23.6 - 46.3	21	21.4	17.8 - 25.5	229
1.	Daily medication administration for students with chronic health conditions (e.g., asthma, diabetes)	87.2	81.5 - 91.3	92	87.0	82.0 - 90.7	124	91.6	83.2 - 96.0	21	87.5	84.1 - 90.2	237
m.	Stock rescue or "as needed" medication for any student experiencing a health emergency (e.g., asthma episode, severe allergic reaction)	79.7	72.2 - 85.6	92	77.7	71.8 - 82.7	123	91.6	83.2 - 96.0	21	79.7	75.5 - 83.3	236
n.	Case management for students with chronic health conditions (e.g., asthma, diabetes)	79.6	73.0 - 85.0	92	76.2	70.2 - 81.3	123	72.1	54.7 - 84.7	21	77.1	72.9 - 80.8	236

N = Unweighted number of observations Page 50 of 63

# 2018 School Health Profiles Report Weighted Principal Survey Results

39. Percentage of schools that provide students with referrals to any organizations or health care professionals not on school property for the following services.

		High Schools		Mic	idle Schools		Junio	or/Senior High Schools	h	A	Il Schools		
			95% Confidence			95% Confidence			95% Confidence			95% Confidence	
		Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
a.	HIV testing	48.0			24.1	18.6 - 30.6	114	-	-	17	34.8	30.3 - 39.6	207
b.	HIV treatment (ongoing medical care for persons living with HIV)	53.8	45.9 - 61.5	90	28.1	22.8 - 34.1	123	62.8	49.1 - 74.7	21	40.5	36.3 - 45.0	234
c.	nPEP (non-occupational post-exposure prophylaxis for HIV a short course of medication given within 72 hours of exposure to infectious bodily fluids from a person known to be HIV positive)	51.3			25.5	20.3 - 31.6	123	62.8	49.1 - 74.7	21	38.3	33.9 - 42.8	234
d.	STD testing	49.9	41.4 - 58.4	73	23.6	18.2 - 30.1	116	-	-	16	35.1	30.5 - 39.9	205
e.	STD treatment	48.6	40.4 - 56.9	73	23.4	18.0 - 29.8	117	-	-	16	34.5	30.0 - 39.2	206
f.	Pregnancy testing	53.6	45.9 - 61.2	74	24.6	19.0 - 31.2	115	-	-	14	37.4	32.9 - 42.0	203
g.	Provision of condoms	45.5	37.7 - 53.6	78	20.9	15.8 - 27.2	116	-	-	17	32.1	27.8 - 36.8	211

Page 51 of 63

<sup>-</sup> Results are suppressed due to insufficient number of respondents in subgroup.

# 2018 School Health Profiles Report Weighted Principal Survey Results

39. Percentage of schools that provide students with referrals to any organizations or health care professionals not on school property for the following services.

		Hi	gh Schools		Mic	ddle Schools		Junio	r/Senior Hig Schools	h	A	All Schools	
			95% Confidence			95% Confidence			95% Confidence			95% Confidence	
		Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
h.	Provision of condom-compatible lubricants (i.e., water- or silicone-based)	41.6	34.5 - 49.0	78	20.6	15.6 - 26.7	118	-	-	17	30.5	26.4 - 35.0	213
i.	Provision of contraceptives other than condoms (e.g., birth control pill, birth control shot, intrauterine device [IUD])			21.8	16.6 - 28.2	116	-	-	17	32.5	28.2 - 37.2	209	
j.	Prenatal care	55.1	47.4 - 62.5	74	24.6	19.1 - 31.1	115	-	-	14	37.9	33.5 - 42.5	203
k.	Human papillomavirus (HPV) vaccine administration	55.1 47.4 - 62.5 74 56.0 49.0 - 62.8 90		31.3	25.7 - 37.5	123	72.3	53.7 - 85.5	21	44.0	39.7 - 48.4	234	
1.	Alcohol or other drug abuse treatment	79.3	72.2 - 85.0	90	51.6	45.6 - 57.6	122	81.8	65.1 - 91.6	21	64.4	60.1 - 68.5	233

Page 52 of 63

<sup>-</sup> Results are suppressed due to insufficient number of respondents in subgroup.

# 2018 School Health Profiles Report Weighted Principal Survey Results

40. Percentage of schools that have a protocol that ensures students with a chronic condition that may require daily or emergency management (e.g., asthma, diabetes, food allergies) are enrolled in private, state, or federally funded insurance programs if eligible.

H	igh Schools		Mi	ddle Schools		Junior/Se	enior High Scl	ıools	A	All Schools		
	95%			95%			95%			95%		
	Confidence			Confidence			Confidence			Confidence		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	
72.5	65.0 - 78.8	90	67.5	61.1 - 73.3	122	62.8	45.4 - 77.5	21	68.9	64.3 - 73.2	233	

## 2018 School Health Profiles Report Weighted Principal Survey Results

41. Percentage of schools that routinely use school records to identify and track students with a current diagnosis of the following chronic conditions.

		High Schools		Mic	ddle Schools			r/Senior Hig Schools	h	A	All Schools		
			95% Confidence			95% Confidence			95% Confidence			95% Confidence	
		Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
a.	Asthma	93.6	88.7 - 96.5	92	94.9	91.0 - 97.2	124	100.0	†	21	94.9	92.4 - 96.7	237
b.	Food allergies				95.8	92.1 - 97.8	124	100.0	†	21	95.8	93.3 - 97.3	237
c.	Diabetes	94.7				91.0 - 97.2	124	100.0	†	21	95.3	92.8 - 97.0	237
d.	Epilepsy or seizure disorder	94.7	90.0 - 97.2	92	94.9	91.0 - 97.2	124	100.0	†	21	95.3	92.8 - 97.0	237
e.	Obesity	34.0	27.2 - 41.6	92	39.1	32.7 - 45.9	124	34.6	20.9 - 51.5	21	36.8	32.3 - 41.7	237
f.	Hypertension/high blood pressure	69.8 62.4 - 76.3 92			65.8	59.5 - 71.6	124	72.6	59.3 - 82.8	21	67.9	63.4 - 72.0	237
g.	Oral health condition (e.g., abscess, tooth decay)	48.2	40.0 - 56.4	92	47.6	41.3 - 53.9	124	49.1	32.8 - 65.6	21	47.9	43.1 - 52.8	237

 $<sup>\</sup>dagger$  Confidence intervals not applicable for 0 percent or 100 percent. N = Unweighted number of observations

# 2018 School Health Profiles Report Weighted Principal Survey Results

42. Percentage of schools that provide referrals to any organizations or health care professionals not on school property for students diagnosed with or suspected to have the following chronic conditions.

		High Schools		Mic	dle Schools		Junio	r/Senior Higi Schools	h	A	All Schools		
			95% Confidence			95% Confidence			95% Confidence			95% Confidence	
		Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
a.	Asthma				47.2	41.2 - 53.4	123	67.3	47.8 - 82.2	21	56.8	52.3 - 61.2	234
b.	Food allergies	67.5 60.7 - 73.7 90			46.5	40.5 - 52.6	123	67.3	47.8 - 82.2	21	56.0	51.6 - 60.3	234
c.	Diabetes	68.7				41.2 - 53.4	123	67.3	47.8 - 82.2	21	56.8	52.3 - 61.2	234
d.	Epilepsy or seizure disorder	68.7	61.6 - 75.0	90	46.0	40.1 - 52.0	122	67.3	47.8 - 82.2	21	56.1	51.7 - 60.5	233
e.	Obesity	61.9	54.6 - 68.7	90	40.4	34.1 - 47.1	121	62.8	45.4 - 77.5	21	50.3	45.6 - 55.0	232
f.	Hypertension/high blood pressure	66.5	59.9 - 72.5	90	44.2	38.2 - 50.5	122	67.3	47.8 - 82.2	21	54.4	50.0 - 58.8	233
g.	Oral health condition (e.g., abscess, tooth decay)	67.4	60.2 - 74.0	90	53.0	46.8 - 59.2	123	77.3	59.8 - 88.7	21	60.4	55.9 - 64.8	234

# 2018 School Health Profiles Report Weighted Principal Survey Results

43. Percentage of schools with practices regarding parental consent and notification when sexual or reproductive health services are provided.

		H	igh Schools		Mic	ddle Schools		Junio	or/Senior Hig Schools	h	A	All Schools	
			95% Confidence			95% Confidence			95% Confidence			95% Confidence	
		Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
a.	This school does not provide any sexual or reproductive health services	74.4	65.8 - 81.4	80	77.3	71.0 - 82.5	119	67.7	52.8 - 79.8	19	75.4	70.7 - 79.6	218
b.	Parental consent is required before any sexual or reproductive health services are provided	11.4	7.1 - 17.9	80	20.2	15.0 - 26.4	119	15.7	6.6 - 33.0	19	16.8	13.2 - 21.0	218
c.	Parental consent is not required for sexual or reproductive health services and parents are provided with information about services provided only upon request	2.4	0.9 - 6.6	80	0.9	0.2 - 3.5	119	0.0	†	19	1.3	0.6 - 3.0	218
d.	Parental consent is not required for sexual or reproductive health services, but parents may be notified depending on the service provided	4.1	1.8 - 9.2	80	0.9	0.2 - 3.7	119	5.5	1.4 - 19.7	19	2.4	1.3 - 4.5	218
e.	Parental consent is not required for sexual or reproductive health services, but parents are notified about all services provided	3.9	1.7 - 8.7	80	0.9	0.2 - 3.5	119	5.5	1.3 - 21.1	19	2.3	1.2 - 4.4	218
f.	Parental consent is not required for sexual or reproductive health services and parents are not notified about any services provided	3.7	1.6 - 8.4	80	0.0	†	119	5.5	1.3 - 21.1	19	1.8	0.9 - 3.6	218

 $<sup>\</sup>dagger$  Confidence intervals not applicable for 0 percent or 100 percent.

# 2018 School Health Profiles Report Weighted Principal Survey Results

44. Percentage of schools with practices regarding parental consent and notification when sexual or reproductive health services are referred.

		H	igh Schools		Mie	ddle Schools			/Senior Hig Schools	;h	A	Il Schools	
			95% Confidence			95% Confidence			95% Confidence			95% Confidence	
		Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
a.	This school does not refer any sexual or reproductive health services	36.9	29.8 - 44.5	69	69.5	62.5 - 75.8	108	-	-	13	55.6	50.8 - 60.3	190
b.	Parental consent is required before any sexual or reproductive health services are referred	31.8	24.8 - 39.6	69	25.7	20.0 - 32.3	108	-	-	13	28.7	24.2 - 33.6	190
c.	Parental consent is not required for sexual or reproductive health services and parents are provided with information about referrals provided only upon request	4.5	1.9 - 10.0	69	2.9	1.3 - 6.3	108	-	-	13	3.2	1.8 - 5.7	190
d.	Parental consent is not required for sexual or reproductive health services, but parents may be notified depending on the referral provided	13.6	8.9 - 20.4	69	1.0	0.2 - 4.0	108	-	-	13	6.3	4.3 - 9.1	190
e.	Parental consent is not required for sexual or reproductive health services, but parents are notified about all referrals provided	3.2	1.1 - 8.5	69	0.9	0.2 - 3.9	108	-	-	13	2.2	1.1 - 4.5	190
f.	Parental consent is not required for sexual or reproductive health services and parents are not notified about any referrals provided	10.1	5.8 - 17.1	69	0.0	†	108	-	-	13	4.0	2.4 - 6.6	190

<sup>-</sup> Results are suppressed due to insufficient number of respondents in subgroup.

<sup>†</sup> Confidence intervals not applicable for 0 percent or 100 percent.

N = Unweighted number of observations

## 2018 School Health Profiles Report Weighted Principal Survey Results

45. Percentage of schools that have done any of the following activities during the current school year.

		Hi	igh Schools		Mic	ddle Schools		Junio	r/Senior High Schools	h	A	Il Schools	
			95% Confidence			95% Confidence			95% Confidence			95% Confidence	
		Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
a.	Provided parents and families with information about how to communicate with their child about sex	27.0	21.1 - 33.9	92	27.2	22.0 - 33.0	123	52.5	42.9 - 61.9	21	29.4	25.7 - 33.5	236
b.	Provided parents with information about how to monitor their child (e.g., setting parental expectations, keeping track of their child, responding when their child breaks the rules)	41.2	34.1 - 48.8	92	62.0	55.4 - 68.2	124	53.0	36.4 - 69.0	21	53.6	48.9 - 58.3	237
c.	Involved parents as school volunteers in the delivery of health education activities and services	29.9	22.8 - 38.0	92	28.8	23.1 - 35.1	124	36.9	23.2 - 53.0	21	29.9	25.6 - 34.6	237
d.	Linked parents and families to health services and programs in the community	79.2	72.6 - 84.6	92	75.6	69.7 - 80.6	124	81.8	70.5 - 89.4	21	77.5	73.4 - 81.0	237
e.	Provided disease-specific education for parents and families of students with chronic health conditions (e.g., asthma, diabetes)	50.3	42.4 - 58.1	92	39.8	34.0 - 45.9	123	47.8	32.3 - 63.7	21	44.3	39.8 - 49.0	236

## 2018 School Health Profiles Report Weighted Principal Survey Results

46. Percentage of schools that use electronic, paper, or oral communication to inform parents about school health services and programs.

H	igh Schools		Mi	ddle Schools		Junior/Se	enior High Scl	iools	A	All Schools		
	95%			95%			95%			95%		
	Confidence			Confidence			Confidence			Confidence		
Percent	Interval	N	Percent				Interval	N	Percent	Interval	N	
86.2	80.3 - 90.5	92	84.7	79.7 - 88.6	125	95.0	80.7 - 98.8	21	86.2	82.8 - 89.0	238	

# **2018 School Health Profiles Report Weighted Principal Survey Results**

47. Percentage of schools that participate in a program in which family or community members serve as role models to students or mentor students, such as the Big Brothers Big Sisters program.

Н	igh Schools		Mi	ddle Schools		Junior/Se	enior High Scl	ıools	A	All Schools		
	95%			95%			95%			95%		
	Confidence			Confidence			Confidence			Confidence		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	
40.0	32.5 - 48.0	92	38.3	32.3 - 44.6	125	41.9	26.5 - 59.1	21	39.2	34.7 - 44.0	238	

N = Unweighted number of observations Page 60 of 63

## 2018 School Health Profiles Report Weighted Principal Survey Results

48. Percentage of schools that provide service-learning opportunities for students.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools				
95%			95%			95%			95%				
Confidence				Confidence			Confidence			Confidence			
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N		
85.4	79.2 - 90.0	90	59.6	53.1 - 65.7	124	67.8	55.1 - 78.4	21	69.6	65.3 - 73.6	235		

## 2018 School Health Profiles Report Weighted Principal Survey Results

49. Percentage of schools that provide peer tutoring opportunities for students.

High Schools			Middle Schools			Junior/Se	enior High Scl	All Schools					
95%				95%			95%			95%			
Confidence				Confidence			Confidence			Confidence			
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N		
98.9	95.6 - 99.7	91	82.1	76.0 - 87.0	125	95.0	80.7 - 98.8	21	89.3	85.8 - 92.1	237		

## 2018 School Health Profiles Report Weighted Principal Survey Results

50. Percentage of schools in which students' families helped develop or implement policies and programs related to school health during the past two years.

High Schools			Mic	Middle Schools			enior High Scl	All Schools					
	95%			95%			95%			95%			
Confidence				Confidence			Confidence			Confidence			
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N		
57.7	50.1 - 64.9	91	58.9	52.2 - 65.2	125	66.8	50.6 - 79.7	21	59.2	54.4 - 63.7	237		