

Intel File Server Specifications

	Tower	Rack Mount Ready	Blade Chassis	Blade Server
Processor	Quad-core 1.6 GHz or the equivalent	Quad-core 1.6 GHz or the equivalent		Quad-core 1.6 GHz or the equivalent
Memory	Minimum 4 GB RAM	Minimum 4 GB RAM		Minimum 4 GB RAM
Cache	Minimum of 2 MB L2 Cache	Minimum of 2 MB L2 Cache		Minimum of 2 MB L2 Cache
Integrated Storage	Minimum 73 GB Mirrored	Minimum 73 GB Mirrored		Minimum 73 GB Mirrored
Video	Minimum 16 MB built-in Minimum resolution 1024 x 768	Minimum 16 MB built-in Minimum resolution 1024 x 768		
Hard Drive Controller	Minimum integrated raid controller	Minimum integrated raid controller		
Power Supplies	Redundant not required, but recommended Minimum resolution 1024 x 768	Redundant not required, but recommended Minimum resolution 1024 x 768		
Fans	Minimum 2 Redundant not required, but recommended Hot pluggable not required but recommended	Minimum 2 Redundant not required, but recommended Hot pluggable not required but recommended		
Physical Internal Storage	Minimum 2 drive bays	Minimum 2 drive bays		
Internal DVD-ROM	8X DVD	8X DV		
Keyboard	USB Interface	USB Interface		USB Interface
Mouse	USB Interface	USB Interface		USB Interface
System Bus	Minimum 3 PCI/PCI X/PCI Express slots	Minimum 2 PCI/PCI X/PCI Express slots (before External SCSI interface or Remote		

	Tower	Rack Mount Ready	Blade Chassis	Blade Server
		Management Access card)		
Rackmountable	Capable	Must come rack-mount ready with all rack mount rails, etc., which are specific to server manufacturer.		
External Ports	Minimum 3 USB port Minimum 1 VGA port	Minimum 2 USB port Minimum 1 VGA ports		
Network	Configured with one (2) Ethernet network adapter (10/100/1000)	Configured with one (2) Ethernet network adapter (10/100/1000)		Configured with one (2) Ethernet network adapter (10/100/1000)
	Must demonstrate visual property to show link integrity and activity	Must demonstrate visual property to show link integrity and activity		Must demonstrate visual property to show link integrity and activity
	Must have automatic sensing and reconfiguration for the speed of the hub or switch port	Must have automatic sensing and reconfiguration for the speed of the hub or switch port		Must have automatic sensing and reconfiguration for the speed of the hub or switch port
	Must support Category 5e UTP	Must support Category 5e UTP		Must support Category 5e UTP
Remote Management Access	Add-on PCI or Built-in	Add-on PCI or Built-in		Add-on PCI or Built-in
Warranty	3 Year ProSupport for IT and NBD On-site Service (8x5 warranty)	3 Year ProSupport for IT and NBD On-site Service (8x5 warranty)		3 Year ProSupport for IT and NBD On-site Service (8x5 warranty)
	3 Year ProSupport for IT and NBD On-site Service (8x5 warranty)- no troubleshooting required	3 Year ProSupport for IT and NBD On-site Service (8x5 warranty)- no troubleshooting required		3 Year ProSupport for IT and NBD On-site Service (8x5 warranty)- no troubleshooting required
	4 Year ProSupport for IT and NBD On-site Service (8x5 warranty)	4 Year ProSupport for IT and NBD On-site Service (8x5 warranty)		4 Year ProSupport for IT and NBD On-site Service (8x5 warranty)
	4 Year ProSupport	4 Year ProSupport		4 Year ProSupport

	Tower	Rack Mount Ready	Blade Chassis	Blade Server
	for IT and NBD On-site Service (8x5 warranty)- no troubleshooting required	for IT and NBD On-site Service (8x5 warranty)- no troubleshooting required		for IT and NBD On-site Service (8x5 warranty)- no troubleshooting required
	5 Year ProSupport for IT and NBD On-site Service (8x5 warranty)	5 Year ProSupport for IT and NBD On-site Service (8x5 warranty)		5 Year ProSupport for IT and NBD On-site Service (8x5 warranty)
	5 Year ProSupport for IT and NBD On-site Service (8x5 warranty)- no troubleshooting required	5 Year ProSupport for IT and NBD On-site Service (8x5 warranty)- no troubleshooting required		5 Year ProSupport for IT and NBD On-site Service (8x5 warranty)- no troubleshooting required
	3 Year ProSupport for IT 4HR 7x24 Onsite: Non Mission Critical	3 Year ProSupport for IT 4HR 7x24 Onsite: Non Mission Critical		3 Year ProSupport for IT 4HR 7x24 Onsite: Non Mission Critical
	4 Year ProSupport for IT 4HR 7x24 Onsite: Non Mission Critical	4 Year ProSupport for IT 4HR 7x24 Onsite: Non Mission Critical		4 Year ProSupport for IT 4HR 7x24 Onsite: Non Mission Critical
	5 Year ProSupport for IT 4HR 7x24 Onsite: Non Mission Critical	5 Year ProSupport for IT 4HR 7x24 Onsite: Non Mission Critical		5 Year ProSupport for IT 4HR 7x24 Onsite: Non Mission Critical
	3 Year ProSupport for IT and Mission Critical 4HR 7x24 Onsite Pack	3 Year ProSupport for IT and Mission Critical 4HR 7x24 Onsite Pack		3 Year ProSupport for IT and Mission Critical 4HR 7x24 Onsite Pack
	4 Year ProSupport for IT and Mission Critical 4HR 7x24 Onsite Pack	4 Year ProSupport for IT and Mission Critical 4HR 7x24 Onsite Pack		4 Year ProSupport for IT and Mission Critical 4HR 7x24 Onsite Pack
	5 Year ProSupport for IT and Mission Critical 4HR 7x24 Onsite Pack	5 Year ProSupport for IT and Mission Critical 4HR 7x24 Onsite Pack		5 Year ProSupport for IT and Mission Critical 4HR 7x24 Onsite Pack
	3 Year ProSupport for IT and Mission Critical 2HR7x24	3 Year ProSupport for IT and Mission Critical 2HR7x24		3 Year ProSupport for IT and Mission Critical 2HR7x24

	Tower	Rack Mount Ready	Blade Chassis	Blade Server
	OnsitePack:6Hr Repair	OnsitePack:6Hr Repair		OnsitePack:6Hr Repair
	4 Year ProSupport for IT and Mission Critical 2HR7x24 Onsite Pack	4 Year ProSupport for IT and Mission Critical 2HR7x24 Onsite Pack		4 Year ProSupport for IT and Mission Critical 2HR7x24 Onsite Pack
	5 Year ProSupport for IT and Mission Critical 2HR7x24 Onsite Pack	5 Year ProSupport for IT and Mission Critical 2HR7x24 Onsite Pack		5 Year ProSupport for IT and Mission Critical 2HR7x24 Onsite Pack